

- EN** Folding and demountable power scooter
- F** Scooter électrique pliant et demontable
- ES** Scooter eléctrico plegable y desmontable
- P** Scooter elétrico dobrável y desmontável

## ARDEA **Mobility 200**

Cod. **CN200R** Red

Cod. **CN200B** White



Armrest width regulation



Swivel seat and foldable backrest



Steering wheel inclination regulation



Power socket



**270W**  
Motor



**6 KM/H**  
Max. speed



**>11 KM**  
Autonomy



**113 KG**  
Max. loading weight



**12V 2x12Ah**  
Battery

### Technical features

Seat L 38 cm - With removable cushion

PERFORMANCES		SPECIFICATIONS	
Turning radius	123 cm	Battery charger type	1,8Amp, Off Board, 220V, 50HZ
Max. climb rated slope superable*	12°/21%	Controller type	PG S-45A
Curb obstacle	5 cm	Brake	Electromechanical No parking brake

### WEIGHT AND DIMENSION

Measures cm												
<b>CN200</b>	41	35	10	44	29,5	76	106	52	80	19,5x5 PU, solid	included	

\* The rated slope is defined in EN12184:2014

- EN** Demountable power scooter
- F** Scooter électrique démontable
- ES** Scooter eléctrico desmontable
- P** Scooter elétrico desmontável

**MARDEA** **mobility 210**

Cod. **CN210A** Orange


Cod. **CN210B** White



Armrest width regulation



Swivel and foldable seat



Front and rear suspensions



Rear-view mirrors



Steering wheel inclination regulation



Power socket and usb port



Front LED lights kit



**350W**  
Motor

**6 KM/H**  
Max. speed

**>21 KM**  
Autonomy

**149 KG**  
Max. loading weight

**12V 2x22Ah**  
Battery

**USB**  
port

Technical features

Seat	L 43 cm										
PERFORMANCES						PERFORMANCES					
Turning radius	127 cm					Battery charger type	3Amp, Off Board, 220V, 50HZ				
Max. climb rated slope superable*	12°/21%					Controller type	PG S-70A				
Curb obstacle	8 cm					Brake	Electromechanical No parking brake				
WEIGHT AND DIMENSION											
Measures cm											
<b>CN210</b>	45	42	10,5	44	39	83	111	58	93	22x7,5 PU, solid	included

\* The rated slope is defined in EN12184:2014

- EN Power scooter
- F Scooter électrique
- ES Scooter eléctrico
- P Scooter elétrico

## ARDEA Mobility 220

Cod. CN220



Armrests inclination regulation



Back LED lights kit with turn signals



Swivel, foldable and depth adjustable seat



Front and rear suspensions



Dashboard and Rear-view mirrors (not illustrated)



Steering wheel inclination regulation



Armrest width regulation



Drive mode selector, power socket, usb port



Front LED light kit with turn signals



**600W\*  
Motor**



**10 KM/H  
Max. speed**



**>34 KM  
Autonomy**



**158 KG  
Max. loading weight**



**12V 2x50Ah  
Battery**



**USB  
port**

### Technical features

Seat	L 46 x P 41 cm											
PERFORMANCES						PERFORMANCES						
Turning radius	140 cm					Battery charger type	5Amp, Off Board, 220V, 50HZ					
Max. climb rated slope superable**	12°/21%					Controller type	PG S-90A					
Curb obstacle	10 cm					Brake	Electromechanical No parking brake					
WEIGHT AND DIMENSION												
Measures cm												
<b>CN220</b>	47	45	13	48	69,5-76	95	140	62	129,5-134	26,5x8,5 pneumatic	included	

\* 4-pole \*\* The rated slope is defined in EN12184:2014

- EN Power scooter
- F Scooter électrique
- ES Scooter eléctrico
- P Scooter elétrico

**MARDEA** **mobility 230**

Cod. **CN230**



Armrests inclination regulation



Back LED lights kit with turn signals



Swivel, foldable and depth adjustable seat



Front and rear suspensions




Rear-view mirrors and dashboard



Steering wheel inclination regulation



Drive mode selector, power socket, usb port



Armrest width regulation



Front LED light kit with turn signals



**800W\***  
Motor



**13 KM/H**  
Max. speed



**>36 KM**  
Autonomy



**158 KG**  
Max. loading weight



**12V 2x50Ah**  
Battery



**USB port**

### Technical features

Seat	L 46 x P 41 cm										
PERFORMANCES						PERFORMANCES					
Turning radius	149 cm					Battery charger type	8Amp, Off Board, 220V, 50HZ				
Max. climb rated slope superable**	12°/21%					Controller type	PG S-120A				
Curb obstacle	12 cm					Brake	Electromechanical and parking brake				
WEIGHT AND DIMENSION											
Measures cm											
<b>CN230</b>	47	44	13	47	70-75	96	129,5	62,5	131-136,5	30x9,5 pneumatic	included

\* 4-pole \*\* The rated slope is defined in EN12184:2014


- EN** Power scooter
- F** Scooter électrique
- ES** Scooter eléctrico
- P** Scooter elétrico

**MARDEA** **mobility 240**

Cod. **CN240**




Armrests inclination regulation



Back LED lights kit with turn signals



Swivel, foldable and depth adjustable seat



Front and rear suspensions



Rear-view mirrors



Steering wheel inclination regulation



Armrest width regulation



Drive mode selector, power socket, usb port



Front LED light kit with turn signals



**1100W\***  
Motor



**15 KM/H**  
Max. speed



**>49 KM**  
Autonomy



**180 KG**  
Max. loading weight



**12V 2x75Ah**  
Battery



**USB**  
port

### Technical features

Seat	L 46 x P 46 cm									
PERFORMANCES					PERFORMANCES					
Turning radius	140 cm				Battery charger type	8Amp, Off Board, 220V, 50HZ				
Max. climb rated slope superable**	12°/21%				Controller type	PG S-140A				
Curb obstacle	12 cm				Brake	Electromechanical and parking brake				
WEIGHT AND DIMENSION										
Measures cm										
<b>CN240</b>	49	48	19	52	71-76	104	147	70	141,5-147	33x10 pneumatic

\* 4-pole \*\* The rated slope is defined in EN12184:2014

EN Power scooter  
 F Scooter électrique  
 ES Scooter eléctrico  
 P Scooter elétrico

ARDEA **Mobility 250**

Cod. **CN250**



Armrests inclination regulation



Back LED lights kit with turn signals



Swivel, foldable and depth adjustable seat



Front and rear suspensions



Steering wheel inclination regulation



Handlebar inclination regulation



Armrest width regulation



Drive mode selector, power socket, usb port



Front LED light kit with turn signals



Dashboard with LCD display and Rear-view mirrors (not illustrated)

 **1650W\***  
Motor

 **15 KM/H**  
Max. speed

 **>45 KM**  
Autonomy

 **203 KG**  
Max. loading weight

 **12V 2x100Ah**  
Battery

 **USB**  
port

### Technical features

Seat	L 46 x P 46 cm										
PERFORMANCES						PERFORMANCES					
Turning radius	175 cm					Battery charger type	8Amp, Off Board, 220V, 50HZ				
Max. climb rated slope superable**	12°/21%					Controller type	PG S-200A				
Curb obstacle	12 cm					Brake	Electromechanical and parking brake				
WEIGHT AND DIMENSION											
Measures cm											
<b>CN250</b>	49	48.5	13.5	48.5	72-76,5	105	146	70	135-141	35x10 pneumatic	33x9 pneumatic

\* 4-pole \*\* The rated slope is defined in EN12184:2014

- EN** Power scooter
- F** Scooter électrique
- ES** Scooter eléctrico
- P** Scooter elétrico

**MARDEA** *ARDEA* **260**

Cod. **CN260**



Armrests inclination regulation



Back LED lights kit with turn signals



Swivel, foldable and depth adjustable seat



Front and rear suspensions



Steering wheel inclination regulation



Handlebar inclination regulation



Armrest width regulation



Power socket, usb port



Equipped with removable canopy



Front LED light kit with turn signals



Dashboard with LCD display, drive mode selector and Rear-view mirrors



**1650W\***  
Motor



**15 KM/H**  
Max. speed



**>54 KM**  
Autonomy



**203 KG**  
Max. loading weight



**12V 2x120Ah**  
Battery



**USB**  
port

### Technical features

Seat L 46 x P 46 cm

#### PERFORMANCES

Turning radius	166 cm
Max. climb rated slope superable**	12°/21%
Curb obstacle	12 cm

#### PERFORMANCES

Battery charger type	8Amp, Off Board, 220V, 50HZ
Controller type	PG S-200A
Brake	Electromechanical and parking brake

#### WEIGHT AND DIMENSION

Measures cm											
<b>CN260</b>	49	48,5	15	47,5	71,5-76,5	113	160	82	138,5-144	35x10 pneumatic	

\* 4 poli \*\* Il termine pendenza stimata (rated slope) è definito nella norma EN 12184:2014

**EN** Scooter - Spare parts  
**F** Scooter - Pièces de rechange  
**ES** Scooter - Repuestos  
**P** Scooter - Peças de reposição



Cod. **CNR440** Front wheel (CN200)  
 Cod. **CNR441** Rear wheel (CN200)



Cod. **CNR480** Front wheel (CN210)  
 Cod. **CNR481** Rear wheel (CN210)



Cod. **CNR522** Rear wheel (CN220)



Cod. **CNR580** Front wheel (CN230)



Cod. **CNR583D** Right/Rear wheel 12" (CN230)  
 Cod. **CNR583S** Left/Rear wheel 12" (CN230)



Cod. **CNR641D** Right/Rear Complete wheel 13" (CN240)  
 Cod. **CNR641S** Left/Rear Complete 13" wheel with magnetic sensor (CN240)



Cod. **CNR640** Front wheel (CN240)



Cod. **CNR116** Front wheel (CN250)  
 Cod. **CNR106** Rear wheel (CN250)  
 Cod. **CNR711D** Right/Rear Complete wheel 14" (CN250)  
 Cod. **CNR711S** Left/Rear Complete 14" wheel with magnetic sensor (CN250)



Cod. **CNR741D** Right/Rear Complete wheel 14" (CN260)  
 Cod. **CNR741S** Left/Rear Complete wheel 14" (CN260)



Cod. **CNR436** Front wheel (CN260)



Cod. **CNR212** Mirrors kit (left/right) (CN210-CN220)



Cod. **CNR213** Mirrors kit (left/right) (CN230-CN240-CN250-CN260)




Cod. **CNR410** Padded seat (CN200)



Cod. **CNR411** Padded seat (CN210)



Cod. **CNR412** Padded seat (CN220-CN230)



Cod. **CNR413** Padded seat (CN240-CN250-CN260)



Cod. **CNR253** Front basket (CN200)



Cod. **CNR249** Rear basket (CN210-CN220-CN230-CN240-CN250)



Cod. **CNR401** Front basket (CN260)



Cod. **CNR400** Windscreen/Canopy (CN260)



Cod. **CNR611D** Right Glass holder (CN240-CN130-CN140)  
 Cod. **CNR611S** Left Glass holder (CN240-CN130-CN140)

- EN** Scooter - Optional accessories
- F** Scooter - Accessoires optionnels
- ES** Scooter - Accesorios opcionales
- P** Scooter - Acessórios opcionais



*Cod. CSR145*  
Bag (excluding CN200 and CN210)



*Cod. CNA100*  
Rear plastic basket (for CN2xx)



*Cod. CNA102*  
Rear case (for CN2xx)




*Cod. CNA106*  
Storage basket  
(for CN220-CN230-CN240-CN250-CN260)



*Cod. CNA107*  
Storage basket XL  
(for CN220-CN230-CN240-CN250-CN260)



*Cod. CNA122*  
Walker holder (for CN2xx)



*Cod. CNA105*  
Rear bag with stick/crutch holder (CN2xx)



*Cod. CNA116*  
Stick holder (CN2xx)




*Cod. CNA117*  
Double stick holder (for CN2xx)



*Cod. CNA118*  
Crutch holder (for CN2xx)




*Cod. CNA110*  
Oxygen bottle holder (for CN2xx)



*Cod. CNA145*  
Multiple attachments for accessories (for CN2xx)

- EN** Scooter - Optional accessories
- F** Scooter - Accessoires optionnels
- ES** Scooter - Accesorios opcionales
- P** Scooter - Acessórios opcionais



Cod. **CSR120**  
Stick holder (CS930)



Cod. **CNA230**  
Windscreen/Canopy(for CN240)



Cod. **CNA231**  
Windscreen/Canopy(for CN250)



Cod. **CNA150**  
Sun cover for large scooters  
(for CN220-CN230-CN240-CN250)



Cod. **CNA140**  
Cover for scooter-smal (for CN200-CN210)



Cod. **CNA141**  
Cover for scooter-large  
(for CN220-CN230-CN240-CN250)



Cod. **RP245**  
Car type seat belt for scooters (for CN2xx)

**ATTENTION!** IN CASE OF A SCOOTER EQUIPPED WITH A ROOF/HOOD  
THE ACCESSORIES PREVENT THE SEAT FROM ROTATING

- EN Portable ramps
- F Rampes portatives
- ES Rampas portátiles
- P Rampas portáteis

**RAMPY**

### Telescopic - pair

Series **CR500**



Transport bag included



Anti-rust aluminium frame with anti-slip surface



### Fixed ramps - pair

Series **CR507**



Transport bag included



Anti-rust aluminium frame with anti-slip surface



Technical features


Products codes	CR500-1	CR500-2	CR507-1	CR507-2
<b>SPECIFICATIONS</b>				
Frame	Aluminium with anti-slip surface			
<b>WEIGHT AND DIMENSION</b>				
↔ W:	83.5÷152 cm	120÷213 cm	61 cm	183 cm
↗ D:	19 cm		18,9 cm	
⚖ Kg	5,75 Kg	8 Kg	1,33 Kg	6,5 Kg
♿	272 Kg			

- EN Portable ramps
- F Rampes portatives
- ES Rampas portátiles
- P Rampas portáteis



## Fixed length

### Series CR503



Stainless steel hinges

Anti-rust and anti-slip aluminium frame



Folded frame

Handle for transport

Technical features

SPECIFICATIONS				
Frame	Aluminium			
WEIGHT AND DIMENSIONS				
Products codes	↔ W:	↗ D:	⚖ Kg	👤
<b>CR503-1</b>	61 cm	73 cm total - 36 cm each single ramp	5 Kg	272 Kg
<b>CR503-2</b>	213 cm		17,5 kg	

## Fixed platform ramp

### Series CR509



Anti-rust aluminium frame with anti-slip surface



Handle for transport

Technical feature

SPECIFICATIONS				
Frame	Aluminium with anti-slip surface			
WEIGHT AND DIMENSIONS				
Products codes	↔ W:	↗ D:	⚖ Kg	👤
<b>CR509-1</b>	61 cm	73 cm	4,8 Kg	272 Kg
<b>CR509-2</b>	91 cm		7 Kg	
<b>CR509-3</b>	122 cm		10 Kg	

- EN** Folding electric wheelchair
- F** Fauteuil roulant électrique pliant
- ES** Silla de ruedas eléctrica plegable
- P** Cadeira de rodas elétrica dobrável

**Aluminium frame with lithium batteries**

**Cod. CM840**



Technical features

Seat	W 44 x D 45 cm																	
Front and rear wheels	Solid PU																	
PERFORMANCE								SPECIFICATIONS										
Max speed	6 km/h	Battery specification		2 da 24V 6AH lithium		Turning radius		800 mm		Battery charger type		5A		Safe grade climb slope		8°/14%		
Max. climb slope	40 mm	Motor		2 da 180W brushless		Autonomy		20 km		Controller type		Brushless-24V/30A		Brake		Magnetic		
Charging time	6h	Traction		2 motors on rear wheels		WEIGHT AND DIMENSION												
Measures cm																		
<b>CM840</b>	91	97	44	97	72	56 front 52 behind	44	45	48	60	27	29,5	20	18	-	120	Max load weight	

- EN** Folding electric wheelchair
- F** Fauteuil roulant électrique pliant
- ES** Silla de ruedas eléctrica plegable
- P** Cadeira de rodas elétrica dobrável



## Aluminium frame with lithium batteries

Cod. **CM850**



### Technical features

Seat	W 44 x D 45 cm		
Front and rear wheels	Solid PU		
PERFORMANCE		SPECIFICATIONS	
Max speed	6 km/h	Battery specification	2 da 24V 6AH lithium
Turning radius	800 mm	Battery charger type	5A
Safe grade climb slope	8°/14%	Controller type	Brushless-24V/30A
Max. climb slope	40 mm	Motor	2 da 250W brushless
Autonomy	20 km	Brake	Magnetic
Charging time	6h	Traction	2 motors on rear wheels
WEIGHT AND DIMENSION			
Measures cm			
<b>CM850</b>	100	80	44
	97	72	54 front 50 behind
	46	45	57
	65	28,5kg	31 kg
		Without batteries	With batteries
	32	18	-
			Max load weight
			150

- EN** Folding electric wheelchair
- F** Fauteuil roulant électrique pliant
- ES** Silla de ruedas eléctrica plegable
- P** Cadeira de rodas elétrica dobrável

**Aluminium frame with lithium batteries**

**Cod. CM860**



Technical features

Seat	W 44 x D 45 cm																
Front and rear wheels	Solid																
<b>PERFORMANCE</b>								<b>SPECIFICATIONS</b>									
Max speed	6 km/h	Battery specification		2 da 24V 6AH lithium		Battery charger type		5A		Controller type		Brushless-24V/30A		Motor		2 da 250W brushless	
Turning radius	800 mm	Brake		Magnetic		Traction		2 motors on rear wheels		Weight (Without batteries)		30kg		Weight (With batteries)		37,5kg	
Safe grade climb slope	8°/14%	Measures cm		113-123		82		44		99		76		55 front		52 behind	
Max. climb slope	40 mm	113-123		82		44		99		76		55 front		52 behind		51-58	
Autonomy	20 km	45		50		60		30kg		37,5kg		32		18		6	
Charging time	6h	60		30kg		37,5kg		32		18		6		180		Max load weight	
<b>WEIGHT AND DIMENSION</b>																	

**EN** Folding electric wheelchair - Optional accessories  
**F** Fauteuil roulant électrique pliant - Accessoires optionnels  
**ES** Silla de ruedas eléctrica plegable - Accesorios opcionales  
**P** Cadeira de rodas elétrica dobrável - Acessórios opcionais



Cod. **CMA870**  
Bottle holder



Cod. **CMA873**  
Padded seat h 10 cm



Cod. **CMA880**  
Back control support with adjustable/fixed angle



Cod. **CMA881**  
Back control support with adjustable/fixed angle



Cod. **CMA885**  
Headrest with adjustable angle




Cod. **CMA886 PAIO**  
Elevating footrest



Cod. **CMA887**  
Cellphone holder



Cod. **CMA872 PAIO**  
Safety wheels (**CM850**)



Cod. **CMA875 (CM840)**  
Cod. **CMA876 (CM850)**  
Armrest width extension set

**EN** Folding electric wheelchair - Spare parts  
**F** Fauteuil roulant électrique pliant - Pièces de rechange  
**ES** Silla de ruedas eléctrica plegable - Repuestos  
**P** Cadeira de rodas elétrica dobrável - Peças de reposição

Cod. **CMR820**  
Charger

Cod. **CMR834 SING.**  
Padded armrest

Cod. **CMR837 SING.**  
Front wheel 20 cm

Cod. **CMR840**  
Joystick

Cod. **CMR821**  
Charger lithium 6Ah  
(**CM840**)

Cod. **CMR822D** right  
Cod. **CMR822R** left  
Charger lithium 6Ah  
(**CM850**)

Cod. **CMR823**  
Charger lithium 6Ah  
(**CM860**)

Cod. **CMR828D DX**  
Cod. **CMR828R SX**  
Wheel with engine  
180W (**CM840**)

Cod. **CMR829D DX**  
Cod. **CMR829R SX**  
Wheel with engine  
250W  
(**CM850-CM860**)

Cod. **CMR848 PAIO**  
Mudguard right  
and left (**CM850-**  
**CM860**)

Cod. **CMR837**  
Front wheel 18cm

- EN** Power wheelchairs, ESCAPE DX
- F** Fauteuils roulants électriques, ESCAPE DX
- ES** Sillas de ruedas eléctricas, ESCAPE DX
- P** Cadeiras de rodas elétricas, ESCAPE DX

**Light weight folding, easy to transport**

Cod. **CM900L-41** Cod. **CM900L-46** *With lights*

Cod. **CM900-41** Cod. **CM900-46** *Without lights*



Technical features

Product codes	CM900-41 Without lights		CM900-46 Without lights		CM900L-41 With lights		CM900L-46 With lights								
Seat	41 cm		46 cm		41 cm		46 cm								
<b>PERFORMANCE</b>					<b>SPECIFICATIONS</b>										
Max speed	6 km/h				Battery specification		12V 36Ah x 2pcs								
Turning radius	86,5 cm				Battery charger type		5Amp, external								
Safe grade climb slope	8°				Controller type		VR11 50Amp								
Max. climb slope	10°				Motor		2x200W, 3900 rpm/mn								
Curb obstacle	5 cm				Brake		Electromechanical								
Autonomy	32 km														
<b>WEIGHT AND DIMENSION</b>															
Measures cm															
<b>CM900-41</b>											Without battery				
<b>CM900L-41</b>	115	78	40	93	71	50	44	41	58	42	38	32x6	20x5	4	135
<b>CM900-46</b>															
<b>CM900L-46</b>															

- EN** Power wheelchair TAURUS
- F** Fauteuil roulant électrique TAURUS
- ES** Silla de ruedas eléctrica TAURUS
- P** Cadeira de rodas elétrica TAURUS

## Reclining and width adjustable seat and backrest

Cod. **CS810**



Reclining backrest  
98°-118°

Depth adjustable joystick  
and left/right positionable



Armrest with  
adjustable  
height, length  
and depth

Length adjustable footrest  
with front-rear rotation,  
detachable, feet stopper



Backrest adjustable  
in width from 41 to 52  
cm (each 2,5 cm), in  
height from 41 to 51 cm -  
tensionable



Seat  
adjustable in  
width from  
37 to 52 cm,  
depth from  
37 to 42 cm  
(each  
2,5 cm)

### Technical features

Seat	37÷52 cm															
Wheels	Pneumatic															
PERFORMANCE								SPECIFICATIONS								
Max speed	8 km/h	Battery specification		2x12V - 36Ah												
Turning radius	92 cm	Battery charger type		5A												
Safe grade climb slope	8°	Controller type		Dynamic												
Max. climb slope	8°/14%	Motor		2x420W- 4600 rpm/mn												
Curb obstacle	30 mm	Brake		Electromechanical												
Autonomy	16 km	Traction		2 motors on rear wheels												
WEIGHT AND DIMENSION																
Measures cm																
<b>CS810</b>	106	72	37 42	91 101	73 77,5	49	44 59	37 52	41 51	58 71	-	75	32	20	4	136



- EN** Power wheelchair ARIES
- F** Fauteuil roulant électrique ARIES
- ES** Silla de ruedas eléctrica ARIES
- P** Cadeira de rodas elétrica ARIES

## Manual reclining seat and backrest

Cod. **CS900BL** With lights



### Technical features

Seat	45 cm																					
Wheels	Pneumatic																					
PERFORMANCE								SPECIFICATIONS														
Max speed	8 km/h							Battery specification	2x75Ah (12V)													
Turning radius	92 cm							Battery charger type	8A													
Safe grade climb slope	8°							Controller type	Dynamic Shark													
Max. climb slope	8°/14%							Motor	2x420W- 4600 rpm/mn													
Curb obstacle	20 mm							Brake	Electromechanical													
Autonomy	48 km							Traction	2 motors on rear wheels													
WEIGHT AND DIMENSION																						
Measures cm																						
<b>CS900BL</b>	114	79	50	103	78 84	54	45 61	45	51	67	-	116	36	23	-	-	-	162				

- EN** Power wheelchair ARIES TILTING
- F** Fauteuil roulant électrique ARIES TILTING
- ES** Silla de ruedas eléctrica ARIES TILTING
- P** Cadeira de rodas elétrica ARIES TILTING

## Multifunction - Electric reclining seat

Cod. **CS910BL**



### Technical features

Seat	45 cm																
Wheels	Pneumatic																
PERFORMANCE								SPECIFICATIONS									
Max speed	8 km/h							Battery specification	2x75Ah (12V)								
Turning radius	92 cm							Battery charger type	8A								
Safe grade climb slope	8°							Controller type	Dynamic Shark								
Max. climb slope	8°/14%							Motor	2x420W- 4600 rpm/mn								
Curb obstacle	20 mm							Brake	Electromechanical								
Autonomy	48 km							Traction	2 motors on rear wheels								
WEIGHT AND DIMENSION																	
Measures cm																	
<b>CS910BL</b>	121	79	40	121	78 84	54	45 61	45	55	67	-	118	36	23	-	162	



- EN** Power wheelchair VIRGO
- F** Fauteuil roulant électrique VIRGO
- ES** Silla de ruedas eléctrica VIRGO
- P** Cadeira de rodas elétrica VIRGO

**6 wheels**

**Cod. CS930**



**Technical features**

Seat	50 cm																
Wheels	Back and front solid wheels -Central wheel pneumatic																
<b>PERFORMANCE</b>								<b>SPECIFICATIONS</b>									
Max speed	6 km/h							Battery specification	2x12V - 36Ah								
Turning radius	62 cm							Battery charger type	5A								
Safe grade climb slope	6°							Controller type	Shark								
Max. climb slope	6°/12%							Motor	2x420W - 4900 rpm/mn								
Curb obstacle	40 mm							Brake	Electromechanical								
Autonomy	20 km							Traction	2 motors on central wheels								
<b>WEIGHT AND DIMENSION</b>																	
Measures cm																	
<b>CS930</b>	108	77	50	*108 115	78	43	45	50	*60 67	61	-	82	26	15	15	15	136

\* Considering adjustable height of headrest

## Power wheelchairs accessories



Cod. **CMA901D** Right Cod. **CMA901S** Left (**CM900**)  
Manual elevating footrest. Seat 41 cm  
Cod. **CMA902D** Right Cod. **CMA902S** Left (**CM900**)  
Manual elevating footrest. Seat 46 cm  
Cod. **CMA903D** Right Cod. **CMA903S** Left (**CM910**)  
Manual elevating footrest



Cod. **CMR912**  
Back control support,  
not illustrated  
(**CM9xx**)



Cod. **CSR712**  
Curb climber (**CS810**)



Cod. **CSR711**  
Lights kit (**CS810**)



Cod. **CSR713**  
Cushion 46 cm  
(**CS810**)



Cod. **CSR912**  
Back control support,  
not illustrated  
(**CS8xx - CS9xx**)



Cod. **CSR510D** Right  
Cod. **CSR510S** Left  
Manual elevating  
footrest  
(**CS900BL-CS910BL**)



Cod. **CNA106**  
Basket (**CS930**)



Cod. **CNA110**  
Oxygen bottle holder  
(**CS930**)



Cod. **CNA116**  
Crutch holder  
(**CS930**)



Cod. **CSR120**  
Stick holder  
(**CS930**)



Cod. **CPA606**  
Polyester Oxygen bottle  
holder Ø Max 120 mm  
(escluso **CS930**)



Cod. **CSR145**  
Bag (**CS930**)

## Power wheelchairs spare parts




Cod. **CSR521D** Right  
Cod. **CSR521S** Left  
Lateral footrest  
(**CS810**)



Cod. **CSR518D** Right  
Cod. **CSR518S** Left  
Flip up, height adjust-  
able armrest  
(**CS900BL-CS910BL**)



Cod. **CSR519D** Right  
Cod. **CSR519S** Left  
Elevating flip up  
armrest (**CS920**)



Cod. **CSR522D** Right  
Cod. **CSR522S** Left  
Width adjustable  
armrests 60-70 cm  
(**CS930**)



Cod. **CSR914**  
Joystick Linx  
DLX-REM050-A  
**CS810, CS900BL,**  
**CS930** (for production  
LOT no. subsequent to  
Nov. 1st 2021)



Cod. **CSR920**  
Joystick Linx  
**CS910BL CS920BL**  
(for production LOT  
no. subsequent to Nov.  
1st 2021)



Cod. **CMR907D**  
Cod. **CMR907S**  
Height adjustable,  
foldable and removable  
armrest, only for  
(**CM900 - CM900L**)



Cod. **CMR902**  
Joystick (**CM900 -**  
**CM910**)  
Cod. **CMR903**  
Joystick with light  
control (**CM900L -**  
**CM910L**)



Cod. **CMR904D** Cod. **CMR904S** Left (**CM900**)  
Swing away, height adjustable footrest Seat 41 cm  
Cod. **CMR905D** Right Cod. **CMR905S** Left  
(**CM900**)  
Swing away, height adjustable footrest Seat 46 cm  
Cod. **CMR906D** Right Cod. **CMR906S** Left  
(**CM910**)  
Swing away, height adjustable footrest



Cod. **CMR912-41**  
Cod. **CMR912-46**  
Padded cushion h 5 cm  
(**CM900 - CM910**)

- EN** TIBODA® - Front wheelchairs drive unit
- F** TIBODA® - Dispositif de traction électrique adaptable au fauteuil roulants
- ES** TIBODA® - Propulsor eléctrico delantero para silla de ruedas
- P** TIBODA® - Kit eléctrico anterior para cadeiras de rodas

### Engine 300W and 400w

Series **TB030** Motor 300W - 36V 10,4Ah

Series **TB040** Motor 400W - 48V 10,4Ah



ASK FOR THE **ORDER FORM**  
TO CUSTOMIZE YOUR TIBODA®!

Automatic steering system return

Accelerator and battery level indicator

Cruise control

Ultra fast patented hooking system

Parking kickstands with wheels Ø 40 mm

160 mm disk brake

16" wheel, with regenerative brake (EBS)

Tiboda® by Ardea Mobility is a front wheelchairs electric drive unit, equipped with ultra fast attack (patent filed). It is handy, fast and easy to handle also in small spaces, it will allow you to easily overcome any difficulty of the ground.

#### Technical features

Product codes	<b>TB030B</b>	<b>TB040B</b>	<b>TB030N</b>	<b>TB040N</b>	<b>TB030P</b>	<b>TB040P</b>
Colours	☐ White		■ Black		🇮🇹 Customized	

- EN** TIBODA® - Front wheelchairs drive unit
- F** TIBODA® - Dispositif de traction électrique adaptable au fauteuil roulants
- ES** TIBODA® - Propulsor eléctrico delantero para silla de ruedas
- P** TIBODA® - Kit eléctrico anterior para cadeiras de rodas

### Engine 750W and 1000w

Series **TB075** Motor 750W - 36V 13Ah

Series **TB100** Motor 1000W - 48V 11,6Ah



ASK FOR THE **ORDER FORM**  
TO CUSTOMIZE YOUR TIBODA®!

Automatic steering system return

Accelerator and battery level indicator

Cruise control

Ultra fast patented hooking system

Parking kickstands with wheels Ø 40 mm



160 mm disk brake

16" wheel, with regenerative brake (EBS)

Tiboda® by Ardea Mobility is a front wheelchairs electric drive unit, equipped with ultra fast attack (patent filed). It is handy, fast and easy to handle also in small spaces, it will allow you to easily overcome any difficulty of the ground.

#### Technical features

Product codes	<b>TB075B</b>	<b>TB100B</b>	<b>TB075N</b>	<b>TB100N</b>	<b>TB075P</b>	<b>TB100P</b>
Colours	<input type="checkbox"/> White		<input type="checkbox"/> Black		<input type="checkbox"/> Customized	

## Hooking Tiboda®



Approach Tiboda® to your wheelchair (A)



Push down (B) and hook Tiboda® through the ultra fast hooking system (C)



Bring your body back (D) and push the handlebars ahead (E). HOOKED!

## Release Tiboda®



Put the safety levers of Tiboda® down (F)



Bring your body back (G) and push the handlebars ahead (H)



Push down and remove Tiboda® (I). RELEASED!



## Accessories



Cod. **TBA101**  
Revolving parking  
kickstands - PAIR



Cod. **TBA102**  
LCD display



Cod. **TBA030**  
Tetra accelerator  
throttle



Cod. **TBA031**  
Tetra brake handle




Cod. **TBA136**  
8 cm extension tube for  
handlebars



Cod. **TBA110D**  
Rear-view mirror -  
RIGHT



Cod. **TBA110S**  
Rear-view mirror -  
LEFT



Cod. **TBA125**  
LED front light-  
rechargeable with USB



Cod. **TBA122\***  
LED front light  
with acoustic signal  
36V/48V



Cod. **TBA129**  
LED battery-powered  
light kit  
Cod. **TBA127**  
LED rear battery-  
powered light




Cod. **TBA130**  
Accelerator grip 36V  
Cod. **TBA131**  
Accelerator grip 48V




Cod. **TBA200**  
Battery 10.4Ah for  
TB030x



Cod. **TBA204**  
Airplane battery 7.8Ah  
for TB030X



Cod. **TBA201**  
Battery 10.4Ah for  
TB040x



Cod. **TBA205**  
Airplane battery 5.2Ah  
for TB040X



Cod. **TBA202**  
Battery 11.6Ah for  
TB100x



Cod. **TBA206**  
Airplane battery 5.8Ah  
for ATB075X



Cod. **TBA203**  
Battery 11.6Ah for  
TB100X



Cod. **TBA207**  
Airplane battery 5.8Ah  
for TB100X

Cod. **TBA161\*\***  
Control unit cable for  
PC (not illustrated)

## Technical features

Product codes	TB030x	TB040x	TB075x	TB100x
<b>SPECIFICATIONS</b>				
Motor	300W 36V 10,4Ah	400W 48V 10,4Ah	750W 36V 13Ah	1000W 48V 11,6Ah
Tiboda® weight	13,2 kg		15,2 kg	
Hooking system weight	2,45 kg			
Batteries specifications	Lithium-ion batteries 18650, weight from 2,5 to 3,2 kg			
USB socket	Placed on the battery			
Charging time	4/5 hours			
Battery charger	Included			
Wheel	16" reinforced aluminium wheel with pneumatic tyre			
Brake	Engine brake with regenerative system to charge the battery; 160 mm mechanical disk brake			
Steering	Automatic steering system return; single speed; reverse gear			
Hooking system	Ultra fast patented hooking system realized in stainless steel, easy to use also for quadriplegic people			
Frame	Aluminium alloy powder painted			
Certificates	CE certificate; according to EN60601-1 and EN60601-2			
<b>PERFORMANCE</b>				
Autonomy	50/55 km***			
Speed	Adjustable speed with accelerator lever quad style (accelerator grip scooter type optional)			
Max speed	According to law			

\* it can be ordered in connection to the rear mirror only

\*\* it can be ordered only from technician specialized on Tiboda® installation

\*\*\* indicative value - Mixed terrain, 15% slope - Tested with a 70 kg. patient and 48V 11,6Ah battery

- EN** Ultralight foldable wheelchair
- F** Fauteuil roulant ultra léger pliable
- ES** Silla de ruedas ultraligera plegable
- P** Cadeira de rodas ultra leve dobrável



## High resistance single cross in light alloy

Cod. **CL200R**



**Atmos**

**100%**  
Compatible  
**TIBODA**

**12,4 Kg**  
Wheelchair weight

Cod. **CL200B**

Cod. **CL200N**



### Technical features

SPECIFICATIONS													
Front wheels	Black, in PU ø 12 cm												
Rear wheels	Black, pneumatic												
Upholstery	Padded Nylon - Fire reaction tested, according to EN1021-1/2												
WEIGHT AND DIMENSION													
Measures in cm													
			Front	Back									MAX loading weight
<b>CL200*-38</b>		40÷50			38		56						
<b>CL200*-40</b>		40÷50			40		58						
<b>CL200*-42</b>	85	40÷50	50÷55	44÷49	42	31÷41	60	35	12,4	60	12	optional	120
<b>CL200*-44</b>		40÷50			44		62						
<b>CL200*-46</b>		40÷50			46		64						

\* Frame colours available: **B** - White; **N** - Black; **R** - Red; **P** - Personalized

## Optional accessories ultra-light wheelchair



Cod. **CLA210**  
Flip up armrest – PAIR



Cod. **CLA211-xx**  
Separate footrest – PAIR  
(specify the seat)



Cod. **CLA212-xx**  
Extended flip up footboard  
(specify the seat)



Cod. **CLA215**  
Unpierceable front wheels Ø 10 cm – PAIR



Cod. **CLA216**  
Unpierceable front wheels Ø 15 cm – PAIR



Cod. **CLA217**  
Unpierceable front wheels Ø 17,5 cm – PAIR



Cod. **CLA220**  
Safety wheels – PAIR



Cod. **CLA231**  
24" rear pneumatic wheel – 24 radius - PAIO



Cod. **CLA230**  
Unpierceable rear wheels 24" - PAIR



Cod. **CLA232**  
Self-propelling rings with supergrip – PAIR



Cod. **CLA233**  
One hand drive kit left/right



Cod. **CLA240**  
Height adjustable handles – PAIR



Cod. **CLA250P**  
24" pneumatic wheels kit with external rim and fork of the same colour



Restraining system line **KOALA (MOPEDIA)**



Cod. **CLA242-xx**  
Kit to modify seat depth+4/+6 cm  
Cod. **CLA246-xx**  
Kit to modify seat depth +8/+10 cm



Cod. **CLA243**  
Soft padded headrest kit



Cod. **CLA244-xx**  
Backrest extension kit (specify the seat)



Cod. **CLA245-xx**  
Feet/heels fixing belts – PAIR



Cod. **CPA100-xx**  
Foam cushion 5 cm h

Cod. **CLA300**  
Service for accessory assembling- to be required in the order (not illustrated)

Cod. **CLA235**  
Backrest inclination kit (not illustrated)

Optional with additional charge



Frame and cross colour customizable

## Spare parts ultra-light wheelchair



Cod. **CLR100-xx**  
Seat tissue (specify the dimension 38-40-42-44-46)



Cod. **CLA241** PAIR  
Standard brakes



Cod. **CLR120-x**  
Backrest tissue  
36 -38 (CLR120-1)  
40 -42 (CLR120-2)  
44 -46 (CLR120-3)



Cod. **CLR121-x**  
Upper band for tension adjustable backrest  
36 -38 (CLR121-1)  
40 -42 (CLR121-2)  
44 -46 (CLR121-3)



Cod. **CLR123**  
PU front wheel Ø 12 cm



Cod. **CLR124**  
Cover for pneumatic wheel 24"



Cod. **CLR125**  
Air chamber for 24" wheel



Cod. **CLR127-x**  
Tensionable bands  
36 -38 (CLR127-1)  
40 -42 (CLR127-2)  
44 -46 (CLR127-3)



Cod. **CLR129**  
Calfrest band



Cod. **CLR132**  
Side wheelcover



Cod. **CLR135**  
Armrest padding



Cod. **CLR137**  
24" rear pneumatic wheel – 36 radius



- EN** Folding light wheelchair
- F** Fauteuil roulant léger pliant
- ES** Silla de ruedas ligera plegable
- P** Cadeira de roda leve dobrável

### Single cross painted aluminium frame

Series **CP765** Narrow spaces

*Helios*  
skinny



#### Optional accessories



Cod. **CPA501**  
Linear table  
55x32 cm



Cod. **CPA506**  
Table for wheelchair  
58x38 cm



Cod. **CPA120V**  
Elevating platform  
painted steel - PAIR

#### Spare parts

Cod. **CPR352 PAIR**  
Detachable footrest

Cod. **CPR620 SINGLE**  
Front PVC wheel Ø 18  
x 2,5 cm

Cod. **CPR360 PAIR**  
Complete armrest

Cod. **CPR241 SINGLE**  
Only plastic footrest

Cod. **CPA170**  
Heel stopper

Cod. **CPR211D SINGLE**  
Right brake

Cod. **CPR261 PAIO**  
Back PU wheel Ø 50 cm

Cod. **CPR629**  
PU armrest padding  
only

Cod. **CPR211S SINGLE**  
Left Brake

#### Technical features

SPECIFICATIONS																
Front wheels	PVC, black, steel fork															
Rear wheels	Spoked aluminum, black PU tires (tubeless) with aluminum brake															
Upholstery	Padded Nylon - Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
<b>CP765-40</b>	100	73	41	92	80	53	45÷57	40	37	51	26	14,5	50	18	-	120
<b>CP765-43</b>								43		54						



- EN** Folding transit light wheelchair
- F** Fauteuil roulant léger pliant de transit
- ES** Silla de ruedas ligera plegable de tránsito
- P** Cadeira de roda leve dobrável de trânsito

## Single cross painted aluminium frame

Series **CP775**

**Helios**  
Smart Go!



Back pocket

Flip up, detachable, desk type soft armrest in PU

Swing away, detachable footrests, length adjustable

Heel fixing belt

Aluminium parking brake

Footrests in black nylon

### Optional accessories



**Cod. CPA775**  
Height adjustable armrest (height from ground 73-81 cm)  
- PAIR



**Cod. CPA771**  
Aluminium height adjustable footrests



**Cod. CPA501-2**  
Linear table  
**55x32 cm**  
(except size 50)

**Cod. CPA504**  
Linear table for lifting armrest



**Cod. CPA506-2**  
Table for wheelchair  
**58x38 cm**  
(except size 50)

**Cod. CPA510**  
Shaped table for CPA775 lifting armrest  
**58x38 cm**  
(except 50 cm size)



**Cod. CPA520**  
Table for wheelchair  
**68x57 cm**  
(only size 50)



**Cod. CPA777**  
Safety wheels

### Spare parts

**Cod. CPR774 PAIR**  
Complete armrest

**Cod. CPR771 PAIR**  
PU Back wheel Ø 30 cm

**Cod. CPR778 PAIR**  
Brake

**Cod. CPR106 PAIR**  
Only PU armrest padding

**Cod. CPR780 PAIR**  
Detachable footrest

**Cod. CPR772 SINGLE**  
Front PVC wheel Ø 20x2,5 cm

**Cod. CPR241 SINGLE**  
Only plastic footrest

### Technical features

SPECIFICATIONS																	
Front wheels	PVC, black, steel fork																
Rear wheels	Plastic radius, PU black wheels, aluminium brake																
Upholstery	Padded Nylon - Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP775-40</b>																	
<b>CP775-43</b>																	
<b>CP775-46</b>	101	76	41	87	71	51	40÷52	46	44	60	29	13	24	20	optional	-	120
<b>CP775-48</b>								48		63							
<b>CP775-50</b>								50		65							

- EN** Folding light wheelchair
- F** Fauteuil roulant léger pliant
- ES** Silla de ruedas ligera plegable
- P** Cadeira de roda leve dobrável

## Single cross painted aluminium frame

Series **CP780**

**Helios**  
Act



### Optional accessories



Cod. **CPA776**  
Height adjustable armrest



Cod. **CPA501-2**  
Linear table  
55x32 cm  
(except size 50)



Cod. **CPA506-2**  
Table for wheelchair  
58x38 cm  
(except size 50)



Cod. **CPA519**  
Table for wheelchair  
68x57 cm  
(only size 50)




Cod. **CPA781 PAIR**  
Elevating aluminium footrest CP78X - 46-50cm  
Cod. **CPA782 PAIR**  
Elevating aluminium footrest CP78X - 40-43cm



Cod. **CPA777**  
Safety wheels



Cod. **CPA504**  
Linear table for lifting armrest



Cod. **CPA510**  
Shaped table for CPA776 lifting armrest  
58x38 cm  
(except 50 cm size)

### Spare parts

Cod. **CPR775 PAIR**  
Complete armrest

Cod. **CPR781 PAIR**  
Detachable footrest

Cod. **CPR769 PAIR**  
PU Back wheel Ø 60 cm

Cod. **CPR773 PAIR**  
Front PU wheel Ø 20x3,2 cm

Cod. **CPR745 PAIR**  
Narrow passages/lift wheel Ø 7 cm

Cod. **CPR778 PAIR**  
Brake

Cod. **CPR757 PAIR**  
Only plastic footrest

Cod. **CPA106 PAIR**  
Only PU armrest padding

Cod. **CPR783 PAIR**  
Detachable footrest 40-43cm

### Technical features

#### SPECIFICATIONS

Front wheels PU, black, aluminium fork on the frame and inclination adjustable

Rear wheels Aluminium radius, PU black wheels, aluminium brake

Upholstery Padded Nylon - Fire reaction tested, according to EN1021-1/2

#### WEIGHT AND DIMENSION

Measures in cm																	
<b>CP780-40</b>								40		61							
<b>CP780-43</b>								43		64							
<b>CP780-46</b>	104	80	41	90,5	71	51	40±50	46	44	66	30	15,6	60	20	optional	7	120
<b>CP780-48</b>								48		69							
<b>CP780-50</b>								50		71							

- EN** Folding light wheelchair
- F** Fauteuil roulant léger pliant
- ES** Silla de ruedas ligera plegable
- P** Cadeira de roda leve dobrável

## Double cross painted aluminium frame

Series **CP785**

**Helios**  
Dyne



Back pocket

Flip up, detachable, desk type soft armrest in PU - height adjustable

Aluminium self-propelling ring

Quick release wheel - Pivot in 4 position adjustable

Aluminium parking brake

Narrow passages/lift wheel

Swing away, detachable footrests, length and inclination adjustable

Heel fixing belt

Footrest in black nylon

### Optional accessories



Cod. **CPA504**  
Linear table for lifting armrest



Cod. **CPA510**  
Shaped table  
58x38 cm  
(except 50 cm size)



Cod. **CPA519**  
Table for wheelchair  
68x57cm  
(only size 50)



Cod. **CPA781** PAIR  
Elevating aluminium footrest CP78X - 46-50cm

Cod. **CPA782** PAIR  
Elevating aluminium footrest CP78X - 40-43cm



Cod. **CPA777**  
Safety wheels

### Spare parts

Cod. **CPR770** PAIR  
PU Back wheel Ø 60 cm

Cod. **CPR773** PAIR  
PU front wheel  
Ø 20 x 3,2 cm

Cod. **CPR757** SINGLE  
Only plastic footrest

Cod. **CPR765** PAIR  
Only PU armrest padding

Cod. **CPR776** PAIR  
Complete armrest

Cod. **CPR828** PAIR  
Narrow passages/Lift wheels Ø 7 cm

Cod. **CPR781** PAIR  
Detachable footrest  
46-50 cm

Cod. **CPR779** PAIR  
Brake

Cod. **CPR783** PAIR  
Detachable footrest  
40-43cm

### Technical features

SPECIFICATIONS																	
Front wheels	PU, black, aluminium fork on the frame and inclination adjustable																
Rear wheels	Aluminium radius, PU black wheels, aluminium brake																
Upholstery	Padded Nylon - Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP785-40</b>																	40
<b>CP785-43</b>																	61
<b>CP785-46</b>	106	80	41	94,5	73÷80	51,5	40÷52	46	44	67	33	16	60	20	optional	7	130
<b>CP785-48</b>								48		70							
<b>CP785-50</b>								50		73							

- EN** Folding transit light wheelchair
- F** Fauteuil roulant léger pliant de transit
- ES** Silla de ruedas ligera plegable de tránsito
- P** Cadeira de roda leve dobrável de trânsito

**Double cross painted aluminium frame**

Series **CP787**

*Helios  
Dyne Go!*



Back pocket

Flip up, detachable, desk type soft armrest in PU - height adjustable

Swing away, detachable footrests, length and inclination adjustable

Heel fixing belt

Footrests in black nylon

Aluminium parking brake

Optional accessories



Cod. **CPA777**  
Safety wheels



Cod. **CPA504**  
Linear table for lifting armrest



Cod. **CPA510**  
Shaped table  
58x38 cm  
(except 50 cm size)



Cod. **CPA519**  
Table for wheelchair  
68x57cm  
(only size 50)



Cod. **CPA781** PAIR  
Elevating aluminium footrest CP78X - 46-50cm  
Cod. **CPA782** PAIR  
Elevating aluminium footrest CP78X - 40-43cm

Spare parts

Cod. **CPR771** PAIR  
PU Rear wheel Ø 30 cm

Cod. **CPR773** PAIR  
PU front wheel - Ø 20 x 3,2 cm

Cod. **CPR757** PAIR  
Only plastic footrest

Cod. **CPR776** PAIR  
Complete armrest

Cod. **CPR778** PAIR  
Brake

Cod. **CPR781** PAIR  
Detachable footrest

Cod. **CPR828** PAIR  
Narrow passages/Lift wheels Ø 7 cm

Cod. **CPR765** PAIR  
Only PU armrest padding

Cod. **CPR783** PAIR  
Detachable footrest 40-43cm

Technical features

SPECIFICATIONS

Front wheels	PU, black, aluminium fork
Rear wheels	Plastic radius, PU black wheels
Upholstery	Padded Nylon - Fire reaction tested, according to EN1021-1/2

WEIGHT AND DIMENSION

Measures in cm																	
<b>CP787-40</b>							40	57									
<b>CP787-43</b>							43	60									
<b>CP787-46</b>	101	75	41	91	71÷79	51,5	40÷52	46	44	63	30	13,7	24	20	-	-	130
<b>CP787-48</b>								48		66							
<b>CP787-50</b>								50		69							

- EN** Folding light wheelchair
- F** Fauteuil roulant léger pliant
- ES** Silla de ruedas ligera plegable
- P** Cadeira de roda leve dobrável

## Double cross painted aluminium frame

Series **CP790**

# Helios pro



### Optional accessories



Cod. **CPA777**  
Safety wheels

Cod. **CPA503**  
Linear table for lifting armrest

Cod. **CPA509**  
Shaped table  
**58x38 cm**  
(except 50 cm size)

Cod. **CPA518**  
Table for wheelchair  
**68x57 cm**  
(only size 50)

Cod. **CPA788** PAIR  
Elevating aluminium footrest CP790 - 46-50cm  
Cod. **CPA789** PAIR  
Elevating aluminium footrest CP790 - 40-43cm

### Spare parts

Cod. **CPR770** PAIR  
PU Back wheel Ø 60 cm

Cod. **CPR779** PAIR  
Brake

Cod. **CPR785**  
Backrest cushion

Cod. **CPR757** SINGLE  
Only plastic footrest

Cod. **CPR766** PAIR  
Only PU armrest padding

Cod. **CPR784** PAIR  
Detachable footrest 40-43cm

Cod. **CPR777** PAIR  
Complete armrest

Cod. **CPR782** PAIR  
Detachable footrest

Cod. **CPR828** PAIR  
Narrow passages/Lift wheels Ø 7 cm

Cod. **CPR773** PAIR  
PU front wheel - Ø 20 x 3,2 cm

### Technical features

SPECIFICATIONS																	
Front wheels	PU, aluminium fork on the frame and inclination adjustable																
Rear wheels	Aluminium radius, PU black wheels, aluminium brake																
Upholstery	Padded Nylon - Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm															Max load weight		
<b>CP790-40</b>																	
<b>CP790-43</b>																	
<b>CP790-46</b>	103	78	41 ÷ 47	97÷102	73÷81	51,5	43÷54	46	46 ÷ 51	67,5	32	16	60	20	optional	7	130
<b>CP790-48</b>								48		70,5							
<b>CP790-50</b>								50		73,5							

**EN** Accessories for light wheelchairs  
**F** Accessoires pour fauteuils roulants légers  
**ES** Accesorios para sillas de ruedas ligeras  
**P** Acessórios para cadeiras de rodas leves



**Cod. CPA100-40, CPA100-43, CPA100-45, CPA100-50**  
Foam cushion h 5 cm



**Cod. CAR900**  
Headrest



**Cod. RP245**  
Safety belt (series CP770-CP775-CP780)  
**Cod. RP246**  
Safety belt (series CP785-CP787-CP790)



**Cod. RP247**  
Safety belt (series CP770-CP775-CP780)  
**Cod. RP248**  
Safety belt (series CP785-CP787-CP790)



**Cod. CAR605**  
Antitheft bar (series CP770-CP775-CP780)



**Cod. CPA606** Polyester Oxygen bottle holder Ø Max 120 mm  
**Cod. CPA600** Adjustable IV pole



**Cod. CPA501-2**  
Linear table for wheelchair - 55x32 cm (series CP770-CP775-CP780 except size 50)



**Cod. CPA504**  
Linear table for height adjustable armrest CPA775 55x32 cm (series CP770-CP775-CP780-CP785-CP787)



**Cod. CPA503**  
Linear table for wheelchair - 55x32 cm (series CP790)



**Cod. CPA506-2**  
Table for wheelchair 58x38 (series CP770-CP775-CP780 except size 50)



**Cod. CPA510**  
Table for height adjustable armrest CPA775 58x38 cm (except size 50) (series CP770-CP775-CP780-CP785-CP787)



**Cod. CPA509**  
Table for wheelchair 58x38 (except size 50) (series CP790)



**Cod. CPA519**  
Table for wheelchair 68x57 cm (series CP785-CP787-CP780)



**Cod. CPA520**  
Table for wheelchair 68x57cm (series CP770-CP775)



**Cod. CPA518**  
Table for wheelchair 68x57cm (series CP790)



**Cod. CPA775**  
Height adjustable armrest (series CP770-CP775)



**Cod. CPA776**  
Height adjustable armrest (series CP780)



**Cod. CPA251-1**  
One hand drive kit (sizes 40-43 cm series CP770-CP775-CP780)  
**Cod. CPA251-2**  
One hand drive kit (sizes 46-50 cm series CP770-CP78x-CP790)



**Cod. CPA735**  
Quick release pneumatic wheels Ø 60 cm (series CP770-CP780-CP785-CP790)



**Cod. CPA739**  
Front wheel 3,2 cm thick (series CP770-CP775)



**Cod. CPA740**  
Front wheel 5 cm thick (series CP780-CP785-CP787-CP790)



**Cod. CPA772**  
Narrow passages/lift wheels (series CP770)



**Cod. CPA777**  
Safety wheels - PAIR (CP770-CP775-CP780)



**Cod. CPA771**  
Aluminium height adjustable footrests (series CP770-CP775)



**Cod. CPA781 PAIR**  
Elevating aluminium footrest (series CP78x) - 46-50cm  
**Cod. CPA782 PAIR**  
Elevating aluminium footrest (series CP78x) - 40-43cm



**Cod. CPA788 PAIR**  
Elevating aluminium footrest (series CP790) - 46-50cm  
**Cod. CPA789 PAIR**  
Elevating aluminium footrest (series CP790) - 40-43cm



**Cod. CPA170**  
Heel stopper

**EN** Spare parts for light wheelchairs  
**F** Pièces de rechange pour fauteuils roulants légers  
**ES** Repuestos para sillas de ruedas ligeras  
**P** Peças de reposição para cadeiras de rodas leves



Cod. **CPR780**  
 Detachable footrest - PAIR  
 (series CP77x)



Cod. **CPR781**  
 Detachable footrest - PAIR  
 (series CP78x) - 46-50cm  
 Cod. **CPR783**  
 Detachable footrest - PAIR  
 (series CP78x) - 40-43cm



Cod. **CPR782**  
 Detachable footrest - PAIR  
 (series CP79x) - 46-50cm  
 Cod. **CPR784**  
 Detachable footrest - PAIR  
 (series CP79x) - 40-43cm



Cod. **CPR769**  
 PU rear wheel - PAIR  
 (series CP770-CP780)



Cod. **CPR770**  
 PU rear wheel - PAIR  
 (series CP785-CP790)



Cod. **CPR771**  
 PU rear wheel (series  
 CP775-CP787)



Cod. **CPR772**  
 PVC front wheel - PAIR  
 (series CP770-CP775)



Cod. **CPR773**  
 PU front wheel - PAIR  
 (series CP780-CP785-  
 CP787-CP790)



Cod. **CPR745**  
 PU front wheel - PAIR  
 (series CP780)



Cod. **CPR828**  
 Narrow passages/lift  
 wheels - PAIR (series  
 CP785-CP790)



Cod. **CPR774**  
 Complete armrest  
 - PAIR (series CP770-  
 CP775)



Cod. **CPR775**  
 Complete armrest -  
 PAIR (series CP780)



Cod. **CPR776**  
 Complete armrest  
 - PAIR (series CP785-  
 CP787)



Cod. **CPR777**  
 Complete armrest -  
 PAIR (series CP790)



Cod. **CPR778**  
 Brake - PAIR (series  
 CP770-CP775-CP780)



Cod. **CPR779**  
 Brake - PAIR  
 (series CP785-CP790)



Cod. **CPR785-xx**  
 Backrest cushion -  
 specify the size  
 40/43/46/48/50  
 (series CP790)

- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliant en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado

*Start*

**Single cross frame**

Series **CP100B**



Optional accessories



Cod. **CPA120V**  
Cod. **CPA121V**  
Cod. **CPA122V** (only for 38 size)  
Painted elevating footrests -PAIR



Cod. **CPA120C**  
Cod. **CPA121C**  
Cod. **CPA121C**  
Chrome-plated elevating footrests - PAIR



Cod. **CPA501**  
Linear table for wheelchair - 55x32 cm



Cod. **CPA506**  
Table for wheelchair 58x38 cm



Cod. **CPA246**  
PU Rear wheel Ø 60 cm - PAIR



Cod. **CPA161N** PAIR  
Long painted armrest



Cod. **CPA150** PAIR  
Elevating armrest (adjustable height 77÷85 cm from floor)

Spare parts

Cod. **CPR400B** PAIR  
Complete armrest

Cod. **CPR402** PAIR  
Only armrest padding

Cod. **CPR410** SINGLE  
PVC front wheel Ø 20x2,5 cm

Cod. **CPR413** PAIR  
PU Rear wheel Ø 60 cm

Cod. **CPR415B** PAIR  
Swing away lateral footrest

Cod. **CPR241** SINGLE  
Plastic footrest

Technical features

SPECIFICATIONS																	
Front wheels	PVC, black, steel fork																
Rear wheels	Aluminium with radius, PU, black																
Upholstery	Padded nylon - Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP100B-38</b>																	
<b>CP100B-40</b>																	
<b>CP100B-43</b>																	
<b>CP100B-45</b>	103	85	43	91	75	50	42÷56	45	43	60,5	26	17,5	60	20	-	120	
<b>CP100B-46</b>								46		64							
<b>CP100B-48</b>								48		65							

- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliant en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado

*Start*

## Single cross frame

Series **CP100R**



### Optional accessories



Cod. **CPA120V**  
Cod. **CPA121V**  
Cod. **CPA122V** (only for 38 size)  
Painted elevating footrests -PAIR



Cod. **CPA120C**  
Cod. **CPA121C**  
Chrome-plated elevating footrests - PAIR



Cod. **CPA501**  
Linear table for wheelchair - **55x32 cm**



Cod. **CPA506**  
Table for wheelchair **58x38 cm**



Cod. **CPA246**  
PU Rear wheel Ø 60 cm - PAIR



Cod. **CPA161N** PAIR  
Long painted armrest



Cod. **CPA150** PAIR  
Elevating armrest (adjustable height 77÷85 cm from floor)

### Spare parts

Cod. **CPR400M** PAIR  
Complete armrest

Cod. **CPR402** PAIR  
Only armrest padding

Cod. **CPR410** SINGLE  
PVC front wheel Ø 20 x 2,5 cm

Cod. **CPR413** PAIR  
Rear wheel Ø 60 cm

Cod. **CPR415R** PAIR  
Swing away lateral footrest

Cod. **CPR241** SINGLE  
Plastic footrest

### Technical features

SPECIFICATIONS															
Front wheels	PVC, black, steel fork														
Rear wheels	Aluminium with radius, PU, black														
Upholstery	Padded nylon - Fire reaction tested, according to EN1021-1/2														
WEIGHT AND DIMENSION															
Measures in cm															
<b>CP100R-40</b>															
<b>CP100R-43</b>															
<b>CP100R-45</b>	103	85	43	91	75	50	42-56	45	43	63	26,5	17,5	60	20	-
<b>CP100R-48</b>								48		65					

- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliant en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado

*Start1*

**Single cross frame - Quick release**

Series **CP102**



Optional accessories



Cod. **CPA150 PAIR**  
Elevating armrest  
(adjustable height  
74+82 cm from floor)



Cod. **CPA120V**  
Cod. **CPA122V** (only  
for 38 size)  
Painted elevating  
footrests -PAIR



Cod. **CPA120C**  
Chrome-plated  
elevating footrests  
- PAIR



Cod. **CPA501-2**  
Linear table  
for wheelchair -  
55x32 cm



Cod. **CPA506-2**  
Table for wheelchair  
**58x38 cm**  
(except size 50)  
Cod. **CPA519**  
(except size 50)

Spare parts

Cod. **CPR100 PAIR**  
Complete armrest

Cod. **CPA242 PAIR**  
PU Rear wheel Ø 60 cm

Cod. **CPR111 PAIR**  
Swing away lateral  
footrest

Cod. **CPR140 SINGLE**  
PVC front wheel Ø  
20x2,5 cm

Cod. **CPR135 PAIR**  
PAIR Swing away lateral  
footrest (size 38 only)

Cod. **CPR241 SINGLE**  
Plastic footrest

Cod. **CPR105**  
Only armrest padding

Technical features

SPECIFICATIONS																							
Front wheels	PVC, black, steel fork																						
Rear wheels	Aluminium with radius, PU, black																						
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2																						
WEIGHT AND DIMENSION																							
Measures in cm																							
<b>CP100B-38</b>																							
<b>CP100B-40</b>																							
<b>CP100B-43</b>																							
<b>CP100B-45</b>	103	85	43	91	75	50	42+56	45	43	60,5	26	17,5	60	20	-								120
<b>CP100B-46</b>								46		64													
<b>CP100B-48</b>								48		65													

- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliant en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado

*Start 2*

**Double cross frame - Quick release**

Series **CP103R**



Optional accessories



Cod. **CPA121C**  
Chrome-plated elevating footrests - PAIR



Cod. **CPA121V**  
Painted elevating footrests - PAIR




Cod. **CPA501**  
Linear table for wheelchair - 55x32 cm



Cod. **CPA506**  
Table for wheelchair 58x38 cm



Cod. **CPA161N** PAIR  
Long painted armrest



Cod. **CPA245**  
PU Rear wheel Ø 60 cm - PAIR



Cod. **CPA150** PAIR  
Elevating armrest (adjustable height 77÷85 cm from floor)

Spare parts

Cod. **CPR414** PAIR  
Rear wheel Ø 60 cm

Cod. **CPR411** SINGLE  
PVC front wheel Ø 20 x 5 cm

Cod. **CPR403**  
Only armrest padding

Cod. **CPR415R** PAIR  
Swing away lateral footrest

Cod. **CPR401** PAIR  
Complete armrest

Cod. **CPR241** SINGLE  
Plastic footrest

Technical features

SPECIFICATIONS																	
Front wheels	PVC, black, steel fork																
Rear wheels	Aluminium with radius, PU, black																
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP103R-40</b>																	
<b>CP103R-43</b>																	
<b>CP103R-45</b>	103	85	40	91	75	50	42-56	45	43	63	26,5	19	60	20	-	130	
<b>CP103R-48</b>								48		66							
<b>CP103R-50</b>								50		68							

- EN** Self-propelled folding wheelchair in painted steel
- F** Fauteuil roulant pliant autopropulsé en acier peint
- ES** Silla de ruedas plegable autopropulsada en acero pintado
- P** Cadeira de rodas automotora dobrável em aço pintado

*Start 3*

**Double cross frame - Convertible to Transit**

Serie **CP104**



Back pocket for docs

Flip up desk type armrest, PU padded

Painted steel self-propelling ring

Removable footrests length adjustable

Quick release wheel

Heel stopper

Hole for Ø 30 cm wheels

Safety wheel

Black plastic footrest

Optional accessories



Cod. **CPA150**  
Elevating armrest (adjustable height 73÷81 cm from floor) - PAIR



Cod. **CPA120C**  
Cod. **CPA121C**  
Chrome-plated elevating footrests - PAIR



Cod. **CPA120V**  
Cod. **CPA121V**  
Painted elevating footrests - PAIR



Cod. **CPA501**  
Linear table 55x32 cm



Cod. **CPA506**  
Shaped table



Cod. **CPA245**  
Ø 60 cm pneumatic wheels - PAIR



Cod. **CPA248**  
Ø 30 cm wheel with quick release pivot included - PAIR

Spare parts

Cod. **CPR402B** PAIR  
Complete armrests

Cod. **CPR417B** PAIR  
Swing away lateral footrest

Cod. **CPR241** SINGLE  
Plastic footrest

Cod. **CPR411** SINGLE  
PU front wheel Ø 20 x 5 cm

Cod. **CPR414** PAIR  
PU Rear wheel Ø 60 cm

Cod. **CPR403** SINGLE  
Only armrest padding

Technical features

SPECIFICATIONS																
Front wheels	PU, black, steel fork															
Rear wheels	Aluminium with radius, PU, black (tubeless)															
Upholstery	Padded nylon - Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSIONS																
Measures in cm																
<b>CP104-40</b>																
<b>CP104-43</b>																
<b>CP104-46</b>	103	80	40	91	75	50	42÷56	46	43	64	27	19	60	20	-	130
<b>CP104-48</b>								48		66						
<b>CP104-50</b>								50		68						

- EN** Folding transit wheelchair - Painted steel
- F** Fauteuil roulant pliant de transit - Acier verni
- ES** Silla de ruedas plegable de tránsito - Acero pintado
- P** Cadeira de rodas dobrável de trânsito - Aço pintado



## Double cross stabilizing frame - Convertible to self-propelling

### Serie CP105



#### Optional accessories



Cod. **CPA150**  
Elevating armrest (adjustable height 73÷81 cm from floor) - PAIR



Cod. **CPA120C**  
Cod. **CPA121C**  
Chrome-plated elevating footrests - PAIR



Cod. **CPA120V**  
Cod. **CPA121V**  
Painted elevating footrests - PAIR



Cod. **CPA501**  
Linear table 55x32 cm



Cod. **CPA506**  
Shaped table



Cod. **CPA245**  
Ø 60 cm pneumatic wheels - PAIR



Cod. **CPR414**  
PU Rear wheel Ø 60 cm - PAIR

#### Spare parts

Cod. **CPR402B** PAIR  
Complete armrests

Cod. **CPR417B** PAIR  
Swing away lateral footrest

Cod. **CPR241** SINGLE  
Plastic footrest

Cod. **CPR411** SINGLE  
PU front wheel Ø 20 x 5 cm

Cod. **CPR412** SINGLE  
PU rear wheel Ø 30 cm

Cod. **CPR403** SINGLE  
Only armrest padding

#### Technical features

SPECIFICATIONS																	
Front wheels											PU, black, steel fork						
Rear wheels											With plastic radius, PU, black (tubeless)						
Upholstery											Padded nylon - Fire reaction tested, according to EN1021-1/2						
WEIGHT AND DIMENSIONS																	
Measures in cm																	
<b>CP105-40</b>																	
<b>CP105-43</b>																	
<b>CP105-46</b>	103	75	43	91	73	50	42-56	46	43	62	26	19	30	20	-	130	
<b>CP105-48</b>								48		64							
<b>CP105-50</b>								50		66							

- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliant en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado

Next

**Double cross frame - Convertible to Transit**

Series **CP110B**



See accessories page for all conversion kits

Optional accessories



Cod. **CPA120V**  
Cod. **CPA121V**  
Painted elevating footrests - PAIR



Cod. **CPA120C**  
Cod. **CPA121C**  
Chrome-plated elevating footrests - PAIR



Cod. **CPA501**  
Linear table for wheelchair  
**55x32 cm**  
(except size 50)



Cod. **CPA506**  
Table for wheelchair  
**58x38 cm**  
(except size 50)  
Cod. **CPA519**  
(only for size 50)



Cod. **CPA517**  
Table for wheelchair large  
**68x57 cm**  
(only for size 50)

Spare parts

Cod. **CPR107M** PAIR  
Complete armrest

Cod. **CPA242** PAIR  
PU rear wheel  
Ø 60 cm

Cod. **CPR111M** PAIR  
Swing away lateral footrest

Cod. **CPR140** SINGLE  
PVC front wheel Ø 20x2,5 cm

Cod. **CPR241** SINGLE  
Plastic footrest

Cod. **CPR229** SINGLE  
Only armrest padding

Technical features

SPECIFICATIONS																
Front wheels	PVC, black, steel fork															
Rear wheels	Aluminium with radius, PU, black (tubeless)															
Upholstery	Padded nylon - Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
<b>CP110B-40</b>																
<b>CP110B-43</b>																
<b>CP110B-46</b>	105	81	43	90	73	49	41+56	46	42	64	26	18,5	60	20	-	150
<b>CP110B-48</b>								48		66						
<b>CP110B-50</b>								50		68						

- EN** Folding transit wheelchair - Painted steel
- F** Fauteuil roulant pliant de transit - Acier verni
- ES** Silla de ruedas plegable de tránsito - Acero pintado
- P** Cadeira de rodas dobrável de trânsito - Aço pintado

*Next go!*

## Double cross frame - Convertible to self-propelling

Series **CP115B**



**See accessories page for all conversion kits**

### Optional accessories



**Cod. CPA150**  
Armrest adjustable height 77+85cm from floor - PAIR



**Cod. CPA120V**  
Painted elevating footrests - PAIR



**Cod. CPA120C**  
Chrome-plated elevating footrests - PAIR



**Cod. CPA501**  
Linear table for wheelchair 55x32 cm (except size 50)



**Cod. CPA506**  
Table for wheelchair 58x38 cm (except size 50)



**Cod. CPA517**  
Table for wheelchair large 68x57 cm (only for size 50)

### Spare parts

**Cod. CPR107M PAIR**  
Complete armrest

**Cod. CPR111M PAIR**  
Swing away lateral footrest

**Cod. CPR241 SINGLE**  
Plastic footrest

**Cod. CPA240 PAIR**  
PU rear wheel Ø 30 cm

**Cod. CPR140 SINGLE**  
PVC front wheel Ø 20x2,5 cm

**Cod. CPR229 SINGLE**  
Only armrest padding

### Technical features

SPECIFICATIONS																	
Front wheels	PVC, black, steel fork																
Rear wheels	With plastic radius, PU, black (tubeless)																
Upholstery	Padded nylon - Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP115B-40</b>																	
<b>CP115B-43</b>																	
<b>CP115B-46</b>	98	75	41	92	76	50	41+56	46	43	58,5	25	16	30	20	-	150	
<b>CP115B-48</b>								48		61							
<b>CP115B-50</b>								50		63							

- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliants en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado

Dual

**Double cross frame - Convertible to Transit**

Series **CP200**



See accessories page for all conversion kits

Optional accessories



Cod. **CPA501**  
Linear table for wheelchair  
55x32 cm



Cod. **CPA506**  
Table for wheelchair  
58x38 cm  
(except size 50)



Cod. **CPA517**  
Table for wheelchair large  
68x57 cm  
(except size 50)



Cod. **CPA120V**  
Cod. **CPA122V** (only for 38 size)  
Painted elevating footrests -PAIR



Cod. **CPA120C**  
Chrome-plated elevating footrests - PAIR

Spare parts

Cod. **CPR108** PAIR  
Height adjustable armrest

Cod. **CPRI43** SINGLE PU front wheel Ø 20x3 cm

Cod. **CPR111** PAIR Swing away lateral footrest

Cod. **CPR241** SINGLE Plastic footrest

Cod. **CPR135** PAIR Lateral detachable footrest (size 38 only)

Cod. **CPRI50** PAIR Anti-tipper wheel Ø 4 cm

Cod. **CPA242** PAIR PU rear wheel Ø 60 cm

Cod. **CPR765** PAIR Only PU armrest padding

Technical features

SPECIFICATIONS																							
Front wheels	PU, black, aluminium fork																						
Rear wheels	Aluminium, with radius, PU, black																						
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2																						
WEIGHT AND DIMENSION																							
Measures in cm																							
<b>CP200-38</b>																							
<b>CP200-40</b>																							
<b>CP200-43</b>																							
<b>CP200-45</b>	113	81	42	90	72÷80	49	41÷56	45	41	63	29	19,5	60	20	4	150							
<b>CP200-46</b>								46		64													
<b>CP200-48</b>								48		66													
<b>CP200-50</b>								50		68													

- EN** Folding transit wheelchair - Painted steel
- F** Fauteuil roulant pliant de transit - Acier verni
- ES** Silla de ruedas plegable de tránsito - Acero pintado
- P** Cadeira de rodas dobrável de trânsito - Aço pintado



## Double cross frame - Convertible to self-propelling

Series **CP205**



**See accessories page for all conversion kits**

### Optional accessories



**Cod. CPA501**  
Linear table  
for wheelchair  
**55x32 cm**



**Cod. CPA506**  
Table for wheelchair  
**58x38 cm**  
(except size 50)



**Cod. CPA517**  
Table for wheelchair  
large **68x57 cm**  
(except size 50)



**Cod. CPA120V**  
**Cod. CPA122V** (only  
for 38 size)  
Painted elevating  
footrests -PAIR



**Cod. CPA120C**  
Chrome-plated  
elevating footrests  
- PAIR

### Spare parts

**Cod. CPR108 PAIR**  
Height adjustable  
armrest

**Cod. CPR143 SINGLE PU**  
front wheel Ø  
20x3 cm

**Cod. CPR111 PAIR**  
Swing away lateral  
footrest

**Cod. CPR241 SINGLE**  
Plastic footrest

**Cod. CPR135 PAIR**  
Lateral detachable  
footrest (size 38 only)

**Cod. CPR150 PAIR**  
Anti-tipper wheel  
Ø 4 cm

**Cod. CPA240 PAIR PU**  
rear wheel Ø 30 cm

**Cod. CPR765 PAIR**  
Only PU armrest  
padding

### Technical features

SPECIFICATIONS																							
Front wheels	PU, black, aluminium fork																						
Rear wheels	Plastic radius, PU, black																						
Upholstery	Padded nylon - Fire reaction tested, according to EN1021-1/2																						
WEIGHT AND DIMENSION																							
Measures in cm																							
<b>CP205-38</b>																							
<b>CP205-40</b>																							
<b>CP205-43</b>																							
<b>CP205-45</b>	104	76	42	90	71÷80	49	41÷55	45	41	59	25	17,5	30	20	4	150							
<b>CP205-46</b>								46		59,5													
<b>CP205-48</b>								48		62													
<b>CP205-50</b>								50		64													

- EN** Folding wheelchair - Painted steel
- F** Fauteuil roulant pliant - Acier verni
- ES** Silla de ruedas plegable - Acero pintado
- P** Cadeira de rodas dobrável - Aço pintado

Plus

## Double cross - Bariatric

Series **CP300**



### Optional accessories



**Cod. CPA154**  
Armrest adjustable height 73+83 cm from floor - PAIR



**Cod. CPA120V**  
Painted elevating footrests - PAIR



**Cod. CPA120C**  
Chrome-plated elevating footrests - PAIR



**Cod. CPA517**  
Table for wheelchair large **68x57 cm**

### Spare parts

**Cod. CPR103 PAIR**  
Complete armrest

**Cod. CPR241 SINGLE**  
Plastic footrest

**Cod. CPR141 SINGLE**  
PU front wheel Ø 20x5 cm

**Cod. CPR111 PAIR** Swing away lateral footrest

**Cod. CPR122 PAIR** Solid rear wheel Ø 60 cm

**Cod. CPR106 PAIR**  
Only PU armrest padding

### Technical features

SPECIFICATIONS																		
Front wheels	PU, black, steel fork																	
Rear wheels	Plastic radius, PU, solid, black																	
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2																	
WEIGHT AND DIMENSION																		
Measures in cm																		
<b>CP300-50</b>																	50	73
<b>CP300-55</b>	118	90	48	92	73	52	43+57	55	41	78	32	26	60	20	-		200	
<b>CP300-60</b>								60		83								



- EN** Folding transit wheelchair - Painted steel
- F** Fauteuil roulant pliant de transit - Acier verni
- ES** Silla de ruedas plegable de tránsito - Acero pintado
- P** Cadeira de rodas dobrável de trânsito - Aço pintado



## Single cross

Series **CP500B**



### Optional accessories



Cod. **CPA120V**  
Cod. **CPA121V**  
Painted elevating footrests - PAIR



Cod. **CPA120C**  
Cod. **CPA121C**  
Chrome-plated elevating footrests - PAIR



Cod. **CPA501**  
Linear table for wheelchair  
**55x32 cm**



Cod. **CPA506**  
Table for wheelchair  
**58x38 cm**



Cod. **CPA161N** PAIR  
Long painted armrest



Cod. **CPA150** PAIR  
Elevating armrest (adjustable height  
77+85 cm from floor)

### Spare parts

Cod. **CPR500** PAIR  
Complete armrest

Cod. **CPR411** SINGLE  
PU front wheel  
Ø 20 x 5 cm

Cod. **CPR412** SINGLE  
PU Rear wheel Ø 30 cm

Cod. **CPR415B** PAIR  
Swing away lateral footrest

Cod. **CPR403** PAIR  
Long PU armpads for

Cod. **CPR241** SINGLE  
Plastic footrest

### Technical features

#### SPECIFICATIONS

Front wheels	PU, black, steel fork
Rear wheels	Plastic radius, PU, black
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2

#### WEIGHT AND DIMENSION

Measures in cm																
<b>CP500B-40</b>							40	58								
<b>CP500B-43</b>							43	61								
<b>CP500B-45</b>	103	75	43	91	73	50	42-56	45	43	63	26	15	30	20	-	120
<b>CP500B-46</b>								46		64						
<b>CP500B-48</b>								48		65						

- EN** Folding transit wheelchair - Painted steel
- F** Fauteuil roulant pliant de transit - Acier verni
- ES** Silla de ruedas plegable de tránsito - Acero pintado
- P** Cadeira de rodas dobrável de trânsito - Aço pintado



## Single cross

Series **CP500R**



### Optional accessories



Cod. **CPA120C**  
Cod. **CPA121C**  
Chrome-plated  
elevating footrests  
- PAIR



Cod. **CPA120V**  
Cod. **CPA121V**  
Painted elevating  
footrests - PAIR



Cod. **CPA501**  
Linear table  
for wheelchair  
**55x32 cm**



Cod. **CPA506**  
Table for wheelchair  
**58x38 cm**



Cod. **CPA161N** PAIR  
Long painted armrest



Cod. **CPA150** PAIR  
Elevating armrest  
(adjustable height  
77÷85 cm from floor)

### Spare parts

Cod. **CPR401M** PAIR  
Complete armrest

Cod. **CPR411** SINGLE  
PU front wheel  
Ø 20 x 5 cm

Cod. **CPR412** PAIR  
PU Rear wheel  
Ø 30 cm

Cod. **CPR415R** PAIR  
Swing away lateral  
footrest

Cod. **CPR403** PAIR  
Long PU armpads

Cod. **CPR241** SINGLE  
Plastic footrest

### Technical features

SPECIFICATIONS																								
Front wheels	PU, black, steel fork																							
Rear wheels	Plastic with radius, PU, black (tubeless)																							
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2																							
WEIGHT AND DIMENSION																								
Measures in cm																								
<b>CP500R-40</b>																								
<b>CP500R-43</b>	103	75	43	91	73	50	42-56	43	43	61	26,5	15	30	20	-			15						120
<b>CP500R-45</b>																								

- EN** Folding transit wheelchair - Painted steel
- F** Fauteuil roulant pliant de transit - Acier verni
- ES** Silla de ruedas plegable de tránsito - Acero pintado
- P** Cadeira de rodas dobrável de trânsito - Aço pintado



## Double cross

Series **CP505**



Back pocket

Flip up desk type  
armrest, PU padded

Removable footrests  
length adjustable

Heel stopper

Black plastic  
footrest

### Optional accessories



Cod. **CPA120V**  
Cod. **CPA121V**  
Painted elevating  
footrests - PAIR



Cod. **CPA120C**  
Cod. **CPA121C**  
Chrome-plated  
elevating footrests  
- PAIR



Cod. **CPA501**  
Linear table  
for wheelchair  
**55x32 cm**



Cod. **CPA506**  
Table for wheelchair  
**58x38 cm**



Cod. **CPA161N** PAIR  
Long painted armrest



Cod. **CPA150** PAIR  
Elevating armrest  
(adjustable height  
77+85 cm from floor)

### Spare parts

Cod. **CPR402B** PAIR  
Complete armrest

Cod. **CPR412** SINGLE  
PU rear wheel Ø 30 cm

Cod. **CPR417B** PAIR  
Swing away lateral  
footrest

Cod. **CPR241** SINGLE  
Plastic footrest

Cod. **CPR411** SINGLE  
PU front wheel  
Ø 20 x 5 cm

Cod. **CPR403** SINGLE  
Only armrest padding

### Technical features

SPECIFICATIONS																	
Front wheels	PU, black, steel fork																
Rear wheels	Plastic with radius, PU, black (tubeless)																
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP505-40</b>																	
<b>CP505-43</b>																	
<b>CP505-45</b>	103	75	43	91	73	50	42-56	45	43	63	26	16,5	30	20	-	130	
<b>CP505-48</b>								48		66							
<b>CP505-50</b>								50		68							



- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliants en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado

*Skinny*

**Single cross frame - Convertible to Transit**

Series **CP620**

Compact



**See accessories page for all conversion kits**

Optional accessories



Cod. **CPA120V**  
Painted elevating footrests - PAIR



Cod. **CPA120C**  
Chrome-plated elevating footrests - PAIR



Cod. **CPA501**  
Linear table for wheelchair  
**55x32 cm**



Cod. **CPA506**  
Table for wheelchair  
**58x38 cm**

Spare parts

Cod. **CPR610** PAIR  
Complete armrest

Cod. **CPR621** PAIR PU  
rear wheel Ø 50 cm

Cod. **CPR625** PAIR  
Detachable footrest

Cod. **CPR241** SINGLE  
Plastic footrest

Cod. **CPR620** SINGLE  
PU Front wheel Ø 18 cm

Cod. **CPR629** PAIR  
Only PU armrest padding

Technical features

SPECIFICATIONS																	
Front wheels	PU, black, plastic fork																
Rear wheels	Aluminium radius, PU, black																
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP620-40</b>	100	73	41	92	80	53	45+57	40	37	51	26	16,5	50	18	-	110	
<b>CP620-43</b>								43		54							

- EN** Folding transit wheelchair - Painted steel
- F** Fauteuil roulant pliant de transit - Acier verni
- ES** Silla de ruedas plegable de tránsito - Acero pintado
- P** Cadeira de rodas dobrável de trânsito - Aço pintado



## Single cross frame - Convertible to a self-propelling

Series **CP625**

Compact



### Optional accessories



Cod. **CPA120V**  
Painted elevating  
footrests - PAIR



Cod. **CPA120C**  
Chrome-plated  
elevating footrests -  
PAIR



Cod. **CPA501**  
Linear table  
for wheelchair  
**55x32 cm**



Cod. **CPA506**  
Table for wheelchair  
**58x38 cm**

### Spare parts

Cod. **CPR610** PAIR  
Complete armrest

Cod. **CPR622** PAIR  
PU rear wheel Ø 30cm

Cod. **CPR625** PAIR  
Detachable footrest

Cod. **CPR241** SINGLE  
Plastic footrest

Cod. **CPR620** SINGLE  
PU Front wheel Ø  
18 cm

Cod. **CPR629** PAIR  
Only PU armrest  
padding

### Technical features

SPECIFICATIONS																
Front wheels	PU, black, plastic fork															
Rear wheels	Plastic radius, PU, black															
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
<b>CP625-40</b>	88	61	41	92	80	53	45÷57	40	37	51	26	16,5	30	18	-	110
<b>CP625-43</b>								43		54						

**EN** Accessories for standard wheelchairs  
**F** Accessoires pour fauteuils roulants standards  
**ES** Accesorios para sillas de ruedas estándar  
**P** Acessórios para cadeiras de rodas padrão



Cod. **CPA110-45**  
WC seat 45 cm  
(size 45 only)



Cod. **CPA100-40, CPA100-43, CPA100-45, CPA100-50**  
Foam cushion 5 cm h



Cod. **CAR900**  
Headrest



Cod. **CPA120V PAIR**  
Cod. **CPA122V PAIR**  
(only for 38 size)  
Painted elevating footrests



Cod. **CPA120C PAIR**  
Chrome-plated elevating footrests



Cod. **CPA121C PAIR**  
Chrome-plated elevating footrests  
Cod. **CPA121V PAIR**  
Painted elevating footrests



Cod. **CPA605**  
Oxygen bottle holder in chromed steel Ø bottle max 12 cm



Cod. **CPA242 PAIR**  
PU rear wheel Ø 60 cm  
(sizes CP115, CP205 only)



Cod. **CPA244 PAIR**  
Quick release rear wheel, PNEUMATIC Ø 60 cm  
(only for CP102, CP110, CP200)



Cod. **CPA245 PAIR**  
Quick release rear wheel, PNEUMATIC Ø 60 cm  
(only for CP103R, CP104)



Cod. **CPA246 PAIR**  
Quick release rear wheel, PNEUMATIC Ø 60 cm  
(only for CP100)



Cod. **CPA240 PAIR**  
PU rear wheel Ø 30 cm  
(only for CP110, CP200)



Cod. **CPR622 PAIR**  
PU solid rear wheel Ø 30 cm  
(only for CP620)




Cod. **CPR150 PAIR**  
Anti-tipper wheels 4 cm  
(only for CP100X, CP102, CP103, CP104, CP105 CP110, CP115, CP205, CP500X, CP520)



Cod. **CPA606**  
Polyester Oxygen bottle holder Ø bottle max 12 cm



Cod. **CPA600**  
Adjustable IV pole



Cod. **CPA250-1**  
One hand drive kit  
(only sizes 38-43 cm series CP102-CP103R-CP200)  
Cod. **CPA250-2**  
One hand drive kit  
(only sizes 45-50 cm series CP102-CP103R-CP110-CP200)



Cod. **CPA150 PAIR**  
Armrest adjustable height 74÷82 cm from floor  
(only for CP100B, CP102, CP110, CP115, CP500B)



Cod. **CPA154 PAIR**  
Armrest adjustable height 73÷83 cm from floor  
(only for CP300, CP310)



Cod. **CPR108 PAIR**  
Armrest adjustable height 73÷81 cm from floor  
(only for CP520)



Cod. **CPA161N PAIR**  
Long armrest  
(Excluding CP300, CP310, CP520, CP620, CP625)



**KOALA (MOPEDIA)**  
Restraining system line



Cod. **RP245**  
Safety belt



Cod. **CPA140-xx**  
Universal backrest extension - specify the size 38/40/43/45/48/50/55/60 (No red models)



Cod. **RP247**  
Safety belt with spring buckle

**Kit to convert a transit to a self-propelling:**

From Next (CP110) to Next Go! (CP115)  
CPR216D, right brake;  
CPR216S, left brake;  
CPA240, small wheel - pair;  
nr. 2 CPR342, quick release pivot for back wheel;

From Next Go! (CP115) to Next (CP110)  
CPR210D, right brake dx;  
CPR210S, left brake;  
CPA242, big wheel - pair;  
nr. 2 CPR343, quick release pivot for back wheel;

From Dual (CP200) to Dual Go! (CP205)  
CPA240, small wheel - pair;  
nr. 2 CPR342, quick release pivot for back wheel;

From Dual Go! (CP205) to Dual (CP200):  
CPA242, big wheel - pair;  
CPR343, quick release pivot for back wheel;

From Skinny (CP620) to Skinny Go! (CP625)  
CPR622, small wheel - pair;  
CPR216D, right brake;  
CPR216S, left brake;

From Skinny Go! (CP625) to Skinny (CP620)  
CPR621, big wheel - pair;  
CPR6211D, right brake;  
CPR211S, left brake;

EN Spare parts for wheelchairs  
 F Pièces de rechange pour fauteuils roulants  
 ES Repuestos para sillas de ruedas  
 P Peças de reposição para cadeiras de rodas



Cod. **CPR400B** PAIR  
 Complete armrest  
 (only for CP100B)



Cod. **CPR400R** Polished  
 Cod. **CPR400M** Matt  
 Complete armrest PAIR  
 (only for CP100R)



Cod. **CPR100** PAIR  
 Complete armrest  
 (only for CP102)



Cod. **CPR401R** Polished  
 Cod. **CPR401M** Matt  
 Complete armrest PAIR  
 (only for CP103R-CP500R)



Cod. **CPR107** PAIR  
 Complete armrest  
 (only for CP110,  
 CP115)



Cod. **CPR108** PAIR  
 Height adjustable armrest  
 (only for CP200, CP205)



Cod. **CPR103** PAIR  
 Complete armrest  
 (only for CP300-CP310)



Cod. **CPR102** PAIR  
 Complete armrest  
 (only for CP520)



Cod. **CPR610** PAIR  
 Complete armrest  
 (only for CP620-CP625)



Cod. **CPR215S** Left  
 Cod. **CPR215D** Right  
 Brake (only for CP520)



Cod. **CPR415B** PAIR  
 Cod. **CPR415R** PAIR  
 Swing away lateral footrests  
 (only for CP100X-  
 CP103R-CP500X)



Cod. **CPR111** PAIR  
 Swing away lateral  
 footrests



Cod. **CPR135** PAIR  
 Swing away lateral  
 footrest  
 (size 38 only)



Cod. **CPR625** PAIR  
 Swing away lateral  
 footrests (only for  
 CP620-CP625)



Cod. **CPR241** SINGLE  
 Plastic footrest



Cod. **CPR413** PAIR  
 PU rear wheel Ø 60 cm  
 (only for CP100X)



Cod. **CPA242** PAIR  
 U rear wheel Ø 60 cm  
 (only for CP102-  
 CP110-CP200-CP205)



Cod. **CPR414** SINGLE  
 PU rear wheel Ø 60 cm  
 (only for CP103R)



Cod. **CPR122** PAIR  
 Solid rear wheel Ø 60 cm  
 (only for CP300)



Cod. **CPR412** SINGLE  
 Rear wheel (only for  
 CP500X)



Cod. **CPR621** PAIR  
 PU rear wheels  
 Ø 50 cm  
 (only for CP620)



Cod. **CPA240** PAIR  
 PU rear wheels Ø 30 cm  
 (only for CP115-  
 CP205)



Cod. **CPR132** PAIR  
 PU rear wheel Ø 32 cm  
 (only for CP310)



Cod. **CPR412** PAIR  
 PU solid rear wheel  
 Ø 30cm  
 (only for CP500X)



Cod. **CPR131** PAIR  
 PU rear wheel Ø 30 cm  
 (only for CP520)



Cod. **CPR622** PAIR  
 PU solid rear wheel  
 Ø 30 cm (only for  
 CP625)



Cod. **CPR150** PAIR  
 Anti-tipper wheels 4 cm  
 (only for CP200-  
 CP205)



Cod. **CPR410** SINGLE  
 PVC front wheel  
 Ø 20 x 2,5 cm  
 (only for CP100X)



Cod. **CPR140** SINGLE  
 PVC front wheel  
 Ø 20 x 2,5 cm  
 (only for CP102-  
 CP110-CP115)



Cod. **CPR411** SINGLE  
 PVC front wheel  
 Ø 20 x 5 cm  
 (only for CP103R-  
 CP500X)



Cod. **CPR143** SINGLE  
 PU front wheel Ø 20  
 x 3 cm  
 (only for CP200-  
 CP205-CP520)



Cod. **CPR141** SINGLE  
 PU front wheel  
 Ø 20 x 5 cm  
 (only for CP300-  
 CP305)



Cod. **CPR620** SINGLE  
 Anti-tipper wheel  
 Ø 18 x 3 cm  
 (only for CP620-  
 CP625)

- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliants en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado

Kiddy

### Single cross frame - Children

Cod. **CP880-35**



Height adjustable handle  
86÷99 cm



Supplied with



Elevating footrests

#### Optional accessories



Cod. **CPA600**  
Adjustable IV Pole



Cod. **CPA605**  
Chromed steel oxygen  
bottle holder Ø Max  
oxygen bottle 12 cm



Cod. **CPA606**  
Polyester Oxygen bottle  
holder - Ø oxygen bottle  
Max 12 cm



Cod. **CPA507**  
Table for wheelchair  
**58x38 cm**



Cod. **CPA501**  
Linear table  
**55x32 cm**



Cod. **RP247**  
Safety belt with  
spring buckle

#### Spare parts



Cod. **CPR810**  
Flip up armrest -PAIR



Cod. **CPR821**  
PU rear wheel Ø 56  
cm - SINGLE



Cod. **CPR820**  
PVC front wheel Ø  
15 cm - SINGLE



Cod. **CPR827**  
Armrest padding only



Cod. **CPR815**  
Lateral footrests



Cod. **CPR817**  
Elevating footrests

#### Technical features

##### SPECIFICATIONS

Front wheels	PVC, black, painted steel fork
Rear wheels	Plastic radius, grey PU wheels
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2

##### WEIGHT AND DIMENSION

Measures in cm															
<b>CP880-35</b>	94	74	36	86÷99	62	42	37÷42	35	37	56	31	14,5	56	15	100

- EN** Folding travel wheelchair in anodized aluminium
- F** Fauteuil roulant pliant de voyage en aluminium anodisé
- ES** Silla de transporte de viaje plegable en aluminio anodizado
- P** Cadeira de rodas de viagem dobrável em alumínio anodizado

**Double cross frame**

Cod. **CP850-37**



 **7 Kg**  
Wheelchair weight

Optional accessories



Cod. **CBR850**  
Bag for transport

Spare parts



Cod. **CBR294**  
Back wheels Ø 20 cm  
- SINGLE



Cod. **CBR301**  
Front wheel Ø 13 cm  
- SINGLE



Cod. **RP247**  
Safety belt with  
spring buckle

Technical features

SPECIFICATIONS																	
Front wheels	Grey, solid with plastic fork																
Rear wheels	Plastic radius, grey solid wheels																
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP850-37</b>	86	58	38	89	65	43	33	37	41	44	29	7	20	13	-	75	

- EN** Folding wheelchair in painted steel
- F** Fauteuil roulant pliants en acier vernis
- ES** Silla de ruedas plegable en acero pintado
- P** Cadeira de rodas dobrável em aço pintado



## Single cross frame - Reclining backrest

Series **CP800**



### Optional accessories

### Spare parts



Cod. **CPA501**  
Linear table  
for wheelchair



Cod. **CPA506**  
Table for wheelchair  
**58x38 cm**



Cod. **CAR831**  
Armrest desk type  
- PAIR



Cod. **CAR171**  
Elevating footrest  
- PAIR



Cod. **CAR174**  
PU rear wheel Ø 60  
cm - PAIR



Cod. **CAR172**  
PU front wheel Ø 20  
cm - PAIR



Cod. **CAR173**  
Anti-tipper wheel Ø  
5 cm - PAIR

### Technical features

SPECIFICATIONS																	
Front wheels	Grey, PU, plastic fork																
Rear wheels	Aluminium radius, grey PU wheels																
Upholstery	Padded nylon																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP800-40</b>									40		62						
<b>CP800-43</b>	123	90	44	100÷126	75	50	50÷64	43	83	65	30	26	60	20	5		100
<b>CP800-46</b>								46		68							

- EN** Folding transit wheelchair - Painted steel
- F** Fauteuil roulant pliant de transit - Acier verni
- ES** Silla de ruedas plegable de tránsito - Acero pintado
- P** Cadeira de rodas dobrável de trânsito - Aço pintado



## Single cross frame - Reclining backrest

Series **CP805**



### Optional accessories

### Spare parts



Cod. **CPA501**  
Linear table  
for wheelchair



Cod. **CPA506**  
Table for wheelchair  
**58x38 cm**



Cod. **CAR831**  
Armrest desk type  
- PAIR



Cod. **CAR171**  
Elevating footrest  
- PAIR



Cod. **CAR175**  
PU rear wheel  
(only CP805)



Cod. **CAR172**  
PU front wheel Ø 20  
cm - PAIR



Cod. **CAR173**  
Anti-tipper wheel Ø  
5 cm - PAIR

### Technical features

SPECIFICATIONS																	
Front wheels	Grey, PU, plastic fork																
Rear wheels	Plastic radius, grey PU wheels																
Upholstery	Padded nylon																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP805-40</b>									40		62						
<b>CP805-43</b>	123	90	44	100÷126	75	50	50÷64	43	83	65	30	25	30	20	5		100
<b>CP805-46</b>								46		68							

- EN** Folding wheelchair in painted aluminium
- F** Fauteuil roulant pliant en aluminium verni
- ES** Silla de transporte plegable en aluminio pintado
- P** Cadeira de rodas dobrável em alumínio pintado



## Double cross frame - Reclining Backrest

Series **CP810**

Headrest extension with adjustable pad, detachable

Nurse brake

Height adjustable flip-back armrests, PU padded



Adjustable wheel with mechanical brake

Anti-tipper wheel

Adjustable wheel



Reclining, extended backrest



Elevating, revolving, detachable footrests with length and inclination adjustable

Height adjustable PU legrest

Black plastic footrest, inclination adjustable

### Optional accessories



Cod. **CPA506**  
Table for wheelchair  
58x38 cm

### Spare parts



Cod. **CAR830**  
Elevating Armrest  
- PAIR



Cod. **CAR168**  
Elevating footrest  
- PAIR



Cod. **CAR217**  
PU rear wheel - PAIR



Cod. **CAR226**  
PU front wheel - PAIR



Cod. **CAR314**  
Anti-tipper wheel - PAIR

### Technical features

SPECIFICATIONS																	
Front wheels	Grey, PU, aluminium fork																
Rear wheels	Aluminium radius, grey PU wheels																
Upholstery	Padded nylon																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP810-40</b>																	
<b>CP810-43</b>	116	92	46	138	70	50	50÷64	43	89	65	33	20	60	20	5	100	
<b>CP810-46</b>								46		68							

## Accessories for Comfy-S, Comfy-S Go!, Comfy



Cod. **CPA100-40, CPA100-43, CPA100-45**  
Foam cushion h 5 cm



Cod. **CAR605**  
Antitheft bar



**KOALA** Restraining system line



Cod. **RP247**  
Safety belt with spring buckle



Cod. **RP245**  
Safety belt (CP810 only)



Cod. **RCA120**  
IV pole (image for illustrative purpose only)



Cod. **CPA506**  
Table for wheelchair  
58x38 cm



Cod. **CPA501**  
Linear table  
55x32 cm

## Spare parts for Comfy-S, Comfy-S Go!



Cod. **CAR831**  
Desk type armrest  
- PAIR (for CP800-CP805)



Cod. **CAR171**  
Elevating footrest  
- PAIR (for CP800-CP805 only)



Cod. **CAR173**  
Anti-tipper wheel Ø 5 cm - PAIR (for CP800-CP805 only)



Cod. **CAR174**  
PU rear wheel Ø 60 cm - PAIR (only for CP800)



Cod. **CAR172**  
PU front wheel Ø 20 cm - PAIR (only for CP800)



Cod. **CAR175**  
PU rear wheel - PAIR (only for CP805)

## Spare parts for Comfy



Cod. **CAR830**  
Elevating armrest - PAIR



Cod. **CAR168**  
Elevating footrest - PAIR



Cod. **CAR217**  
PU rear wheel - PAIR



Cod. **CAR226**  
PU front wheel - PAIR



Cod. **CAR314**  
Anti-tipper wheel - PAIR

- EN** Multifunction wheelchair - Painted steel
- F** Fauteuil roulant multifonction - Acier verni
- ES** Silla de rueda polifuncional - Acero pintado
- P** Cadeira de rodas multifuncional - Aço pintado



## Rear wheels Ø 30 cm

### Series CP900



### Optional accessories



Cod. **CAR525**  
Wheelchair table



Cod. **CAR710**  
3 section headrest



Cod. **RP245**  
Safety belt

### Spare parts

Cod. **CAR832** PAIR  
Elevating armrest

Cod. **CAR169** PAIR  
Elevating footrest

Cod. **CAR705** PAIR  
Anatomic PU headrest

Cod. **CAR219** PAIR  
PU rear wheel

Cod. **CAR226** PAIR  
PU front wheel Ø  
20 cm

Cod. **CAR316** PAIR  
Anti-tipper wheel

Cod. **CAR720** PAIR  
Chest support

Cod. **CAR718**  
Legs divider

Cod. **CAR719** PAIR  
Knee adductor  
protection

### Technical features

SPECIFICATIONS																						
Front wheels	Grey, PU, aluminium fork adjustable																					
Rear wheels	Plastic radius, grey PU wheels																					
Upholstery	Black washable nylon, removable																					
Padding	Anatomic, in printed polyurethane																					
Optional included	Adjustable divider - Knee protection - Chest support in height, width and angle adjustable - Anti-tipper wheels																					
WEIGHT AND DIMENSION																						
Measures in cm																						
<b>CP900-40</b>	113	81	45	108	64÷77	57	40÷60	40	49	57	-	41	30	20	5	120						
<b>CP900-45</b>								45		62		43										

- EN** Multifunction wheelchair - Painted steel
- F** Fauteuil roulant multifonction - Acier verni
- ES** Silla de rueda polifuncional - Acero pintado
- P** Cadeira de rodas multifuncional - Aço pintado

Relief

**Rear wheels Ø 60 cm**

Series **CP910**



Optional accessories



Cod. **CAR525** Wheelchair table  
 Cod. **CAR710** 3 section headrest  
 Cod. **RP245** Safety belt

Spare parts

- Cod. **CAR832** PAIR Elevating armrest
- Cod. **CAR169** PAIR Elevating footrest
- Cod. **CAR705** PAIR Anatomic PU headrest
- Cod. **CAR218** PAIR PU rear wheel Ø 60 cm
- Cod. **CAR226** PAIR PU front wheel Ø 20 cm
- Cod. **CAR316** PAIR Anti-tipper wheel
- Cod. **CAR720** PAIR Chest support
- Cod. **CAR718** Legs divider
- Cod. **CAR719** PAIR Knee adductor protection

Technical features

SPECIFICATIONS																	
Front wheels	Grey, PU, aluminium fork adjustable																
Rear wheels	Aluminium radius, grey PU wheels																
Upholstery	Black washable nylon, removable																
Padding	Anatomic, in printed polyurethane																
Optional included	Adjustable divider - Knee protection - Chest support in height, width and angle adjustable - Anti-tipper wheels																
WEIGHT AND DIMENSION																	
Measures in cm																	
<b>CP910-40</b>	113	81	45	108	64÷77	57	40÷60	40	49	60	-	45	60	20	5	120	
<b>CP910-45</b>								45		65		46					

## Accessories for Relief, Relief Go!



Cod. **CAR710**  
3 section headrest



Cod. **CAR525**  
Wheelchair table



Cod. **RP245**  
Safety wheel

## Spare parts for Relief, Relief Go!



Cod. **CAR832**  
Elevating armrests -  
PAIR



Cod. **CAR169**  
Elevating footrests -  
PAIR



Cod. **CAR218**  
PU rear wheel - PAIR  
(CP910)



Cod. **CAR219**  
PU rear wheel - PAIR  
(CP900)



Cod. **CAR226**  
PU front wheel - PAIR



Cod. **CAR316**  
Anti-tipper wheel -  
PAIR



Cod. **CAR705**  
Anatomic PU headrest



Cod. **CAR718**  
Legs divider



Cod. **CAR719**  
Knee adductor protection - PAIR



Cod. **CAR720**  
Chest support - PAIR

- EN** Electric hospital bed with 3 junctures
- F** Lit d'hôpital électrique avec 3 jointures
- ES** Cama de hospital eléctrica a 3 articulaciones
- P** Cama hospitalar elétrica a 3 articulações

### Adjustable height

Cod. **MP370**

Steel bed frame



Bed functions



max 70°  
backrest


### Adjustable height

Cod. **MP380**

Steel bed frame



max 30°  
legrest



max. 116,5 cm  
min. 22,5 cm

Steel tubular frame, powder coated. 4 swivel casters 125mm Ø with brakes. Bedheads in wood, aluminium bedrails, wooden effect. Patient lift and IV pole supports. Compliant to UNI CEI EN 60601-2-52 for medical beds.

#### Optional accessories



Cod. **MPA305**  
ABS molded table  
**Maximum weight 10 kg**



Cod. **MPA301**  
Patient lift pole with plastic handle  
**maximum weight 75 kg**



Cod. **MPA303**  
Steel IV pole  
**Maximum weight 5 kg, each hook**



Cod. **MPA307**  
Bedside rails extension

#### Spare parts

Cod. **MPR406**  
Motor foot side

Cod. **MPR416**  
Remote control for MP380

Cod. **MPR407**  
Motor head side

Cod. **MPR421**  
Caster with leg MP370

Cod. **MPR408**  
Elevation motor for MP380

Cod. **MPR433**  
Single bedrail for MP370-MP380

Cod. **MPR412**  
Control box

Cod. **MPR422**  
Caster with brake MP380

Cod. **MPR415**  
Remote control for MP370

Cod. **MPR437**  
Caster with brake MP370

Cod. **MPR425**  
Bank support

Cod. **MPR432**  
Plastic end for banks

#### Technical features

	GERANIO	GERBERA
SERIES	GERANIO	GERBERA
Product code	<b>MP370</b>	<b>MP380</b>
<b>WEIGHT AND DIMENSION</b>		
	W:  D:	H:
		Max patient weight            Safe workload            Kg
<b>Bed</b>	208 cm 102 cm	94 cm (MP370) - 116,5 cm (MP380) (to headrest-footrest)
		135 Kg 170 Kg 77 Kg (MP370) 99 Kg (MP380)
<b>Bed frame</b>	187 cm 80 cm	42,5 cm (MP370) - 33,5+65,5 cm (MP380) (from bed frame to ground)
		- - -

- EN** Electric hospital bed with 3 junctures
- F** Lit d'hôpital électrique avec 3 jointures
- ES** Cama de hospital eléctrica a 3 articulaciones
- P** Cama hospitalar eléctrica a 3 articulações



### Elevation with Trendelemburg


**Cod. MP393**  
Steel slatted base



Bed functions



max 70°  
backrest



max 30°  
legrest



max 12°

**Cod. MP394**  
Steel slatted base



Steel tubular frame, powder coated. 4 swivel casters 125mm Ø with brakes. Head and footboard in wood, aluminium bedrails, wooden effect. Patient lift and IV pole supports. Compliant to UNI CEI EN 60601-2-52 for medical beds.

#### Optional accessories



**Cod. MPA305**  
ABS molded table  
**Maximum weight 10 kg**



**Cod. MPA301**  
Patient lift pole with plastic handle  
**maximum weight 75 kg**



**Cod. MPA303**  
Steel IV pole  
**Maximum weight 5 kg. each hook**



**Cod. MPA307**  
Bedside rails extension

#### Spare parts

**Cod. MPR448**  
Keypad with automatic lock MP393/394

**Cod. MPR433**  
Single side

**Cod. MPR449**  
Dual motor for MP393/MP394

**Cod. MPR432**  
Plastic end for banks

**Cod. MPR437**  
Wheel with brake

**Cod. MPR425**  
Bank support

**Cod. MPR451**  
Keypad with manual lock


#### Technical features

GARDENIA						
Product code		MP393			MP394	
WEIGHT AND DIMENSION						
	W:	D:	H:	Max patient weight	Safe workload	Kg
<b>Bed</b>	216 cm	102 cm	127 cm (to headrest-footrest)	135 Kg	170 Kg	94 Kg
<b>Bed frame</b>	187 cm	80 cm	40+81 cm (from bed frame to ground)	-	-	-


- EN** Manual hospital bed 90 cm
- F** Lit d'hôpital manuel 90 cm
- ES** Cama de hospital manual 90 cm
- P** Cama hospitalar manual 90 cm

### 1 crank - 1 juncture

Cod. **MP090**



max 80°  
backrest




Bed sections dimension


**ibisco**<sub>1</sub>

Cod. **MP092**

*Demountable*



max 80°  
backrest



Bed sections dimension

**ibisco**<sub>1s</sub>

Steel powder coated tubular frame 40x20mm. Electro-welded steel wired bed frame, suitable for every kind of mattress. Powder coated steel bedhead and footboard. Sturdy MDF 11 mm boards. According to UNI CEI EN 60601-2-52 for medical beds.

#### Technical features

IBISCO				
Product code		MP090	MP092	
WEIGHT AND DIMENSION				
	Bed	Bed frame	Bed	Bed frame
W:	204 cm	198 cm	204 cm	198 cm
D:	90 cm	89 cm	90 cm	89 cm
H:	93 cm (from headside)	46 cm (bed frame to ground)	93 cm (from headside)	46 cm (bed frame to ground)
Max patient weight	135 Kg	-	135 Kg	-
Safe workload	170 Kg	-	170 Kg	-
	37 Kg	-	37 Kg	-
	W: 203 x D: 94 x H: 9 cm	-	W: 108 x D: 97 x H: 15,5 cm	-

- EN** Manual hospital bed 90 cm
- F** Lit d'hôpital manuel 90 cm
- ES** Cama de hospital manual 90 cm
- P** Cama hospitalar manual 90 cm


## 2 cranks - 3 junctures

Cod. **MP091**

Bed function



max 80°  
backrest



max 40°  
legrest



Bed sections dimension

**ibisco**<sub>2</sub>

Cod. **MP093**

*Demountable*

Bed function



max 80°  
backrest



max 40°  
legrest



Bed sections dimension

**ibisco**<sub>2s</sub>

Steel powder coated tubular frame 40x20mm. Electro-welded steel wired bed frame, suitable for every kind of mattress. Powder coated steel bedhead and footboard. Sturdy MDF 11 mm boards. According to UNI CEI EN 60601-2-52 for medical beds.

Technical features

IBISCO					
Product code		MP091	MP093		
WEIGHT AND DIMENSION					
		Bed	Bed frame	Bed	Bed frame
	W:	204 cm	198 cm	204 cm	198 cm
	D:	90 cm	89 cm	90 cm	89 cm
	H:	93 cm (from headside)	46 cm (bed frame to ground)	93 cm (from headside)	46 cm (bed frame to ground)
	Max patient weight	135 Kg	-	135 Kg	-
	Safe workload	37 Kg	-	37 Kg	-
		W: 203 x D: 94 x H: 9 cm	-	W: 108 x D: 97 x H: 15,5 cm	-

- EN** Hospital beds 90 cm
- F** Lits d'hôpital 90 cm
- ES** Camas de hospital 90 cm
- P** Camas de hospital 90 cm

## 2 cranks - 3 junctures - Height adjustable

Cod. **MP091R**

With wheels



ibisco<sub>2r</sub>

Bed function



max 80°  
backrest



max 40°  
legrest

Cod. **MP095**

Height adjustable



ibisco<sub>2e</sub>



Bed sections dimension

Structure in 4x2 cm tubular steel, powder coated with electro-welded steel mesh bottom, suitable for housing any type of mattress. Headboard and footboard in powder coated steel, easy to assemble thanks to the bayonet fittings. Very sturdy panels in 11 mm melamine-faced MDF. Complies with the UNI CEI EN 60601-2-52 standard for medical beds.

Technical features


IBISCO SERIES				
Product codes		MP091R		MP095
WEIGHT AND DIMENSIONS				
	Bed	Bed frame	Bed	Bed frame
W:	204 cm	198 cm	204 cm	198 cm
D:	90 cm	89 cm	90 cm	89 cm
H:	93 cm (up to headboard)	46 cm (bed frame to ground)	93 cm (up to headboard)	4 positions adjustable Max 52 cm - Min. 32 cm (bed frame to ground)
Max patient weight	135 Kg	-	135 Kg	-
Safe workload	170 Kg	-	170 Kg	-
	37 Kg	-	39 Kg	-
	W: 203 x D: 94 x H: 9 cm	-	W: 208 x D: 94 x H: 9 cm	-

- EN** Hospital beds 90 cm
- F** Lits d'hôpital 90 cm
- ES** Camas de hospital 90 cm
- P** Camas de hospital 90 cm

## Electric - 3 junctures

Ibisco<sub>3</sub>

Cod. **MP097**



Bed sections dimension



max 40°  
legrest




max 80°  
backrest

Bed functions

Structure in 4x2 cm tubular steel, powder coated with electro-welded steel mesh bottom, suitable for housing any type of mattress. Headboard and footboard in powder coated steel, easy to assemble thanks to the bayonet fittings. Very sturdy panels in 11 mm melamine-faced MDF. Complies with the UNI CEI EN 60601-2-52 standard for medical beds.

### Technical features

WEIGHT AND DIMENSIONS		
	Bed	Bed frame
W:	204 cm	198 cm
D:	90 cm	89 cm
H:	93 cm (up to headboard)	46 cm (bed frame to ground)
Max patient weight	135 Kg	-
Safe workload	170 Kg	-
Kg	39 Kg	-
	W: 203 x D: 94 x H: 9 cm	-



**Cod. MP180** Anodized aluminium reversible bedside rails  
Bedrail length **170 cm**, total length **195 cm**, maximum extension length **222 cm**,  
hooking maximum length **210 cm**, Ø **2,5 cm**, bedside rail height **43cm**



**Cod. MP181** White painted steel reversible bedside rails  
Bedrail length **170 cm**, total length **195 cm**, maximum extension length **222 cm**,  
hooking maximum length **210 cm**, Ø **2,5 cm**, bedside rail height **43cm**



**Cod. MI097**  
Stand model patient lift built in reinforced painted tube Ø 3 cm external - maximum loading weight 75 kg



**Cod. MI095**  
Bed patient lift in reinforced painted steel tube Ø 3 cm external - maximum loading weight 75 kg

**Cod. MI096**  
IV pole  
(not illustrated)



## Spare parts



**Cod. MI055**  
Only handle with belt

- EN** Bedrails
- F** Côtés de lit
- ES** Barandillas
- P** Grades laterais

### Universal - Telescopic - Reversible - Painted aluminium

Cod. **MP167**

Partial bedside rail - Single



Technical features

DIMENSION			
W:	H:	W:	H:
66÷71 cm	H: 50 cm (from bed frame)	67÷105 cm (3 steps)	H: 50 cm (from bed frame)

Cod. **MP168**

Partial bedside rail large- Single



### Universal - With stand - Painted aluminium

Cod. **MP165**

Partial bedside rail - Single




Technical features

DIMENSION			
W:	D:	H:	
45 cm	P: 64 cm	H: 81÷107 cm	
		H: 34÷52 cm (Legs from bed frame)	
		H: 47÷52 cm (Rail from bed frame)	

### Telescopic universal (for domestic beds)


Cod. **MP170**

Chromed steel



Cod. **MP171**

Painted steel



Technical features


DIMENSION			
W:	D:	H:	
95-170 cm (internal)	107-182 cm (internal) - 109-184 cm (external)	26-48 cm (internal) - 27-49 cm (external)	

- EN** Polyurethane bedside rails protection
- F** Polyurethane protection pour côtés de lit
- ES** Protección para barandas laterales en poliuretano
- P** Proteção para grades laterais em poliuretano

### Belt fastening

Cod. **MP310**

Single




Technical features

DIMENSION		
W:	D:	H:
134 cm	3 cm	33 cm

### Foldable - Velcro fastening

Cod. **MP315**

Single



Technical features

DIMENSION		
W:	D:	H:
127 cm	2,5 cm	66 cm

- EN** Backrests in painted steel
- F** Appuie dos en acier verni
- ES** Respaldos en acero pintado
- P** Respaldos de aço pintado

### 6 position adjustable

Cod. **RS450**

Grey



Technical features

DIMENSION	
W:	63 cm
H:	44 cm

Cod. **RS455**

White



Technical features

DIMENSION	
W:	63 cm
H:	55 cm

- EN** Bed cradle, anodized aluminium
- F** Arceau de lit en aluminium anodisé
- ES** Arco de cama en aluminio anodizado
- P** Arco de cama em alumínio anodizado

### Demountable

Cod. **RS445A**



Technical features

DIMENSION	
W:	50 cm
D:	52 cm
H:	40 cm

- EN** Over bed tables with foldable legs
- F** Tables de lit avec pieds pliants
- ES** Mesitas auxiliares de cama con piernas plegables
- P** Bandejas de cama com pes dobraveis

### Scratchproof table and containing border

**Cod. RS988N**  
Natural colour



**Cod. RS988M**  
Brown



**Cod. RS990N**  
Natural colour



**Cod. RS990M**  
Brown



Technical features

Product code	RS988N	RS988M	RS990N	RS990M
<b>DIMENSION</b>				
W:		D:		H:
60,5 cm		39 cm		24 cm

- EN** Over bed tables with castors - Painted steel
- F** Tables de lit avec roues - Acier verni
- ES** Mesitas auxiliares de cama con ruedas - Acero pintado
- P** Bandejas de cama com rodas - Aço pintado

### Scratchproof table and containing border

**Cod. RS890N**  
Natural colour



With spring for automatic lift

**Cod. RS890M**  
Brown



H 9 cm

Technical features

<b>DIMENSION</b>					
W:	D:	H:	Kg max	Ø wheel	Kg
Small tray 20,5 cm Big tray 56 cm	38,5 cm	74-119 cm	about 20 kg	5 cm	about 11 kg

**Cod. RS891N**  
Natural colour



With spring for automatic lift

**Cod. RS891M**  
Brown



H 9 cm

Technical features

<b>DIMENSION</b>					
W:	D:	H:	Kg max	Ø wheel	Kg
80 cm	38,5 cm	78-110 cm	about 20 kg	5 cm	about 11 kg

### Spare parts for over bed tables with castors



**Cod. RSR860M**  
Big tray for RS890M



**Cod. RSR860N**  
Big tray for RS890N



**Cod. RSR862M**  
Big tray for RS890M



**Cod. RSR862N**  
Big tray for RS890N



**Cod. RSR865S**  
Castors kit for RS890 and RS891



**Cod. RSR865F**  
Wheel kit with brake for RS890 and RS891

**Cod. RSR861M**  
Big tray for RS891M

**Cod. RSR861N**  
Big tray for RS891N

- EN Elevating armchair
- F Fauteuil releveur
- ES Sillón elevable
- P Poltrona elevatória

## Relaxing armchair with 2-motor mechanism

### Series **PO400**

Without roller

### Cod. **PO400G-XL**

Without roller  
XL version available



Kit cover included



Series **PO401**  
With roller

### Spare parts



Cod. **POR116**  
PVC foot - SINGLE  
PO400 - PO400G-XL -  
PO401



Cod. **POA300**  
Roller System  
PO401

### Optional accessories



Cod. **POA305**  
Battery  
PO400 - PO400G-XL -  
PO401



Cod. **POA300**  
Roller System  
PO400



Powder coated steel and wooden frame; Non-deformable polyurethane foam padding at different densities (backrest 18-22 Kg/m<sup>3</sup>, footrest 18 Kg/m<sup>3</sup>, seat 35 Kg/m<sup>3</sup>, armrests 40 Kg/m<sup>3</sup>); Franciacorta fabric - 100% Polyester; 4 PVC feet.

### Technical features

NINFEA						
Product code	PO400R PO401R	PO400B PO401B	PO400S PO401S	PO400G-XL PO401G	PO401T	PO401M
Colours						
	Coral (09)	Blue (16)	Cream/sand (20)	Grey (205)	Dove grey (619)	Terracotta (101)

WEIGHT AND DIMENSION												
Product code												
<b>PO400x</b>	52 cm	48 cm	50 cm	77 cm	87 cm	61 cm	107 cm	160 cm	150 cm	-	52 kg	130 kg
<b>PO400G-XL</b>	64 cm	48 cm	50 cm	88 cm	87 cm	61 cm	107 cm	160 cm	150 cm	-	55 kg	160 kg
<b>PO401x</b>	52 cm	48 cm	50 cm	77 cm	85 cm	61 cm	107 cm	160 cm	150 cm	-	52 kg	130 kg



## Functions



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION - STANDING



It helps those with mobility difficulties to stand up

- EN** Elevating armchair
- F** Fauteuil releveur
- ES** Sillón elevable
- P** Poltrona elevatória

## Relaxing armchair with 2-motor mechanism

Series **PO403**



Hypoallergenic silicone flake padding with differentiated densities in the lumbar area and headrest, guaranteeing exceptional comfort



Chloe is delivered with disassembled backrest, as per image; assembly is extremely simple, thanks to the bayonet fitting backrest



### Spare parts

-  Cod. **POR130**  
PVC foot - SINGLE
-  Cod. **POR143**  
Castor - SINGLE

Cod. **POR133**  
Remote control with cable

Cod. **POR136**  
Adapter

### Optional accessories

-  Cod. **POA403x**  
Cover

Powder coated steel and wooden frame; Water-repellent and stain-proof fabric; Nondeformable polyurethane foam padding with differentiated density. (back 18-22 Kg/m<sup>3</sup>, footboard 18 Kg/m<sup>3</sup>, seat 35 Kg/m<sup>3</sup>, armrests 40 Kg/m<sup>3</sup>); Courtesy wheels in the rear, PVC feet in the front.

### Technical features

CHLOE	
Product code	<b>PO403G</b> <span style="float: right;"><b>PO403R</b></span>
Colours	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">             Pearl grey (19)         </div> <div style="text-align: center;">             Antique pink (648)         </div> </div>

WEIGHT AND DIMENSION												
Product code												
<b>PO403x</b>	50 cm	45 cm	48 cm	70 cm	90 cm	61 cm	110 cm	162 cm	140 cm	7	45 kg	130 kg



## Functions



### TV POSITION



Perfect position for comfortable TV watching



### TOTAL RELAX



Maximum extension position for backrest and footrest




### LIFT POSITION STANDING



It helps those with mobility difficulties to stand up



### VERTICAL LIFT



It raises vertically approx. 7cm

- EN Elevating armchair
- F Fauteuil releveur
- ES Sillón elevable
- P Poltrona elevatória

## Relaxing armchair with 2-motor mechanism

### Series **PO405**

With roller



Kit cover included



#### Spare parts



#### Optional accessories



Roller System included



Powder coated steel and wooden frame; water-repellent and stain-proof fabric; armchair and arm rest cover included; nondeformable polyurethane foam padding with differentiated densities. (back 18-22 Kg/m<sup>3</sup>, footboard 18 Kg/m<sup>3</sup>, seat 35 Kg/m<sup>3</sup>, armrests 40 Kg/m<sup>3</sup>); Roller system 4 wheels, Ø 50mm; 4 PVC feet.

#### Technical features

NINFEA												
Product code	PO405G		PO405S		PO405R		PO405T					
Colours												
	Grey (19)		Cream/sand (20)		Antique pink (648)		Dove grey (622)					
WEIGHT AND DIMENSION												
Product code												
<b>PO405x</b>	52 cm	48 cm	48 cm	77 cm	85 cm	61 cm	115 cm	160 cm	150 cm	-	55 kg	130 kg



## Functions

---



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION - STANDING



It helps those with mobility difficulties to stand up

- EN** Elevating armchair
- F** Fauteuil releveur
- ES** Sillón elevable
- P** Poltrona elevatória

## Relaxing armchair with 2-motor mechanism

### Series **PO410**

With roller



Kit cover optional (POA407x)



#### Spare parts



Cod. **POA131**  
PVC foot - SINGLE



Cod. **POA300**  
Roller System

#### Optional accessories



Cod. **POA407x**  
Cover



Cod. **POA305**  
Battery

Roller System included



Powder coated steel and wooden frame; water-repellent and stain-proof fabric; non-deformable polyurethane foam padding at different densities (backrest 18-22 Kg/m<sup>3</sup>, footrest 18 Kg/m<sup>3</sup>, seat 35 Kg/m<sup>3</sup>, armrests 35 Kg/m<sup>3</sup>); Roller system 4 wheels. Ø 50 mm.

#### Technical features

NINFEA												
Product code	PO410B			PO410R			PO410S					
Colours												
	Blue (28)			Red (14)			Cream/sand (3)					
WEIGHT AND DIMENSION												
Product code												
<b>PO410x</b>	52 cm	48 cm	49 cm	66 cm	90 cm	61 cm	105 cm	160 cm	150 cm	-	55 kg	130 kg



## Functions

---



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION - STANDING



It helps those with mobility difficulties to stand up

EN Elevating armchair  
 F Fauteuil releveur  
 ES Sillón elevable  
 P Poltrona elevatória

 MYRTHO

## Relaxing armchair with 2-motor mechanism

Series **PO420**



Hypoallergenic silicone fabric padding with differentiated density in the lumbar area and headrest, guaranteeing exceptional comfort.

### Standard accessories



Myrtho is equipped with four swivel castors. The 2 rear ones are equipped with brake.



Metal push handle for easy movements.



### Spare parts



Cod. **POR144S**  
 Castor 7.5 cm  
 without brake  
 Cod. **POR144F**  
 Castor 7.5 cm  
 with brake

### Optional accessories



Cod. **POA305**  
 Battery



Cod. **POA306**  
 Table



Cod. **POA408x**  
 Cover

Powder coated steel and wooden frame; water-repellent and stain-proof fabric; nondeformable polyurethane foam padding with differentiated density. (back 18-22 Kg/m<sup>3</sup>, footboard 18 Kg/m<sup>3</sup>, seat 35 Kg/m<sup>3</sup>, armrests 40 Kg/m<sup>3</sup>); (head rest area, softer - trunk and lumbar area, stiffer); Polyurethane foam seat covered with 2 cm of viscoelastic. Four wheels, Ø 75 mm, of which two with brake; Push bar.

### Technical features

NINFEA												
Product code	PO420R		PO420G		PO420S		PO420B					
Colours												
	Red (14)		Grey (23)		Sand (3)		Blue (28)					
WEIGHT AND DIMENSION												
Product code												
<b>PO420x</b>	52 cm	48 cm	41 cm	71 cm	90 cm	61 cm	112 cm	162 cm	153 cm	10 cm	58 kg	130 kg

## Functions



### TV POSITION



Perfect position for comfortable TV watching



### TOTAL RELAX



Maximum extension position for backrest and footrest



### LIFT POSITION STANDING



It helps those with mobility difficulties to stand up



### REMOVABLE ARMRESTS AND EARS



To ease patient transfer.



## Optional accessories



Armchair cover kit consisting of backrest-seat covers and armrest covers, available as an (POA408x)



Thanks to the removable armrests, the armchair can be used as a normal seat for a dining table, or accessorised with a removable table (POA306)



EN Elevating armchair  
 F Fauteuil releveur  
 ES Sillón elevable  
 P Poltrona elevatória

*class*  
**MYRTHO**

## Relaxing armchair with 2-motor mechanism - Bed function

Series **PO425**



Hypoallergenic silicone fabric padding with differentiated density in the lumbar area and headrest, guaranteeing exceptional comfort.

### Standard accessories



Myrtho is equipped with four swivel castors. The 2 rear ones are equipped with brake.



Metal push handle for easy movements.



### Spare parts



Cod. **POI44S**

Castor 7.5 cm without brake

Cod. **POI44F**

Castor 7.5 cm with brake

### Optional accessories



Cod. **POA305**

Battery



Cod. **POA306**

Table



Cod. **POA408x**

Cover

Powder coated steel and wooden frame; water-repellent and stain-proof fabric; nondeformable polyurethane foam padding with differentiated density. (back 18-22 Kg/m<sup>3</sup>, footboard 18 Kg/m<sup>3</sup>, seat 35 Kg/m<sup>3</sup>, armrests 40 Kg/m<sup>3</sup>); Seat polyurethane foam covered with 2 cm of viscoelastic; Four wheels, Ø 75 mm, of which two with brake; Push bar.

### Technical features

NINFEA												
Product code	PO425R		PO425G		PO425S		PO425B					
Colours												
	Red (14)		Grey (23)		Sand (3)		Blue (28)					
WEIGHT AND DIMENSION												
Product code												
<b>PO425x</b>	52 cm	48 cm	41 cm	71 cm	90 cm	61 cm	112 cm	175 cm	150 cm	10 cm	58 kg	130 kg

## Functions



### TV POSITION



Perfect position for comfortable TV watching



### TOTAL RELAX



Maximum extension position for backrest and footrest




### LIFT POSITION STANDING



It helps those with mobility difficulties to stand up



### VERTICAL LIFT



it raises the armchair vertically approx. 10 cm to facilitate getting on/off the armchair.



### REMOVABLE ARMRESTS AND EARS



To ease patient transfer.



### BED FUNCTION



Maximum armchair extension up to 180°, offering the comfort of a traditional bed

## Optional accessories



Armchair cover kit consisting of backrest-seat covers and armrest covers, available as an (POA408x)



Thanks to the removable armrests, the armchair can be used as a normal seat for a dining table, or accessorised with a removable table (POA306)



EN Elevating armchair  
 F Fauteuil releveur  
 ES Sillón elevable  
 P Poltrona elevatória



## Relaxing armchair with 2-motor mechanism - Zero Gravity

### Series **PO430**

With roller



Hypoallergenic silicone fabric padding with differentiated density in the lumbar area and headrest, guaranteeing exceptional comfort.

### Standard accessories



Extension more than the standard footboard, increasing the area of support and ensuring adequate support also for the heels for total comfort. Included.



"Roller System" with 4 wheels, the two rear ones with brakes, operated by lever. Included.



### Spare parts

Cod. **POR130**  
 PVC foot - SINGLE  
 Cod. **POR140**  
 Rear castor - SINGLE  
 Cod. **POR141**  
 Front castor for cardio mechanism - SINGLE

Cod. **POR142**  
 Castor for roller system - SINGLE

Cod. **POR134**  
 Remote control with cable

Cod. **POR137**  
 Adapter

### Optional accessories

Cod. **POA308**  
 Battery

Cod. **POA306**  
 Table

Cod. **POA409x**  
 Cover

Powder coated steel and wooden frame; water-repellent and stain-proof fabric; nondeformable polyurethane foam padding with differentiated density. (back 18-22 Kg/m<sup>3</sup>, footboard 18 Kg/m<sup>3</sup>, seat 35 Kg/m<sup>3</sup>, armrests 40 Kg/m<sup>3</sup>); Double footboard that allows an extension of 11 cm Roller system four wheel, Ø 50 mm.

### Technical features

NINFEA												
Product code	PO430G			PO430R				PO430T				
Colours												
	Grey (19)			Antique pink (648)				Dove grey (622)				
WEIGHT AND DIMENSION												
Product code												
<b>PO430x</b>	52 cm	48 cm	44 cm	72 cm	90 cm	63 cm	115 cm	180 cm	150 cm	12 cm	58 kg	130 kg



**TV POSITION**



Perfect position for comfortable TV watching



**TOTAL RELAX**



Maximum extension position for backrest and footrest



**LIFT POSITION STANDING**



It helps those with mobility difficulties to stand up



**BED FUNCTION**



Maximum armchair extension up to 180°, offering the comfort of a traditional bed



**VERTICAL LIFT**



it raises the armchair vertically approx. 12 cm to facilitate getting on/off the armchair.



**ZERO GRAVITY**



Zero Gravity allows to raise the front part of the chair, bringing the legs into a higher position than the heart, thus improving blood and lymphatic circulation



**REMOVABLE ARMRESTS**



To ease patient transfer.

Optional accessories

Armchair cover kit consisting of backrest-seat covers and armrest covers, available as an (POA409x)



Thanks to the removable armrests, the armchair can be used as a normal seat for a dining table, or accessorised with a removable table (POA306)



- EN** Painted steel electric lifter
- F** Lève-personne électrique en acier peint
- ES** Grúa eléctrica de traslado de acero pintado
- P** Elevador eléctrico de pessoa de aço pintado



**Electric**

Cod. **RI900**



Emergency stop button

Removable arms

Supplied with removable padded backrest

Control box with rechargeable and removable battery, with indication of the charge level

Remote control for elevation and legs opening




Max loading weight **180 Kg**

5 castors, 2 of which rear with brake



Cod. **RIA201**  
Standard adjustable sling/seat supplied



**Electric legs opening**  
from 50 to 75 cm (internal size)  
**and electric lifting** from 84 to 119 cm



Cod. **RIR905**  
2 channel remote control

Technical features

**DIMENSIONS AND WEIGHT**

	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>
	100 cm	12 cm	95÷125 cm	84÷119 cm	int. 50÷75 cm	ext. 58÷83 cm
	<b>G</b>	<b>H</b>	<b>I</b>	<b>L</b>		
	82,5 cm	95 cm	52 cm	30 cm	57 Kg	180 kg

- EN Painted steel electric lifter
- F Lève-personne électrique en acier peint
- ES Grúa eléctrica de traslado de acero pintado
- P Elevador elétrico de pessoa de aço pintado



**Electric**

Cod. **RI905**



Motorization



Emergency stop button

Removable arms

Supplied with removable padded backrest

Control box with rechargeable and removable battery, with indication of the charge level

Remote control for elevation and legs opening




Max loading weight  
**135 Kg**

4 castors, 2 of which rear with brake

Removable legs



Cod. **RIA201**  
Standard adjustable sling/seat supplied




Compass manual legs opening with lever from 46 to 114 cm (internal size) and electric lifting from 84 to 119 cm



Cod. **RIR801**  
1 channel remote control

Technical features

DIMENSIONS AND WEIGHT



A	B	C	D	E
100 cm	12 cm	84÷119 cm	52 cm	int. 46÷114 cm
F	G	H	Kg	Icon
ext. 54÷120 cm	93 cm	35 cm	39 Kg	135 Kg

- EN Optional accessories for electric lifter
- F Accessoires optionnels pour lève-personne électrique
- ES Accesorios opcionales para grúa eléctrica
- P Acessórios opcionais para elevador elétrico



### Lifting arm

Cod. **RIA910**



Lifting arm can be installed on the central bearing column, by easily removing the two horizontal arms. It allows the device to be used as a patient lift using the slings of MUEVO patient lifts range.

\* See all standard slings on the dedicated page


#### Technical features

DIMENSIONS	
A	125÷155 cm
B	147÷177 cm

- EN Slings for electric lifter
- F Sangles pour lève-personne électrique
- ES Arnases para grúa eléctrica
- P Cestas para elevador elétrico

Cod. **RIA201**

Standard\*




#### Technical features

SPECIFICATIONS	DIMENSIONS						
Material 100% Polyester fabric, ribbon and thread							
	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>56 cm</td> <td>48 cm</td> <td>45 cm</td> </tr> </tbody> </table>	A	B	C	56 cm	48 cm	45 cm
A	B	C					
56 cm	48 cm	45 cm					

Cod. **RIA211**

Toilette\*



#### Technical features

SPECIFICATIONS	DIMENSIONS										
Material 100% Polyester fabric, ribbon and thread											
	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> </tr> </thead> <tbody> <tr> <td>56 cm</td> <td>48 cm</td> <td>45 cm</td> <td>32 cm</td> <td>21 cm</td> </tr> </tbody> </table>	A	B	C	D	E	56 cm	48 cm	45 cm	32 cm	21 cm
A	B	C	D	E							
56 cm	48 cm	45 cm	32 cm	21 cm							

\* For greater comfort, it is possible to combine the RP200, RP210, RP215 restraint systems of KOALA collection line. Look at the reference page

Cod. **RIA220**

Holder/mobility



#### Technical features

SPECIFICATIONS	DIMENSIONS						
Material 100% Polyester fabric, ribbon and thread							
	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>65 cm</td> <td>22 cm</td> <td>45 cm</td> </tr> </tbody> </table>	A	B	C	65 cm	22 cm	45 cm
A	B	C					
65 cm	22 cm	45 cm					

- EN Stand up lifts
- F Verticalisateurs
- ES Verticalizadores
- P Levantadores



### Electric - standard footprint model

Cod. **RI840**

Legs opening by pedal

Cod. **RI841**

Legs opening by lever



Cod. **RI801**  
Remote control



Cod. **RP893**  
Dorsal sling

Accessorio Optional\*



Cod. **RP893XL**  
Dorsal sling - Size XL



Cod. **RP896**  
Pelvic sling

\* See all the accessories on the dedicated page



Piston



Emergency stop button



Max loading weight  
**200 Kg**




R1840  
Model with pedal

4 swivel castor ø 10 cm,  
2 with brakes

### Technical features

#### WEIGHT AND DIMENSION



A	B	C	D	E	F	G
80 cm	73 cm	107 cm	180 cm	101 cm	68 cm	45 cm
H	I	L	M	N	Max loading weight	
55 cm	84 cm	94 cm	8 cm	13 cm	200 Kg	

- EN Stand up lift slings
- F Sangles pour verticalisateur
- ES Arnases para verticalizador
- P Cestas para levantador



Muevo UP

**Dorsal**

Cod. **RP893**



Double underarm padding

Abdominal band with velcro strap

**Pelvic**

Cod. **RP896**




Pelvic traction

Technical features

**SPECIFICATIONS**

Material Fabric, 100% polyester

**WEIGHT AND DIMENSION**



Product code	RP893				
A	B	C	D	E	
83 cm	51 cm	20,5 cm	39 cm	29 cm	
F	G	H	I	L	
19 cm	60 cm	41 cm	10 cm	48 cm	
M	N	O			
32 cm	4 cm	67 cm			


Product code	RP893XL				
A	B	C	D	E	
92 cm	56 cm	29 cm	39 cm	29 cm	
F	G	H	I	L	
19 cm	54 cm	41 cm	10 cm	58 cm	
M	N	O			
37 cm	4 cm	78 cm			

Technical features

**SPECIFICATIONS**

Material Fabric, 100% polyester

**WEIGHT AND DIMENSION**



A	B	C	D	E	F
83 cm	51 cm	20,5 cm	39 cm	29 cm	19 cm
G	H	I	L	M	N
54 cm	41 cm	10 cm	48 cm	32 cm	4 cm
O	P	Q	R		
67 cm	45 cm	10 cm	50 cm		

## Spare parts for electric lifter



Cod. **RIR901**  
65 mm rear wheel with brake



Cod. **RIR902**  
65 mm central wheel without brake (RI900)




Cod. **RIR903**  
75 mm front wheel without brake



Cod. **RIR905**  
2-channels remote control (RI900)



Cod. **RIR801**  
Remote control (RI905)



Cod. **RIR906**  
Y cable for leg movement actuators (RI900)



Cod. **RIR907**  
Electric lifting actuator



Cod. **RIR908**  
Electric actuator for legs movement (RI900)



Cod. **RIR909**  
2-channels control box



Cod. **RIR802**  
1-channel control box (RI905)



Cod. **RIR104**  
Standard charger



Cod. **RIR108**  
Standard battery

## Spare parts for stand up lift



Cod. **RIR120**  
Castor without brake



Cod. **RIR121**  
Castor with brake



Cod. **RIR801**  
Remote control



Cod. **RIR104**  
Standard battery charger



Cod. **RIR200**  
Actuator



Cod. **RIR108**  
Battery



Cod. **RIR803**  
Control box

## Optional accessories for stand up lifts



Cod. **RIR110**  
Battery with increased autonomy only for RI840 and RI841



Cod. **RIR115**  
Wall/table battery charger (without battery) - use together with RIR104

- EN** Patient lifts - Painted steel
- F** Lève-personnes - Acier verni
- ES** Grúas - Acero pintado
- P** Gruas de elevação - Aço pintado



Muevo

### Hydraulic - small footprint model

Cod. **RI821**

Legs opening by pedal

Cod. **RI823**

Legs opening by lever



Hydraulic actuator



Cod. **RPR110**



Cod. **RP881**

Equipped with polyester sling with headrest

\* See all the accessories on the dedicated page



ONLY ONE OPERATOR NEEDED ASSEMBLY

Tested according to  
**UNI EN ISO 10535**



Max loading weight  
**150 Kg**

RI821 Model with pedal




Lowering speed regulation handle

Width adjustable base by manual lever

4 swivel castor ø 10 cm, 2 with brakes

### Technical features

#### DIMENSIONS AND WEIGHT



A	B	C	D	E	F	G
66 cm	58 cm	97 cm	82 cm	179 cm	116,5 cm	83 cm
H	I	L	M	O	P	Max loading weight
44,5 cm	54,5 cm	93,5 cm	103 cm	8 cm	13 cm	150 Kg

- EN** Patient lifts - Painted steel
- F** Lève-personnes - Acier verni
- ES** Grúas - Acero pintado
- P** Gruas de elevação - Aço pintado



Muevo

**Electric - small footprint model**

Cod. **RI822**

Legs opening by pedal

Cod. **RI824**

Legs opening by lever

Tested according to  
**UNI EN ISO  
10535**



Cod. **RI801**  
Remote control



Cod. **RP881**  
Equipped with polyester sling with headrest

\* See all the accessories on the dedicated page



**ONLY ONE OPERATOR  
NEEDED ASSEMBLY**



Technical features

**DIMENSIONS AND WEIGHT**

	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>
	66 cm	58 cm	97 cm	82 cm	179 cm	116,5 cm	83 cm
	<b>H</b>	<b>I</b>	<b>L</b>	<b>M</b>	<b>O</b>	<b>P</b>	Max loading weight
	44,5 cm	54,5 cm	107 cm	116 cm	8 cm	13 cm	150 Kg

- EN** Patient lift - painted steel
- F** Lève-personnes - Acier verni
- ES** Grúas - Acero pintado
- P** Gruas de elevação - Aço pintado



Muevo

**Hydraulic - standard footprint model**

**Cod. R1825**

Legs opening by pedal

**Cod. R1827**

Legs opening by lever

 Hydraulic actuator



Cod. RPR110



Cod. RP881

Equipped with polyester sling with headrest

\* See all the accessories on the dedicated page



ONLY ONE OPERATOR NEEDED ASSEMBLY

Tested according to  
**UNI EN ISO 10535**



Max loading weight  
**180 Kg**

R1825 Model with pedal



Technical features

DIMENSIONS AND WEIGHT

	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>
	73 cm	61 cm	97 cm	82 cm	179 cm	126,5 cm	94 cm
	<b>H</b>	<b>I</b>	<b>L</b>	<b>M</b>	<b>O</b>	<b>P</b>	Max loading weight
	54 cm	64 cm	93,5 cm	103 cm	8 cm	13 cm	180 Kg

- EN** Patient lift - painted steel
- F** Lève-personnes - Acier verni
- ES** Grúas - Acero pintado
- P** Gruas de elevação - Aço pintado



Muevo

**Electric - standard footprint model**

Cod. **RI826**

Legs opening by pedal

Cod. **RI828**

Legs opening by lever

Tested according to  
**UNI EN ISO  
10535**



Cod. **RI801**  
Remote control



Cod. **RP881**  
Equipped with polyester sling with headrest

\* See all the accessories on the dedicated page



**ONLY ONE OPERATOR  
NEEDED ASSEMBLY**



Technical features

DIMENSIONS AND WEIGHT							
A	B	C	D	E	F	G	
73 cm	61 cm	97 cm	82 cm	179 cm	126,5 cm	94 cm	
H	I	L	M	O	P		Max loading weight
54 cm	64 cm	107 cm	116 cm	8 cm	13 cm	200 Kg	

## Spare parts for patient lifts

Muevo



Cod. **RIR120**  
Castor without brake



Cod. **RIR121**  
Castor with brake



Cod. **RIR801**  
Remote control



Cod. **RIR104**  
Standard battery charger



Cod. **RIR200**  
Electric actuator



Cod. **RIR108**  
Standard battery



Cod. **RIR802**  
Control box for 150 kg  
Cod. **RIR803**  
Control box for 200 kg



Cod. **RPR110**  
Hydraulic actuator for hydraulic models

## Accessories for patient lifts

Muevo



Cod. **RP828**  
Only stretcher for electric patient lift (except RI825, RI826, RI827, RI828) -  
60x190 cm - Max loading weight 150kg



Cod. **BLC250**  
Scale for patient lifts GRADUATION    
Power 6x1,5V- AAA batteries  
120x70x160mm - 100gr



Cod. **RIR110**  
Battery with increased autonomy




Cod. **RIR115**  
TIMOTION wall/table battery charger (without battery) - use together with RIR104

- EN** Patient lift slings
- F** Sangles pour lève-personnes
- ES** Arneses para grúas
- P** Cestas para gruas de elevação




**STANDARD model with headrest**

Cod. **RP881**



In polyester fabric, fire-resistant EN1021, nylon strip and thread, ripstop fabric, perspiring, suitable for water contact. The edging strip is sewn all over the perimeter of the sling without any cut, in order to be stronger. Three traction points pelvic, dorsal, head area. Three handles on the back side of the sling allow to accurately and easily position the patient.

Technical features

DIMENSIONS AND WEIGHT		
Model	Measures	
	A	143 cm
	B	80 cm
	C	93 cm
	D	35 cm
	E	46 cm
		200 Kg

The new Moretti patient lift sling range has been developed to be used with all kinds of patient lifts, floor and ceiling type, so the patient can be easily and correctly moved. The operator is facilitated in the movement of the patients and in their correct positioning. The strong fabric used and the type of edging allow to load and move patient up to 250 kg.

### Available slings


MODEL	FABRIC		SIZE			
	MESH	FABRIC	S	M	L	XL
STANDARD	●	●	●	●	●	●
TOILETING	●		●	●	●	●
FULL BODY	●	●		●	●	
AMPUTEE		●		●	●	

### Technical features



#### Positioning handles

Each harness is equipped with handles on the back for easy patient positioning.



#### Padding

In sensitive areas, for patient's bigger comfort.



#### Positioning rings

Positioning rings are in different colours to ease a simmetric connection of the sling



#### Fabric

(100% Polyester) strong, breathable, it allows the patient to easily slip.



#### Grey, mesh

(100% Polyester) strong, breathable, suitable for water contact.



#### Maximum loading weight

All Moretti patient lift slings are tested and certified in compliance with the requirements of UNI EN ISO 10535 standards

- EN** Patient lift slings
- F** Sangles pour lève-personnes
- ES** Arneses para grúas
- P** Cestas para gruas de elevação



### Without headrest

### With headrest

Series **IM100**

Mesh



Series **IM101**

Fabric



Tested according to  
**UNI EN ISO  
10535**


Series **IM110**

Mesh



Series **IM111**

Fabric



### Technical features

WEIGHT AND DIMENSION							
Product codes	Size	Model	A	B	C	D	
<b>IM100S - IM101S</b>	<b>S</b> (Small)		106 cm	79 cm	54 cm	20 cm	250 Kg
<b>IM100M - IM101M</b>	<b>M</b> (Medium)		109 cm	86 cm	55 cm	27 cm	
<b>IM100L - IM101L</b>	<b>L</b> (Large)		109 cm	96 cm	55 cm	37 cm	
<b>IM100XL - IM101XL</b>	<b>XL</b> (Extra large)		111 cm	106 cm	55 cm	44 cm	
<b>IM110S - IM111S</b>	<b>S</b> (Small)		140 cm	77 cm	85 cm	20 cm	
<b>IM110M - IM111M</b>	<b>M</b> (Medium)		144 cm	84 cm	91 cm	27 cm	
<b>IM110L - IM111L</b>	<b>L</b> (Large)		144 cm	94 cm	91 cm	37 cm	
<b>IM110XL - IM111XL</b>	<b>XL</b> (Extra large)		144 cm	104 cm	91 cm	44 cm	

- EN** Toileting sling
- F** Sangle toilette
- ES** Arnés para higiene
- P** Cestas de transferência para higiene



### Without headrest

### With headrest

Series **IM140**

Mesh



Tested according to  
**UNI EN ISO  
10535**

Series **IM141**

Mesh



Underarm padding for bigger comfort



Underarm padding for bigger comfort

### Technical features

WEIGHT AND DIMENSION							
Product codes	Size	Model	A	B	C	D	250 Kg
<b>IM140S</b>	<b>S</b> (Small)		830 mm	870 mm	220 mm	420 mm	
<b>IM140M</b>	<b>M</b> (Medium)		870 mm	950 mm	250 mm	500 mm	
<b>IM140L</b>	<b>L</b> (Large)		900 mm	1030 mm	290 mm	580 mm	
<b>IM140XL</b>	<b>XL</b> (Extra large)		950 mm	1120 mm	320 mm	660 mm	
<b>IM141S</b>	<b>S</b> (Small)		1230 mm	880 mm	220 mm	420 mm	
<b>IM141M</b>	<b>M</b> (Medium)		1300 mm	960 mm	250 mm	500 mm	
<b>IM141L</b>	<b>L</b> (Large)		1350 mm	1040 mm	290 mm	580 mm	
<b>IM141XL</b>	<b>XL</b> (Extra large)		1400 mm	1100 mm	320 mm	660 mm	

- EN** Patient lift slings
- F** Sangles pour lève-personnes
- ES** Arnases para grúas
- P** Cestas para gruas de elevação



### Full body with splints and bands

### Amputee

Series **IM120**

Fabric





Tested according to  
**UNI EN ISO  
10535**

Series **IM150**

Fabric



### Technical features

WEIGHT AND DIMENSION							
Product codes	Size	Model	A	B	C	D	
<b>IM120M</b>	<b>M</b> (Medium)		137 cm	100 cm	91 cm	40 cm	
<b>IM120L</b>	<b>L</b> (Large)		137 cm	110 cm	91 cm	50 cm	
<b>IM120XL</b>	<b>XL</b> (Extra large)		145 cm	120 cm	91 cm	56 cm	
<b>IM150M</b>	<b>M</b> (Medium)		110 cm	106 cm	60 cm	32 cm	
<b>IM150L</b>	<b>L</b> (Large)		120 cm	114 cm	64 cm	40 cm	

- EN** Painted steel hydraulic shower trolley
- F** Chariots de bain douche hydraulique en acier verni
- ES** Camillas de ducha hidráulica en acero pintado
- P** Macas de duche hidráulica de aço pintado



### Standard - hydraulic

Cod. **BI100**



PVC padded sheet reinforced with phtalates free polyester, cleanable

Max loading weight **180 Kg**



Hydraulic piston for elevation

Gas spring for inclination

Reversible sides 25° and 180°

Powder painted steel frame, with antirust treatment



Manual pressure exhaust duct in chromed brass

High-sliding wheels Ø 125 mm, with total locking brake, one with directional lock

#### Optional accessories



Adjustable height: from 59 to 93 cm  
Inclination from 0° to 5°



Reversible sides 25° and 180°



Excellent maneuverability through head/feet sides




Cod. **BIA110**  
Pillow, cm 55x55x14/2h, inclination 15°



Cod. **BIA100**  
Semicylindrical pillow cm 55x15x7h

#### Technical features

##### WEIGHT AND DIMENSION



A	B	C	D	E	F	H	I	L	M	N	
59-93 cm	141 cm	23 cm	20 cm	206 cm	200 cm*	67 cm	56 cm	66 cm*	73 cm	0°-5°	180 Kg

\* Internal measurement of the side structure with the cover not installed

- EN Painted steel electrical shower trolley
- F Chariot de bain douche électrique en acier verni
- ES Camilla de ducha eléctrica en acero pintado
- P Maca de duche elétrica de aço pintado



### Standard - electrical

Cod. **B110**



Max loading weight  
**200 Kg**

PVC padded sheet reinforced with phtalates free polyester, cleanable



Reversible sides 25° and 180°

Powder painted steel frame, with antirust treatment

High-sliding wheels Ø 125 mm, with total locking brake, one with directional lock



Manual pressure exhaust duct in chromed brass

#### Optional accessories



Adjustable height: from 59 to 99 cm  
Inclination from 0° to 5°



Reversible sides 25° and 180°



Excellent maneuverability through head/feet sides




Cod. **BIA110**  
Pillow, cm 55x55x14/2h, inclination 15°



Cod. **BIA100**  
Semicylindrical pillow cm 55x15x7h

#### Technical features

##### WEIGHT AND DIMENSION



A	B	C	D	E	F	H	I	L	M	N	
59-99 cm	141 cm	16 cm	20 cm	206 cm	200 cm*	67 cm	56 cm	66 cm*	73 cm	0°-5°	200 Kg

\* Internal measurement of the side structure with the cover not installed

- EN** Painted steel electrical shower trolley
- F** Chariot de bain douche électrique en acier verni
- ES** Camilla de ducha eléctrica en acero pintado
- P** Maca de duche elétrica de aço pintado



**Bariatric - electrical**

Cod. **BI200**



Motorization

**TIMOTION**



**BARIATRIC**  
**325 KG**

PVC padded sheet reinforced with phtalates free polyester, cleanable



Manual pressure exhaust duct in chromed brass



Reversible sides 25° and 180°

Powder painted steel frame, with antirust treatment

High-sliding wheels Ø 125 mm, with total locking brake, one with directional lock

Optional accessories



Adjustable height: from 59 to 93 cm  
Inclination from 0° to 5°



Reversible sides 25° and 180°



Excellent maneuverability through head/feet sides




Cod. **BIA110**  
Pillow, cm 55x55x14/2h, inclination 15°



Cod. **BIA100**  
Semicylindrical pillow cm 55x15x7h

Technical features

WEIGHT AND DIMENSION



<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>H</b>	<b>I</b>	<b>L</b>	<b>M</b>	<b>N</b>	
65-94 cm	143,5 cm	23 cm	20 cm	205 cm	200 cm*	84,5 cm	75 cm	86 cm*	91 cm	0°-7°	325 Kg

\* Internal measurement of the side structure with the cover not installed

- EN** Painted steel hydraulic shower trolley
- F** Chariots de bain douche hydraulique en acier verni
- ES** Camillas de ducha hidráulica en acero pintado
- P** Macas de duche hidráulica de aço pintado



### Pediatric - hydraulic

Cod. **B1180**



Max loading weight  
**180 Kg**

PVC padded sheet reinforced with phthalates free polyester, cleanable

Reversible sides 25° and 180°

Gas spring for inclination

Hydraulic piston for elevation



Powder painted steel frame, with antirust treatment



Manual pressure exhaust duct in chromed brass

High-sliding wheels Ø 125 mm, with total locking brake, one with directional lock

#### Optional accessories



Adjustable height: from 59 to 93 cm  
Inclination from 0° to 5°



Reversible sides 25° and 180°



Excellent maneuverability through head/feet sides




Cod. **BIA110**  
Pillow, cm 55x55x14/2h, inclination 15°



Cod. **BIA100**  
Semicylindrical pillow cm 55x15x7h

#### Technical features

#### WEIGHT AND DIMENSION



A	B	C	D	E	F	H	I	L	M	N	
65-91 cm	143,5 cm	19,5 cm	20 cm	170 cm	165,5 cm*	65,5 cm	56 cm	67 cm*	72 cm	0°-5°	180 Kg

\* Internal measurement of the side structure with the cover not installed

- EN** Inflatable hair washing basin
- F** Lave-cheveux gonflable
- ES** Lavabo inflable para cabello
- P** Lavatório de cabelos inflável



## PVC

Cod. **RL100**



### SUPPLIED ACCESSORIES



1 Portable shower



1 Water bag  
6 litres capacity

1 Pump for inflation  
1 Drainpipe

### Technical features

DIMENSION		
	↔ L:	↗ W:
Basin - External dimensions	57 cm	47 cm
Water bag	49 cm	30 cm

## Spare parts for shower trolleys

### All models



Cod. **BIR100**

Sheet Adult - cm 59 x 187 x H. 25

Cod. **BIR101**

Sheet Pediatric - cm 59 x 150 x H. 25

Cod. **BIR102**

Sheet Bariatric - cm 78 x 187 x H. 25



Cod. **BIR110**  
Exhaust duct



Cod. **BIR111**  
Drainpipe



Cod. **BIR112**  
Pop up drain



Cod. **BIR119**  
Spare single castor with  
brake and directional  
lock



Cod. **BIR118**  
Spare single castor with  
brake without directional  
lock

### For electrical shower trolleys only (BI110-BI180)

### For hydraulic trolleys only



Cod. **BIR126**  
Remote control



Cod. **BIR125**  
Control box



Cod. **RIR108**  
Battery



Cod. **MIR211**  
Electrical actuator for  
inclination



Cod. **MIR212**  
Electrical actuator for  
height adjustment



Cod. **RIR104**  
Battery charger



Cod. **BIR120**  
Hydraulic piston for  
trolley elevation



Cod. **BIR121**  
Gas spring for inclination



Cod. **BIR116**  
Release handle for trolley  
inclination

**Wall bench - Painted steel - Polyethylene seat**



Technical features

SPECIFICATION			
Stirrup	33 x 15 x h0,4 cm		
WEIGHT AND DIMENSION			
↔ W:	↗ D:	↕ H:	⚖️
51 cm*	40 cm*	20 cm*	100 Kg
Seat	51 x 31 x h8 cm		



Technical features

SPECIFICATION			
Stirrup	33 x 15 x h0,6 cm		
WEIGHT AND DIMENSION			
↔ W:	↗ D:	↕ H:	⚖️
51 cm*	43 cm*	45÷60cm*	100 Kg
Seat	51 x 31 x h8 cm		

\* Measures are referring to the medium shower chairs dimensions

**Polyethylene seat**



Technical features

WEIGHT AND DIMENSION				
↔ W:	↗ D:	↕ H:	⚖️	⚖️
49 cm	38 cm	47 cm	3,2 Kg	130 Kg
Seat	49x29 cm			



Technical features

WEIGHT AND DIMENSION				
↔ W:	↗ D:	↕ H:	⚖️	⚖️
35 cm	35 cm	36+53,5 cm	1,5 kg	110 kg
Seat	Ø 31 cm			

- EN** Anodized aluminium shower chairs
- F** Chaises de douche en aluminium anodisé
- ES** Sillas de ducha en aluminio anodizado
- P** Bancos de banho em alumínio anodizado



### Height adjustable



#### Technical features

#### Spare parts

Product code	WEIGHT AND DIMENSION*				Seat
	W:	D:	H:	Weight	
<b>RS827</b>	46 cm	46 cm	45÷64 cm	136 Kg	51 x 31 x h45÷64 cm
<b>RS829</b>			74÷93 cm		
<b>RS831</b>	45 cm	45 cm	41÷54 cm	136 Kg	48 x 33 x h41÷54 cm
<b>RS833</b>			70÷83 cm		



**Cod. RV7037**  
Rubber tips  
Ø 27 mm - 2 pcs

\* Measures are referring to the **medium shower chairs dimensions**

- EN** Anodized aluminium shower chairs
- F** Chaises de douche en aluminium anodisé
- ES** Sillas de ducha en aluminio anodizado
- P** Bancos de banho em alumínio anodizado



### Height adjustable

Cod. **RS838**

Padded armrests



Cod. **RS839**

Padded armrests



Technical features

WEIGHT AND DIMENSION*					
Product code	W:	D:	H:	Weight	Seat
<b>RS838</b>	46 cm	40 cm	47÷66 cm	136 Kg	41 x 34 x h47÷66 cm
<b>RS839</b>			80÷99 cm		

Spare parts



Cod. **RV7037**  
Rubber tips  
Ø 27 mm - 2 pcs

- EN** Aluminium shower chairs
- F** Chaises de douche en aluminium
- ES** Sillas de ducha en aluminio
- P** Bancos de banho em alumínio



### Height adjustable - HDPE seat and backrest

Cod. **RH830**



Reinforced frame - double cross

Non-slip rubber tips

Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Weight	
46 cm	40,5 cm	76÷87 cm	227 Kg	
Seat		51 x 31 x 8,1 cm		
Height from seat to ground		41÷52 cm		

Spare parts



Cod. **RHR801**  
4 tips kit

- EN** Foldable shower chairs
- F** Chaises de douche pliantes
- ES** Sillas de ducha plegables
- P** Bancos de banho dobráveis



### Painted aluminium - Height adjustable

Cod. **RS826**

U seat



Cod. **RS825**

U seat



#### Technical features

Product code	RS826	RS825
<b>SPECIFICATION</b>		
Seat	40X40 cm	
Armrests from seat	15 cm	
Height adjustable each 2,5 cm	49÷60 cm	
<b>WEIGHT AND DIMENSION</b>		
W:	D:	H:
53 cm	54 cm	90÷101 cm each 2,5 cm adjustable
		136 Kg

#### Spare parts



Cod. **RSR804**  
Rubber tips - 4  
pcs for RS826



Cod. **RSR802** SINGLE  
Castor with brake  
for RS825



Cod. **RSR803** SINGLE  
Castor without brake  
for RS825

- EN** Transfer bath bench
- F** Banc de transfert accès baignoire
- ES** Banco de transferencia de bañera
- P** Cadeira de transferência para banheira



### Aluminium - Height adjustable

Cod. **RS834**



#### Technical features

<b>WEIGHT AND DIMENSION</b>				
W:	D:	H:	Kg	
80 cm	61 cm	83÷93 cm	4,4 Kg	150 Kg
Seat		68 x 41 x h45,5÷56,3 cm		

#### Spare parts



Cod. **RV7037**  
Rubber tips Ø 27  
mm - 2 pcs



Cod. **RV7026**  
Rubber suction  
tips - 2 pcs

- EN** Bath chairs plated steel frame
- F** Sièges de baignoire structure en acier chromé
- ES** Asientos de bañera estructura en acero cromado
- P** Bancos para banheira estrutura em aço cromado

### Width adjustable - Plastic

Cod. **RS923**



Cod. **RS925**



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	Person
53÷71 cm	37 cm	17 cm	2 Kg	100 Kg

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	Person
53÷71 cm	37 cm	32 cm	2,5 Kg	100 Kg

### Width adjustable - Wooden

Cod. **RS921**



Cod. **RS922**



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	Person
53÷71 cm	37 cm	17 cm	2 Kg	100 Kg

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	Person
53÷71 cm	37 cm	32 cm	2,5 Kg	100 Kg

- EN Bath bench
- F Siège de baignoire
- ES Asiento de bañera
- P Assento para banheira



### Non-slip plastic - Width adjustable

Cod. **RS810**



Cod. **RSR319**  
4 tips with screws for RS810

Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
70 cm*	31,5 cm*	18 cm*	3,1 Kg	160 Kg

\* Measures are referring to the maximum bath bench dimensions

### Polyethylene

Cod. **RS705**



Technical features

WEIGHT AND DIMENSION	
W:	80 cm
D:	40 cm
H:	3 cm
Kg	4,43 Kg
	136 Kg



- EN Turning bath chair
- F Sièges de baignoire pivotant
- ES Asiento giratorio de bañera
- P Banco giratório para banheira



### White painted steel - Polypropylene seat

Cod. **RS936**



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
74 cm	50,5 cm	52,5 cm	5 Kg	120 Kg
Seat	40 cm	33 cm	38 cm	-

- EN Shower and commode chair
- F Chaise de douche et wc
- ES Silla para ducha y wc
- P Cadeira para banho e wc



**In ABS**

Cod. **RS841**



Technical features

WEIGHT AND DIMENSIONS				
W:	D:	H:	Seat	
55 cm	44 cm	Adjustable every 3 cm 76÷89 cm	W: 46 x D:43	
Seat height from ground		Armrest height from seat		
Adjustable every 3 cm H: 41÷53 cm		H: 23 cm	5,1 Kg	100 Kg

Spare parts

Cod. <b>RSR850</b> Leg with tip - SINGLE	Cod. <b>RSR851</b> Rubber tips ø 3.5 cm - 4 pcs	Cod. <b>RSR852</b> Seat	Cod. <b>RSR853</b> Complete backrest	Cod. <b>RSR854</b> Complete bucket with lid
Cod. <b>RSR855</b> Only backrest padding	Cod. <b>RSR856</b> Only seat padding	Cod. <b>RSR857</b> Spare armrest - SINGLE		

- EN Shower and commode chairs
- F Chaises de douche et wc
- ES Sillas de ruedas para ducha y wc
- P Cadeiras para banho e wc



**Painted aluminium - PU seat, armrests and backrest**

Cod. **RS939**

Fixed



Technical features

WEIGHT AND DIMENSION				
74 cm	57 cm	45 cm	93 cm	74 cm
52 cm	-	43,5 cm	28 cm	53 cm
8,4 Kg	12,5 cm	12,5 cm	100 Kg	1 Pc

Spare parts

	Cod. <b>RSR950</b> Complete front castor
	Cod. <b>RSR951</b> Complete rear castor with brake

- EN** Shower and commode chairs
- F** Chaises de douche et wc
- ES** Sillas de ruedas para ducha y wc
- P** Cadeiras para banho e wc



## Anodized aluminium - PVC padded seat and backrest

Cod. **RS940**



### Technical features

SPECIFICATION				
Padding	5,5 cm			
Seat hole	22 cm			
WEIGHT AND DIMENSION				
90 cm	59 cm	41 cm	95 cm	73 cm
50 cm	38÷43 cm	41 cm	40 cm	57 cm
9,5 Kg	10 cm	10 cm	110 Kg	1 Pc

Cod. **RS941**

Self-propelling



### Technical features

SPECIFICATION				
Padding	5,5 cm			
Seat hole	22 cm			
WEIGHT AND DIMENSION				
90 cm	81 cm	41 cm	96 cm	68 cm
48 cm	38÷43 cm	41 cm	41 cm	65 cm
14,5 Kg	62 cm	20 cm	110 Kg	1 Pc

### Spare parts for RS940



Cod. **RV7059**  
Bucket for RS940



Cod. **RV7079**  
Castors with brake for RS940-PAIR



Cod. **RV7102**  
Swing away footrests for RS940 - PAIR



Cod. **RSR007D**  
Right armrest for RS940  
Cod. **RSR007S**  
Left armrest for RS940



Cod. **RCR150**  
WC for RS941



Cod. **RSR207**  
Rear wheel for RS941 - PAIR



Cod. **RSR206**  
Front swivel castor for RS941 - PAIR



Cod. **RV7103**  
Swing away footrests for RS941 - PAIR



Cod. **RSR001**  
Brakes for RS941 - PAIR

- EN** Shower and commode chairs
- F** Chaises de douche et wc
- ES** Sillas de ruedas para ducha y wc
- P** Cadeiras para banho e wc



**Painted aluminium - PU seat, armrests and backrest**

Series **RS846**  
Demountable

Cod. **RS848**  
Foldable



Spare parts

Optional accessories



Cod. **RSR822**  
Front castor with brake **RS846**



Cod. **RSR832-40** 40 cm  
Cod. **RSR832-46** 46 cm (also for **RS848**)  
Cod. **RSR832-50** 50 cm  
Complete seat **RS846**



Cod. **RSR836**  
Complete bucket **RS846 - RS848**



Cod. **RSR838D** Right  
Cod. **RSR838S** Left  
Complete footrest **RS846 - RS848**



Cod. **RSA842**  
Headrest **RS846**



Cod. **RSA843**  
Elevating footrest **RS846**

Cod. **RSR823**  
Rear castor with brake **RS846**

Technical features

WEIGHT AND DIMENSION

Product codes															
<b>RS846-40</b>								40 cm			43 cm	55 cm			
<b>RS846-46</b>	85 cm	57 cm	44,5 cm	97÷99 cm	75÷77 cm	50 cm	40÷55 cm	46 cm	47÷49 cm	49 cm	60 cm	65 cm	14 Kg	12 cm	136 Kg
<b>RS846-50</b>								50 cm			53 cm	65 cm			
<b>RS848</b>	85 cm	57 cm	44,5 cm	97÷99 cm	75÷77 cm	50 cm	40÷55 cm	46 cm	47÷49 cm	49 cm	60 cm	65 cm	15 Kg	12 cm	136 Kg

- EN** Shower and commode chairs
- F** Chaises de douche et wc
- ES** Sillas de ruedas para ducha y wc
- P** Cadeiras para banho e wc

**Painted aluminium**  
**PU seat, armrests and backrest**

Series **RS847**  
Self-propelling  
Demountable



**Painted aluminium**  
**PU seat and mesh backrest**

Series **RH840**  
Self-propelling  
Demountable



Spare parts



Cod. **RSR838D** Right  
Cod. **RSR838S** Left  
Complete footrest  
**RS84x - RH840**



Cod. **RSR831**  
Rear wheel 60 cm  
**RS847 - RH840**



Cod. **RSR832-40** 40 cm  
Cod. **RSR832-46** 46 cm  
Cod. **RSR832-50** 50 cm  
Complete seat **RS847**

Cod. **RSR833-50** 50 cm  
Cod. **RSR833-60** 60 cm  
Complete seat **RH840**



Cod. **RSR836**  
Complete bucket  
**RS84x - RH840**



Cod. **RSR829**  
Castor without brake  
**RS84x - RH840**

Optional accessories



Cod. **RSA842**  
Headrest **RS847**



Cod. **RSA843**  
Elevating footrests  
**RS847**

Technical features

WEIGHT AND DIMENSION

Product codes																
<b>RS847-40</b>							40 cm		45 cm	60 cm						
<b>RS847-46</b>	101 cm	-	44,5 cm	97÷99 cm	75÷77 cm	50 cm	40÷55 cm	46 cm	47÷49 cm	51 cm	65 cm	17 Kg	60 cm	12 cm	136 Kg	1 Pc
<b>RS847-50</b>								50 cm		55 cm	70 cm					
<b>RH840-50</b>																
<b>RH840-60</b>	100 cm	83 cm	44,5 cm	99÷101 cm	75÷77 cm	51 cm	40÷55 cm	50 cm	39,5÷41,5 cm	63 cm	80 cm	21 Kg	60 cm	12 cm	200 Kg	1 Pc
								60 cm		73 cm	90 cm					

- EN** Shower and commode chairs
- F** Chaises de douche et wc
- ES** Sillas de ruedas para ducha y wc
- P** Cadeiras para banho e wc

**Painted aluminium - PU seat, armrests headrest and backrest**

**Series RS844**

Tilting



Seat inclination +5°/-25°

4 swivel castors with brake

Turning, detachable, length adjustable footrests with heel stopper

Height and inclination adjustable headrest

Spare parts



Cod. **RSR830**  
Castor with brake



Cod. **RSR832-40** 40 cm  
Cod. **RSR832-46** 46 cm  
Cod. **RSR832-50** 50 cm  
Complete seat



Cod. **RSR836**  
Complete bucket



Cod. **RSR840**  
Headrest



Cod. **RSR838D** Right  
Cod. **RSR838S** Left  
Complete footrest



Cod. **RSA843**  
Elevating footrests

Optional accessories

Technical features

WEIGHT AND DIMENSION

Product codes															
<b>RS844-40</b>								40 cm		43 cm	55 cm				
<b>RS844-46</b>	91 cm	-	42 cm	103 cm	75 cm	54 cm	40÷55 cm	46 cm	49 cm	49 cm	60cm	17 Kg	12 cm	136 Kg	1 Pc
<b>RS844-50</b>								50 cm		53 cm	65cm				

- EN Safety bath handles
- F Poignées de sécurité pour la salle de bain
- ES Asideros para baño
- P Alças de segurança para banheiro



### Painted steel - Tube Ø 2,6 cm

Series **RS95x**



#### Technical features

Product codes	RS954	RS953	RS952	RS951	RS950
<b>DIMENSION</b>					
↔ W:	80 cm	60 cm	45 cm	40 cm	30 cm

### PVC - Tube Ø 3,6 cm

Series **RS972-xx**




#### Technical features

Product codes	RS972-30	RS972-45	RS972-60
<b>DIMENSION</b>			
↔ W:	30 cm	45 cm	60 cm

### ABS - With PVC suction cup - Tube Ø 3,5 cm - For tiles or wall

Series **RS975-xx**



**Green:**  
Secure suction



**Red:** non-secure suction; check the surface and re-affix



#### Technical features

Product codes	RS975-36	RS975-50
<b>DIMENSION</b>		
↔ W:	36 cm	50 cm
↗ D:	11 cm	
↕ H:	9,5 cm	
D:	17,5 cm	31 cm
l:	11 cm	24,5 cm
🧑	55 Kg (horizontal/vertical traction) 40 Kg (angle traction)	

Cod. **RS962**



#### Technical features

<b>WEIGHT AND DIMENSION</b>				
↔ W:	↗ D:	↕ H:	⊘	⚖ Kg
70 cm	10 cm	20 cm	2,5 cm	2 Kg

- EN Raised toilet seats soft
- F Réhausseurs de toilette doux
- ES Asientos elevadores blandos
- P Elevadores de sanita macios

### EVA - For WC and bidet

Cod. **RP440**

Height 10 cm



Raised toilet seat

Suitable to all WC and bidet **without needs of stops**. Resistant to wear and to oils and solvents.



#### Technical features

SPECIFICATION			
Stain resistant	Resistant to oil and solvents		
Resistant	To wear and tear		
Shock absorber	Reduces vibrations and bumps		
E.V.A.	Ethylene vinyl acetate		
WEIGHT AND DIMENSION			
W:	D:	H:	Kg
34,6 cm	46,3 cm	10 cm	1,5 Kg

### PU

Cod. **RP435-6**

Height 6 cm



Raised toilet seat

#### Technical features

WEIGHT AND DIMENSION*						
Product codes	External dimension				Inner dimension	
	W:	D:	H:	Kg	W:	D:
<b>RP435-6</b>	38 cm	44 cm	6 cm	100 Kg	22,5 cm	23,5 cm

### With central block

Cod. **RP418**

Height 12 cm



Cod. **RP420**

Height 13 cm



#### Technical features

SPECIFICATION					
Lower edge	23,5x27,5 cm				
WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	Kg
<b>RP418</b>	43 cm	41,5 cm	12 cm	2 Kg	110 Kg
<b>RP420</b>	52 cm	43 cm	13 cm*	2,5 Kg	

\* Armrest height from seat: 20 cm

- EN** Raised toilet seats
- F** Sièges de toilette rehaussés
- ES** Asientos elevadores
- P** Elevadores de sanita

**With side block**

**Cod. RP400-6**  
Height 6 cm



**Cod. RP410-6**  
Height 6 cm



**Cod. RP400-10**  
Height 10 cm



**Cod. RP410-10**  
Height 10 cm



**Cod. RP400-14**  
Height 14 cm



**Cod. RP410-14**  
Height 14 cm



Spare parts



**Cod. RP431**  
Screws kit

Optional accessories



**Cod. RP432**  
Bidet

Technical features

WEIGHT AND DIMENSION		
W:	D:	
42 cm	37,5 cm	136 Kg
Inner dimension		
	A	27 cm
	B	10 cm
	C	22 cm

- EN** Toilet safety rail - Height adjustable
- F** Support pour WC - Réglable en hauteur
- ES** Ayudas para WC - Altura ajustable
- P** Suporte para WC - Altura ajustável

### Aluminium - Demountable - Universal

Cod. **RS910**

Plastic armrests



Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
63 cm	49 cm	60,5 ÷ 70,6 cm	100 Kg

### Aluminium

Cod. **RP770**

Plastic armrests



Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
54 ÷ 63 cm*	47 cm*	66 ÷ 77 cm*	136 Kg

\* Measures are referring to the medium shower chairs dimensions

### Painted steel - Width adjustable

Cod. **RS908**

Padded armrests



Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
62 ÷ 71 cm*	50 cm*	66 ÷ 76 cm*	136 Kg

\* Measures are referring to the medium shower chairs dimensions

- EN** Anodized aluminium 4 in 1 commode chairs
- F** Chaises de toilettes 4 en 1 structure en tubes d'aluminium
- ES** Sillas wc 4 en 1 estructura en aluminio anodizado
- P** Cadeiras wc 4 em 1 estrutura em alumínio anodizado



**4 functions: raised seat and wc support, commode and shower chair**

**Cod. RP780**

Fixed



Technical features

WEIGHT AND DIMENSION				
Base	H:			
65 cm 46 cm	Every 2,5 cm adjustable 66 ÷ 76 cm	130 Kg	4 pz	
Seat	H: 45 ÷ 55 cm			

**Cod. RP781**

Foldable



Technical features

WEIGHT AND DIMENSION				
Base	H:			
50 cm 43 cm (Max encumbrance 52 cm)	Every 2,5 cm adjustable 64 ÷ 74 cm	130 Kg	1 pz	
Seat	H: 46 ÷ 56 cm			

**Cod. RP782**

Foldable



Technical features

WEIGHT AND DIMENSION				
Base	H:			
50 cm 43 cm (Max encumbrance 52 cm)	Every 2,5 cm adjustable 64 ÷ 74 cm	130 Kg	1 pz	
Seat	H: 47 ÷ 57 cm			

- EN** Painted steel 4 in 1 commode chair
- F** Chaises de toilettes 4 en 1 structure en acier verni
- ES** Sillas wc 4 en 1 estructura en acero pintado
- P** Cadeiras wc 4 em 1 estrutura em aço pintado



### 4 functions: raised seat and wc support, commode and shower chair

Cod. **RP783**

Fixed



#### Technical features

WEIGHT AND DIMENSION			
Base	H:		
53 cm 40 cm 46 cm	Every 2,5 cm adjustable 60 ÷ 78 cm	130 Kg	1 pz
Seat	H: 40 ÷ 58 cm		

### HDPE seat and backrest

Cod. **RH780**



#### Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
71 cm	51,5 cm	74,5÷85,5 cm	290 Kg
Seat	59 x 47 x 5,5 cm		
Height seat from ground	49÷60 cm		
Armrests height	67÷78 cm		

#### Spare parts



Cod. **RV7058-4**  
Seat and cover for  
RP780 Hole dimension:  
24x21 cm



Cod. **RV7058-6**  
Seat and cover for  
RP781 - RP782 Hole  
dimension: 25 x 22 cm



Cod. **RV7058-5**  
Seat and cover for  
RP783 Hole dimension:  
25 x 22 cm



Cod. **RV7069-4**  
Bucket with hook  
and cover for  
RP781 - RP782



Cod. **RV7069-3**  
Bucket with hook  
and cover for  
RP783



Cod. **RV7024**  
Tips for RP780 -  
RP781 - RP783  
Ø 28,5 mm - 4 pcs



Cod. **RV7051F**  
WITH BRAKE  
Cod. **RV7051S**  
WITHOUT BRAKE  
Swivel castors  
for RP782 - PAIR



Cod. **RHR701**  
Bucket for RH780



Cod. **RHR702**  
Tips for RH780 - 4 pcs

- EN** Painted steel fixed frame wheelchair
- F** Fauteuil roulant avec cadre rigide en acier vernis
- ES** Silla de ruedas de acero pintado con con marco rígido
- P** Cadeira de rodas com estrutura rígida em aço pintado

*Komoda*

**Transit**

**Series RC400**

Front swivel castors ø 12 cm  
Rear wheels ø 30 cm



**Self-propelling**

**Series RC410**

Front swivel castors ø 12 cm  
Rear wheels ø 60 cm



Optional accessories



Cod. **CAR525**  
Table for wheelchair



Cod. **RCA310**  
Headrest



Cod. **RCA402**  
Elevating armrest  
- PAIR



Cod. **RCA316**  
Padded legs  
retractor



Cod. **RCA120**  
IV pole  
(image for  
illustrative  
purpose  
only)



Cod. **RCA330**  
Shoulder pads for  
thoracic - PAIR



Cod. **RCA136**  
Oxygen bottle holder -  
bottle ø max 12 cm



Cod. **CBR500**  
Linear table



Cod. **RP247**  
Safety belt with  
spring buckle

Spare parts

Cod. **RCR410**  
12 cm front wheels - PAIR

Cod. **RCR411**  
30 cm rear wheels - PAIR

Cod. **RCR412**  
60 cm rear wheels - PAIR

Cod. **RCR405**  
Removable armrests - PAIR

Cod. **RCR401**  
Removable footrests - PAIR

Cod. **RCR352** SINGLE  
Plastic platform

Technical features

WEIGHT AND DIMENSIONS															
Product codes															
<b>RC400-40</b>															
<b>RC400-43</b>	95 cm	77 cm	48 cm	94 cm	74 cm	54 cm	32÷41 cm	43 cm	43,5 cm	63 cm	15,5 Kg	30 cm	12 cm	135 Kg	1 pc
<b>RC400-45</b>								45 cm		65 cm					
<b>RC400-48</b>								48 cm		68 cm					
<b>RC410-40</b>								40 cm		62,5 cm					
<b>RC410-43</b>	105 cm	81 cm	48 cm	92 cm	74 cm	54 cm	32÷41 cm	43 cm	43,5 cm	65,5 cm	15,5 Kg	60 cm	12 cm	135 Kg	1 pc
<b>RC410-45</b>								45 cm		68,5 cm					
<b>RC410-48</b>								48 cm		71,5 cm					

- EN** Commode chairs in painted steel
- F** Chaise garde-robe en acier verni
- ES** Silla de acero pintado con inodoro
- P** Cadeira higiênica em aço pintado

**Demountable backrest**

**Series RC300**

4 tips



PU swing away armrests

Removable padded seat

Height adjustable

**Series RC310**

4 swivel castors



Drop-down armrests

Removable padded seat

2 rear castors with brake

Flip up, height adjustable legrests

Height adjustable, detachable footrests

Optional accessories



**Cod. CBR500**  
Linear table



**Cod. RP246**  
Safety belt car type



**Cod. RP247**  
Safety belt with spring buckle



**KOALA**  
Restraint systems line

Spare parts

**Cod. RCR327**  
Tips kit - 4 pcs for RC300

**Cod. RCR353**  
Bucket (30x20,5x9 cm)

**Cod. RCR352 SINGLE**  
Plastic platform

**Cod. RCR329**  
Leg and tip - 1 pc for RC300

**Cod. RCR326 PAIR**  
Front castor for RC310

**Cod. RCR328-43 for RC310-43**  
**Cod. RCR328-45 for RC310-45**

**Cod. RCR325 PAIR**  
Rear castor with brake for RC310

**Cod. RCR328-48 for RC310-48**  
Heel stopper

Technical features

DIMENSIONS AND WEIGHT*														
Product codes														
<b>RC300-43</b>								43 cm		53 cm				
<b>RC300-45</b>	62 cm	53 cm	43 cm	96,5÷103,5 cm	73,5÷81,5 cm	51,5÷59,5 cm	-	45 cm	45 cm	55 cm	11,5 Kg	-	120 Kg	1 pc
<b>RC300-48</b>								48 cm		58 cm				
<b>RC310-43</b>								43 cm		52 cm				
<b>RC310-45</b>	87 cm	62,5 cm	43 cm	96,5 cm	74,5 cm	52,5 cm	30÷38 cm	45 cm	45 cm	55 cm	12,5 Kg	12,5 cm	135 Kg	1 pc
<b>RC310-48</b>								48 cm		58,5 cm				

\*Measurements referred to maximum overall dimensions

- EN** Commode chairs in painted steel
- F** Chaise garde-robe en acier verni
- ES** Silla de acero pintado con inodoro
- P** Cadeira higiênica em aço pintado

**Foldable - Demountable backrest**

**Cod. RC320-43**  
4 swivel castors



Optional accessories



**Cod. CBR500**  
Linear table



**Cod. RP247**  
Safety belt with spring buckle



**Cod. RP246**  
Safety belt car type



**KOALA**  
Restraint systems line

Spare parts

**Cod. RCR322**  
Bucket  
(32x26x15 cm)

**Cod. RCR328-43**  
Heel stopper

**Cod. RCR325 PAIR**  
Rear castor with brake

**Cod. RCR352 SINGLE**  
Plastic platform

**Cod. RCR326 PAIR**  
Front castor

Technical features

DIMENSIONS AND WEIGHT*														
Product code														
<b>RC320-43</b>	87,5 cm	62,5 cm	43 cm	96,5 cm	74,5 cm	52,5 cm	30÷38 cm	43 cm	45 cm	52,5 cm	12,5 Kg	12,5 cm	120 Kg	1 pc

\*Measurements referred to maximum overall dimensions

- EN** Commode chairs in painted steel
- F** Chaise garde-robe en acier verni
- ES** Silla de acero pintado con inodoro
- P** Cadeira higiênica em aço pintado

**Reclining backrest - Ø 12,5 cm castors**

Series **RC325**



Optional accessories



**Cod. RCA310**  
Headrest



**Cod. RCA316**  
Padded legs retractor



**Cod. RCA330**  
Shoulder pads for thoracic - PAIR



**Cod. RCA305**  
Side padding - PAIR  
(also applicable on RCA300 elevating armrest)



**Cod. RCA340-40** 40 cm  
**Cod. RCA340-43** 43 cm  
**Cod. RCA340-46** 46 cm  
**Cod. RCA340-48** 48 cm  
**Cod. RCA340-50** 50 cm  
Full seat



**Cod. RCA325-40** 40 cm  
**Cod. RCA325-43** 43 cm  
**Cod. RCA325-46** 46 cm  
**Cod. RCA325-48** 48 cm  
**Cod. RCA325-50** 50 cm  
Extended backrest



**Cod. RCA300**  
Elevating armrest - PAIR



**Cod. CPA606**  
Oxygen bottle holder - bottle ø max 12 cm



**Cod. RCA120**  
IV pole  
h min 82cm  
h max 150 cm  
External Ø 22 mm  
hook width 25mm  
(image for illustrative purpose only)



**KOALA**  
Restraint systems line



**Cod. RP246**  
Safety belt car type



**Cod. RP248**  
Safety belt with spring buckle



**Cod. CBR500**  
Linear table  
(seat from 40 to 48 cm)



**Cod. CAR525**  
Table for wheelchair

Spare parts

**Cod. RCR353**  
Commode chairs WC

**Cod. RCR326**  
Front wheels - PAIR

**Cod. RCR325**  
Rear wheels - PAIR

**Cod. RCR350 PAIR**  
Removable and elevable footrests

**Cod. RCR371 PAIR**  
Standard armrest

**Cod. RCR351 SINGLE**  
Calf rest

Technical features

SPECIFICATIONS

Upholstery Fire retardant leatherette and padding, tested for fire reaction according to EN 1021-1 / 2

WEIGHT AND DIMENSIONS

Product codes														
<b>RC325-40</b>								40 cm			21,5 Kg			
<b>RC325-43</b>								43 cm			22 Kg			
<b>RC325-46</b>	108 cm	64 cm	48 cm	106 cm	76 cm	55 cm	43÷54,5 cm	46 cm	62 cm	61 cm	22,5 Kg	12 cm	135 Kg	1 Pc
<b>RC325-48</b>								48 cm			23 Kg			
<b>RC325-50</b>								50 cm			23,5 Kg		180 Kg	




- EN** Commode chairs in painted steel
- F** Chaise garde-robe en acier verni
- ES** Silla de acero pintado con inodoro
- P** Cadeira higiênica em aço pintado

**Reclining backrest - self-propelled by rear wheel**

Series **RC340**

Schienale  
reclinabile  
ed estraibile



Semi-automatic  
spring return

Anodized aluminum rear  
wheels with parking brake

Removable WC



Anatomic seat and back  
easily removable



Removable and  
folding armrests

Side removable footrests.  
Adjustable calf pads

Height-adjustable  
and side  
oldable footrests

Optional accessories



Cod. **RCA310**  
Headrest



Cod. **RCA316**  
Padded legs retractor



Cod. **RCA330**  
Shoulder pads for  
thoracic - PAIR



Cod. **RCA305**  
Side padding - PAIR  
(also applicable on  
RCA300 elevating  
armrest)



Cod. **RCA340-40** 40 cm  
Cod. **RCA340-43** 43 cm  
Cod. **RCA340-46** 46 cm  
Cod. **RCA340-48** 48 cm  
Cod. **RCA340-50** 50 cm  
Full seat



Cod. **RCA325-40** 40 cm  
Cod. **RCA325-43** 43 cm  
Cod. **RCA325-46** 46 cm  
Cod. **RCA325-48** 48 cm  
Cod. **RCA325-50** 50 cm  
Extended backrest



Cod. **RCA300**  
Elevating armrest  
- PAIR



Cod. **CPA606**  
Oxygen bottle holder -  
bottle ø max 12 cm



Cod. **RCA120**  
IV pole  
h min 82 cm  
h max 150 cm  
External Ø 22 mm  
hook width 25 mm  
(image for illustrative  
purpose only)



**KOALA**  
Restraint systems  
line  
Cod. **RCA350**  
Quick release kit for  
RC340-XX (PAIR)  
(not illustrated)



Cod. **RP246**  
Safety belt car type



Cod. **RP248**  
Safety belt  
with spring buckle



Cod. **CBR500**  
Linear table  
(seat from 40 to 48 cm)



Cod. **CAR525**  
Table for wheelchair

Spare parts

Cod. **RCR353**  
Commode chairs WC

Cod. **RCR356** SINGLE  
Swivel castor

Cod. **RCR357** SINGLE  
Wheel ø 60cm with pins

Cod. **RCR350**  
Removable and elevable  
footrests

Cod. **RCR371** PAIR  
Standard armrest

Cod. **RCR351** SINGLE  
Calf rest

Technical features

SPECIFICATIONS

Upholstery Fire retardant leatherette and padding, tested for fire reaction according to EN 1021-1 / 2

WEIGHT AND DIMENSIONS

Product codes															
<b>RC340-40</b>								40 cm		65 cm	22,5 Kg				
<b>RC340-43</b>								43 cm		68 cm	23 Kg				
<b>RC340-46</b>	124 cm	97 cm	48 cm					46 cm	62 cm	71 cm	23,5 Kg	60 cm	20 cm	135 Kg	1 Pc
<b>RC340-48</b>				106 cm	76 cm	55 cm		48 cm		73 cm	24 Kg				
<b>RC340-50</b>							43÷54,5 cm	50 cm		75 cm	24,5 Kg			180 Kg	


- EN** Commode chairs in painted steel
- F** Chaise garde-robe en acier verni
- ES** Silla de acero pintado con inodoro
- P** Cadeira higiênica em aço pintado



## Reclining backrest - self-propelled by front wheel

Series **RC345**

Reclining and removable backrest



Anodized aluminum front wheels with parking brake

Removable WC



Anatomic seat and back easily removable



Removable and folding armrests

Side removable footrests. Adjustable calf pads

Height-adjustable and side foldable footrests

### Optional accessories



Cod. **RCA310**  
Headrest



Cod. **RCA316**  
Padded legs retractor



Cod. **RCA330**  
Shoulder pads for thoracic - PAIR



Cod. **RCA305**  
Side padding - PAIR (also applicable on RCA300 elevating armrest)



Cod. **RCA340-40** 40 cm  
Cod. **RCA340-43** 43 cm  
Cod. **RCA340-46** 46 cm  
Cod. **RCA340-48** 48 cm  
Cod. **RCA340-50** 50 cm  
Full seat



Cod. **RCA325-40** 40 cm  
Cod. **RCA325-43** 43 cm  
Cod. **RCA325-46** 46 cm  
Cod. **RCA325-48** 48 cm  
Cod. **RCA325-50** 50 cm  
Extended backrest



Cod. **RCA300**  
Elevating armrest - PAIR



Cod. **CPA606**  
Oxygen bottle holder - bottle ø max 12 cm



Cod. **RCA120**  
IV pole  
h min 82cm  
h max 150 cm  
External Ø 22 mm  
hook width 25mm  
(image for illustrative purpose only)



**KOALA**  
Restraint systems line



Cod. **RP246**  
Safety belt car type



Cod. **RP248**  
Safety belt with spring buckle



Cod. **CBR500**  
Linear table (seat from 40 to 48 cm)



Cod. **CAR525**  
Table for wheelchair

### Spare parts

Cod. **RCR353**  
Commode chairs WC

Cod. **RCR356** SINGLE  
Swivel castor

Cod. **RCR357** SINGLE  
Wheel ø 60cm with pins

Cod. **RCR371** PAIR  
Standard armrest

Cod. **RCR351** SINGLE  
Calf rest

### Technical features

#### SPECIFICATIONS

Upholstery Fire retardant leatherette and padding, tested for fire reaction according to EN 1021-1 / 2

#### WEIGHT AND DIMENSIONS

Product codes															
<b>RC345-40</b>								40 cm		65 cm	22,5 Kg				
<b>RC345-43</b>								43 cm		68 cm	23 Kg				
<b>RC345-46</b>	124 cm	104 cm	48 cm	106 cm	76 cm	55 cm	37÷48,5 cm	46 cm	62 cm	71 cm	23,5 Kg	20 cm	60 cm	135 Kg	1 Pc
<b>RC345-48</b>								48 cm		73 cm	24 Kg				
<b>RC345-50</b>								50 cm		75 cm	24,5 Kg			180 Kg	

- EN Chest harness
- F Gilet de maintien
- ES Peto de sujeción
- P Cinto de posicionamiento



Cod. **RP210**  
One size



Cod. **RP215**  
One size



Fixing



Buckles:



X-shaped support:



Padding 100% polyurethane



Outer fabric 100% polyester



Supports and strips 100% polyester

Technical features

Product codes	RP210	RP215			
<b>SPECIFICATION</b>					
	X-Support for the correct positioning of the patient				
	Clip closure for for a quick release				
	Adjustable length strips				
	Washing instruction				
<b>DIMENSION</b>					
<b>RP210</b>	A	46 cm	<b>RP215</b>	A	42 cm
	B	30 cm		B	30 cm
	C	38 cm		C	20 cm

### One stripe

Cod. **RP220**

One size



### Separate stripes


Cod. **RP225**

One size



Fixing

Buckles for belt:



Padding 100%  
polyurethane



Outer fabric  
100% polyester



Supports and strips  
100% polyester

### Technical features

Product codes	RP220		RP225		
SPECIFICATION	Adjustable length strips				
	Washing instruction				
DIMENSION					
 RP220	A	52 cm	 RP225	A	50 cm
	B	30 cm		B	11 cm

- EN Chest belt
- F Ceinture de maintien de posture
- ES Cincha de sujeción
- P Cinto peitoral



Cod. **RP200**  
One size



Fixing



Buckle:



Padding 100%  
polyurethane



Outer fabric  
100% polyester



Supports and strips  
100% polyester

Technical features

SPECIFICATION
Adjustable length strips
Washing instructions

DIMENSION	
	A 40 cm
	B 13 cm

- EN Wrist wrap
- F Attache-poignets
- ES Inmovilizador para la muñeca
- P Inmovilizador de pulso



Cod. **RP240**  
One size



Padding 100%  
polyurethane



Outer fabric  
100% polyester



Supports and strips  
100% polyester

Technical features

SPECIFICATION
Adjustable velcro closure
Washing instructions

DIMENSION	
	A 35 cm
	B 8 cm

EN Safety belt  
 F Ceintures de sécurité  
 ES Cinturón de seguridad  
 P Cintos de segurança




### Car type buckle

Cod. **RP245**  
 One size



Cod. **RP246**  
 One size



Fixing

Buckle:



### Quick pressure buckle - Adjustable belt loop

Cod. **RP247**



Cod. **RP248**



Fixing

Buckle:



### Technical features

SPECIFICATION			
Washing instructions			
DIMENSION			
<b>RP245</b>	<p>A: 80÷123 cm B: 5 cm</p>	<b>RP247</b>	<p>A: 80÷120 cm B: 5 cm</p>
<b>RP246</b>	<p>A: 98÷178 cm B: 5 cm</p>	<b>RP248</b>	<p>A: 98÷178 cm B: 5 cm</p>



- EN** Painted aluminium foldable rollators
- F** Rollators pliants en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado

**4 wheels**

**Cod. RP545A**

Orange



**Cod. RP545G**

Grey



**Cod. RP545V**

Green



Technical features

Seat 45x20 cm - fabric

WEIGHT AND DIMENSION

69 cm	79÷92 cm	54 cm	62 cm	47 cm
27 cm	7,6 Kg	20 cm	20 cm	136 Kg

Spare parts



**Cod. RPR373**  
Fabric seat



**Cod. RPR350D**  
**Cod. RPR350S**  
Brake kit+ singular cable



**Cod. RPR364**  
PVC castor  
Ø 20 cm



**Cod. RPR355**  
Stick holder



**Cod. RPR383**  
Bag Width 39,5 cm



**Cod. RPR385**  
Opening knob

- EN** Painted aluminium foldable rollators
- F** Rollators pliants en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado



## 4 pneumatic wheels

Cod. **RP562R**

Red



Cod. **RP562A**

Light blue



### Technical features

Seat 46x24 cm

#### WEIGHT AND DIMENSION

80 cm	85÷100 cm	56 cm	62 cm	45 cm	24 cm	11,45 Kg	30 cm	24 cm	136 Kg

### Spare parts

Cod. <b>RPR705</b> Bag	Cod. <b>RPR717</b> Padded backrest	Cod. <b>RPR353</b> Stick holder	Cod. <b>RPR712</b> Front wheel Ø 30 cm	Cod. <b>RPR713</b> Rear wheel Ø 24 cm	Cod. <b>RPR711D</b> Right Cod. <b>RPR711S</b> Left Kit brake + individual cable

- EN** Painted aluminium foldable rollators
- F** Rollators pliats en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado

## Folding

Cod. **RP553**

**Artemis**



### Technical features

Seat	45x25 cm				
<b>WEIGHT AND DIMENSION</b>					
70 cm	91 cm	80 cm	63 cm	45 cm	
27 cm	8,8 Kg	20 cm	20 cm	136 Kg	

### Spare parts



## Height adjustable seat

Cod. **RP547**

**Febe**



### Technical features

Seat	35x35 cm - Padded				
<b>WEIGHT AND DIMENSION</b>					
70÷80 cm	80÷99 cm	50÷57 cm	63 cm	47 cm	
90x62x39cm	8 Kg	20 cm	20 cm	136 Kg	

### Spare parts



- EN** Painted aluminium foldable rollators
- F** Rollators plants en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado

## Antibrachial support

**Cod. RP551**  
Antibrachial



### Technical features

Seat	44x24 cm - Fabric				
<b>WEIGHT AND DIMENSION</b>					
70 cm	115÷130 cm Antibrachial 100÷115 cm	56 cm	68 cm	52 cm	
28 cm	7,9 Kg	25 cm	20 cm	136 Kg	

### Spare parts



**Cod. RPR374** Fabric seat  
**Cod. RPR352D Right** / **Cod. RPR352S Left** Kit brake + individual cable  
**Cod. RPR365** TPR castor Ø 20 cm  
**Cod. RPR353** Stick holder



**Cod. RPR382** Bag  
Width 45 cm  
**Cod. RPR255** Antibrachial support  
- PAIR

## Double function

**Cod. RP540**



### Technical features

Seat	45x31 cm - Fabric				
<b>WEIGHT AND DIMENSION</b>					
75 cm	85÷97 cm	55 cm	63 cm	52 cm	
28 cm	9,6 Kg	20 cm	20 cm	136 Kg	

### Spare parts



**Cod. RPR372** Fabric seat  
**Cod. RPR350D Right** / **Cod. RPR350S Left** Kit brake + individual cable  
**Cod. RPR380** Bag  
**Cod. RPR362** PU castor



**Cod. RPR218** Lateral footrest - PAIR  
**Cod. RPR356** Stick holder  
**Cod. RPR385** Opening knob

- EN** Painted aluminium foldable rollators
- F** Rollators pliants en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado

## Light - height adjustable seat

Cod. **RP523**

**Galatea**

### Technical features



Seat 37x24 cm - Padded

#### WEIGHT AND DIMENSION

70÷80 cm	85÷102 cm	54÷61 cm	64 cm	47 cm
95x58x33cm	7,4 Kg	20 cm	20 cm	136 Kg

### Spare parts



Cod. **RPR596**  
Stick holder



Cod. **RPR591**  
Padded backrest



Cod. **RPR590**  
Kit brake + cable



Cod. **RPR593**  
Front wheel



Cod. **RPR594**  
Rear wheel

## Indoor use

Cod. **RP505**

**Sole**

### Technical features



Tray 25x39 cm

#### WEIGHT AND DIMENSION

75 cm	86÷97 cm	69 cm tray	57 cm	40 cm
95x56x34cm	6,8 Kg	20 cm	20 cm	136 Kg

### Spare parts



Cod. **RPR540**  
Brake lever + cable



Cod. **RPR545**  
Tray



Cod. **RPR543**  
Front wheel



Cod. **RPR542**  
Rear wheel

- EN** Painted aluminium foldable rollators
- F** Rollators pliants en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado



**Pressure brake**

**Cod. RP518B**

Blue



**Cod. RP518R**

Red



Technical features

Seat 32x35 cm - Padded

WEIGHT AND DIMENSION

61 cm	80,1-91 cm	56,27 cm	61 cm	46 cm	20 cm	8,7 Kg	15 cm	15 cm	100 Kg

Spare parts



- EN** Painted aluminium foldable rollators
- F** Rollators pliants en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado

Cod. **RP520**



Technical features



Seat		38x34 cm - Padded				
<b>WEIGHT AND DIMENSION</b>						
68	80÷93	56	61	46		
26	8,4 Kg	20	20	136 Kg		

Spare parts

Cod. <b>RPR223</b> Padded seat	Cod. <b>RPR237</b> Basket	Cod. <b>RPR200</b> Kit brake + individual cable	Cod. <b>RPR306</b> EVA castor
Cod. <b>RPR340N</b> Padded backrest	Cod. <b>RPR305</b> Stick holder	Cod. <b>RPR304</b> Opening knob	

Cod. **RP513**



Technical features

Mini



Seat		31x31 cm - Padded				
<b>WEIGHT AND DIMENSION</b>						
64 cm	71÷84* cm	50 cm	54 cm	45 cm		
55x25x85 cm	5,9 Kg	15 cm	15 cm	100 Kg		

\* Encumbrance measured at the lowest height regulation

Spare parts

Cod. <b>RPR246</b> Bag	Cod. <b>RPR247</b> Padded seat	Cod. <b>RPR248D Right</b> Cod. <b>RPR248S Left</b> Kit brake + individual cable	Cod. <b>RPR245</b> Rear castor
Cod. <b>RPR244</b> Front castor with fork	Cod. <b>RPR249</b> Padded backrest	Cod. <b>RPR304</b> Opening knob	

- EN** Painted steel foldable rollators
- F** Rollators plants en acier verni
- ES** Rollators plegables en acero pintado
- P** Rollators dobráveis em aço pintado



**Cod. RP686A**

Silver



**Cod. RP686B**

Blue



**Cod. RP686R**

Red



### Technical features

Seat	45x20 cm - PVC padded				
<b>WEIGHT AND DIMENSION</b>					
61 cm	80÷90 cm	55 cm	60 cm	43 cm	
9 Kg	20 cm	20 cm		136 Kg	

### Spare parts



**Cod. RPR635**  
Bag



**Cod. RPR634**  
Seat



**Cod. RPR632**  
Front wheel



**Cod. RPR631**  
Rear wheel



**Cod. RPR630**  
Kit brake + cable



**Cod. RPR636 PAIO**  
Opening knob

- EN** Painted steel foldable rollators
- F** Rollators pliants en acier verni
- ES** Rollators plegables en acero pintado
- P** Rollators dobráveis em aço pintado

Cod. **RP690B**



Technical features

Seat	38x16 cm - Polyurethane				
<b>WEIGHT AND DIMENSION</b>					
64 cm	75±98 cm	61 cm	60 cm	44 cm	
31 cm	10 Kg	20 cm	20 cm	136 Kg	

Spare parts

Cod. <b>RPR210</b> TPR castor	Cod. <b>RPR290</b> Basket without hooks	Cod. <b>RPR202</b> Kit brake + individual cable	Cod. <b>RPR291</b> Tray
Cod. <b>RPR305</b> Stick holder	Cod. <b>RPR326</b> Locking lever		Cod. <b>RPR221</b> Seat

Cod. **RP689**



Technical features

Seat	38x17 cm - Plastic				
<b>WEIGHT AND DIMENSION</b>					
64,5 cm	78±95 cm	59 cm Seat 61 cm Over the tray	60 cm	40 cm	
59x22x65 cm	9 Kg	20 cm	20 cm	130 Kg	

Spare parts

Cod. <b>RPR617</b> Basket	Cod. <b>RPR611</b> Right Cod. <b>RPR612</b> Left Kit brake+ individual cable cable	Cod. <b>RPR615*</b> Plastic support	Cod. <b>RPR613</b> Single castor
Cod. <b>RPR614</b> Locking lever	Cod. <b>RPR610</b> Seat	Cod. <b>RPR616</b> Tray	

\* May vary depending on availability

- EN** Painted steel foldable rollators
- F** Rollators pliants en acier verni
- ES** Rollators plegables en acero pintado
- P** Rollators dobráveis em aço pintado

**Cod. RP691**  
Antibrachial



Technical features



Seat	38x16 cm - Polyurethane			
<b>WEIGHT AND DIMENSION</b>				
64 cm	100÷115 cm	61 cm	60 cm	44 cm
31 cm	10 Kg	20 cm	20 cm	136 Kg

Spare parts

<b>Cod. RPR252</b> Antibrachial support-padding	<b>Cod. RPR203</b> Kit brake + individual cable	<b>Cod. RPR291</b> Tray	<b>Cod. RPR305</b> Stick holder
<b>Cod. RPR210</b> TPR castor	<b>Cod. RPR236</b> Basket	<b>Cod. RPR221</b> Seat	<b>Cod. RPR277</b> Locking lever

**Cod. RP685B**  
3 wheels



Technical features



<b>WEIGHT AND DIMENSION</b>				
56 cm	81÷96 cm	66 cm	33 cm	28 cm
7,3 Kg	20 cm	20 cm	136 Kg	

Spare parts

<b>Cod. RPR200D</b> Right <b>Cod. RPR200S</b> Left Kit brake + individual cable	<b>Cod. RPR235</b> Basket 28x20h cm (outer dimension)	<b>Cod. RPR240</b> Bag	<b>Cod. RPR281</b> Tray 20x24 cm (inner dimension) 24x28 cm (outer dimension)
<b>Cod. RPR210</b> TPR castor			

- EN Painted steel foldable rollators
- F Rollators pliants en acier verni
- ES Rollators plegables en acero pintado
- P Rollators dobráveis em aço pintado

Cod. **RP680**



Technical features

Seat	37x24,5 cm - Plastic				
WEIGHT AND DIMENSION					
61 cm	74÷94 cm	48 cm	61 cm	38,5 cm	
24 cm	6 Kg	15 cm	-	136 Kg	

Cod. **RP682**



Technical features

Seat	40x20 cm - Padded				
WEIGHT AND DIMENSION					
59 cm	73,5÷94 cm	52 cm	51 cm	47 cm	
13* cm	8,9 Kg	11,5 cm	-	136 Kg	

\* Without handles

Spare parts for 2 castors rollators



Cod. **RPR220**  
Plastic seat  
(for RP680)



Cod. **RPR234**  
Basket (for RP680)



Cod. **RPR212**  
EVA front castor  
(for RP680)



Cod. **RPR250**  
Rear tips-PAIR  
(for RP680)



Cod. **RPR370**  
Padded seat  
(for RP682)



Cod. **RPR360**  
EVA front castor  
(for RP682)



Cod. **RPR219**  
Rear Tips - PAIR  
(for RP682)

- EN Bariatric aluminium rollator
- F Rollator bariatrique en aluminium
- ES Rollator bariátrico de aluminio
- P Rollator bariátrico de aluminio



### Light - height adjustable seat

Cod. **RH547**



#### Technical features

Seat	46 cm				
WEIGHT AND DIMENSION					
80 cm	80÷100 cm	50÷57 cm seat	70 cm	55 cm	
110x70x39cm	10 Kg	25 cm	25 cm	180 Kg	

#### Spare parts



- EN Bariatric steel rollator
- F Rollator bariatrique en acier
- ES Rollator bariátrico de acero
- P Rollator de aço bariátrico



Cod. **RH520**



#### Technical features

Seat	46 cm				
WEIGHT AND DIMENSION					
68 cm	78÷94 cm	55 cm seat	75 cm	60 cm	
12,3 Kg	20 cm	20 cm	200 Kg		

#### Spare parts



- EN** Painted steel walkers
- F** Déambulateurs en acier verni
- ES** Andadores en acero pintado
- P** Andadores em aço pintado

**With antibrachial table**

**Cod. RP755T**

*Demountable*



Technical features

WEIGHT* AND DIMENSION			
79 cm	48 cm	82 cm	98 cm
		Usable space	
104-133 cm	66 cm	inside 46 cm table 42 cm	130 Kg

\* max footprint

**Cod. RP756T**

*Foldable*



Technical features

WEIGHT* AND DIMENSION			
79 cm	48 cm	82 cm	98 cm
		Usable space	
101-135 cm	66 cm	inside 46 cm table 42 cm	130 Kg

\* max footprint

Optional accessories



**Cod. RP757**  
Padded seat. Seat 42 cm  
Dimension 54x21,5x5,5h cm



**Cod. RP759/1**  
Padded table 66 x 42 cm, di cui  
antibrachial support 10 cm



**Cod. RV7117**  
Antibrachial support  
complete - PAIR



**Cod. RV7115**  
Boards - weight 13 kg  
- PAIR

- EN** Painted steel demountable walkers
- F** Déambulateurs escamotables en acier verni
- ES** Andadores desmontables en acero pintado
- P** Andadores desmontáveis em aço pintado

**Adjustable height, width and depth underarm support**

**Cod. RP755S**

Demountable



Technical features

WEIGHT* AND DIMENSION				
79 cm	48 cm	82 cm	98 cm	117-151 cm
		Usable space		
64 cm	31-67 cm	inside 46 cm	130 Kg	

\* max footprint

**Cod. RP755F**

With brakes  
Demountable



Technical features

WEIGHT* AND DIMENSION				
82 cm	48 cm	82 cm	98 cm	119-152 cm
		Usable space		
64 cm	31-70 cm	inside 46 cm	130 Kg	

\* max footprint

Optional accessories



**Cod. RP757**  
Padded seat. Seat 42 cm  
Dimension 54x21,5x5,5h cm



**Cod. RP759/1**  
Padded table 66 x 42 cm, di cui antibrachial support 10 cm



**Cod. RV7117**  
Antibrachial support complete - PAIR



**Cod. RV7115**  
Boards - weight 13 kg - PAIR

- EN** Painted steel foldable walkers
- F** Déambulateurs pliants en acier verni
- ES** Andadores plegables en acero pintado
- P** Andadores dobráveis em aço pintado

**Adjustable height, width and depth underarm support**

**Cod. RP756S**



Technical features

WEIGHT* AND DIMENSION				
79 cm	48 cm	82 cm	98 cm	117-152 cm
		Usable space		
55 cm	31-67 cm	inside 46 cm	130 Kg	

\* max footprint

**Cod. RP754S**



Technical features

WEIGHT* AND DIMENSION				
79 cm	47-62 cm	82-96 cm	97-111 cm	113-127 cm
		Usable space		
55 cm	31-67 cm	inside 46 cm	130 Kg	

\* max footprint

Optional accessories



**Cod. RP757**  
Padded seat. Seat 42 cm  
Dimension 54x21,5x5,5h cm



**Cod. RP759/1**  
Padded table 66 x 42 cm, di cui  
antibrachial support 10 cm



**Cod. RV7115**  
Boards - weight 13 kg  
- PAIR

- EN** Painted steel foldable walkers
- F** Déambulateurs pliants en acier verni
- ES** Andadores plegables en acero pintado
- P** Andadores dobráveis em aço pintado

**Clik**

**Height adjustable antibrachial supports**

**Cod. RP756A**



Technical features

WEIGHT* AND DIMENSION			
72 cm	48 cm	82 cm	98 cm
		Usable space	
109-146 cm	63 cm	inside 46 cm	130 Kg

\* max footprint

**Cod. RP754A**

Height adjustable legs  
0÷12,5 cm



Technical features

WEIGHT* AND DIMENSION			
72 cm	47-62 cm	82-96 cm	97-111 cm
		Usable space	
109-159 cm	63 cm	inside 46 cm	130 Kg

\* max footprint

Optional accessories



**Cod. RP757**  
Padded seat. Seat 42 cm  
Dimension 54x21,5x5,5h cm



**Cod. RP759/1**  
Padded table 66 x 42 cm, di cui  
antibrachial support 10 cm



**Cod. RV7115**  
Boards - weight 13 kg  
- PAIR

- EN** Painted steel foldable walkers
- F** Déambulateurs pliants en acier verni
- ES** Andadores plegables en acero pintado
- P** Andadores dobráveis em aço pintado

**Compact models**

**Cod. RP756M**

Support underarm  
Height adjustable  
legs



Technical features

WEIGHT* AND DIMENSION				
				
72 cm	35-41 cm	72-78 cm	85-91 cm	103-139 cm
		Usable space		
55 cm	31-37 cm	inside 46 cm	130 Kg	

\*max footprint

**Cod. RP756AM**

Antibrachial  
supports



Technical features

WEIGHT* AND DIMENSION			
			
72 cm	35 cm	72 cm	85 cm
		Usable space	
103-133 cm	63 cm	inside 46 cm	130 Kg

\*max footprint

Optional accessories



**Cod. RP757**  
Padded seat. Seat 42 cm  
Dimension 54x21,5x5,5h cm



**Cod. RP759/1**  
Padded table 66 x 42 cm, di cui  
antibrachial support 10 cm

- EN** Painted steel foldable walkers
- F** Déambulateurs pliants en acier verni
- ES** Andadores plegables en acero pintado
- P** Andadores dobráveis em aço pintado

**Clik**

**Adjustable height, width and depth underarm support**

**Cod. RP758S**

Height adjustable legs  
0÷12,5 cm



Folded  
L:54 x P:20 cm

Technical features

**WEIGHT\* AND DIMENSION**

78 cm	47-62 cm	76-90 cm	81-95 cm	113-153 cm
		Usable space		
53 cm	31-67 cm	inside 42 cm	130 Kg	

\* max footprint

Optional accessories



**Cod. RP757**  
Padded seat. Seat 42 cm  
Dimension 54x21,5x5,5h cm



**Cod. RP759/1**  
Padded table 66 x 42 cm, di cui antibrachial support 10 cm



**Cod. RV7117**  
Antibrachial support complete - PAIR



**Cod. RV7115**  
Boards - weight 13 kg - PAIR

Spare parts for shoulder and antibrachial walker



**Cod. RV7118**  
Underarm padding only - PAIR



**Cod. RV7117**  
Complete antibrachial supports - PAIR



**Cod. RPR7077**  
Castor with brake Ø 10 cm M12 - PAIR



**Cod. RPR7076**  
Castor without brake Ø 10 cm M12 - PAIR



**Cod. RP759/1**  
Padded table 66 x 42 cm, antibrachial support 10 cm



**Cod. RV7078**  
Fixing clamp



**Cod. RPR7088**  
Support bar

- EN** Anodized aluminium walkers
- F** Déambulateurs en aluminium anodisé
- ES** Andadores en aluminio anodizado
- P** Andadores em alumínio anodizado

**2 tips and 2 fixes castors Ø 7 cm**

Series **RP735**



Technical features

WEIGHT AND DIMENSION					
Product codes	Base*	H:			
<b>RP735S</b> 5 holes		Every 2,5 cm adjustable From 68,5 to 78,5 cm	130 kg	2 Pcs	
<b>RP735M</b> 5 holes		Every 2,5 cm adjustable From 76 to 86 cm	130 kg	2 Pcs	
<b>RP735L</b> 8 holes		Every 2,5 cm adjustable From 83 to 101 cm	130 kg	2 Pcs	

\*Encumbrance measured at the lowest height regulation

**2 glide brakes and 2 fixed castors Ø 7 cm**

Cod. **RP737**



Technical features

WEIGHT AND DIMENSION					
	Base*	H:			
		Every 2,5 cm adjustable From 84 to 102 cm	130 kg	2 Pcs	

\*Encumbrance measured at the lowest height regulation

**2 tips and 2 swivel castors Ø 7 cm**

Cod. **RP734**



Technical features

WEIGHT AND DIMENSION					
	Base*	H:			
		Every 2,5 cm adjustable From 84 to 102 cm	130 kg	2 Pcs	

\*Encumbrance measured at the lowest height regulation

- EN Anodized aluminium walkers
- F Déambulateurs en aluminium anodisé
- ES Andadores en aluminio anodizado
- P Andadores em alumínio anodizado

Clik

### 2 self-locking castors and 2 swivel castors Ø 7 cm

Cod. **RP738**



#### Technical features

WEIGHT AND DIMENSION				
Base*	H:			
	Every 2,5 cm adjustable Da 84 a 102 cm	130 kg	2 Pcs	

\* Encumbrance measured at the lowest height regulation

### 4 swivel castors Ø 7 cm

Series **RP733**



#### Technical features

WEIGHT AND DIMENSION				
Product codes	Base*	H:		
<b>RP733S</b> 5 holes		Every 2,5 cm adjustable Da 70 a 80 cm	130 kg	2 Pcs
<b>RP733M</b> 5 holes		Every 2,5 cm adjustable Da 78 a 88 cm	130 kg	2 Pcs
<b>RP733L</b> 8 holes		Every 2,5 cm adjustable Da 84 a 102 cm	130 kg	2 Pcs

\* Encumbrance measured at the lowest height regulation

### 4 swivel castors - 2 with brake Ø 7,5 cm

Cod. **RP741**



#### Technical features


WEIGHT AND DIMENSION				
Base*	H:			
	Every 2,5 cm adjustable Da 86 a 96 cm	100 kg	2 Pcs	

\* Encumbrance measured at the lowest height regulation

- EN Anodized aluminium walkers
- F Déambulateurs en aluminium anodisé
- ES Andadores en aluminio anodizado
- P Andadores em alumínio anodizado

### 4 tips - Double function fix and swinging

Series **RP749**



#### Technical features

WEIGHT AND DIMENSION				
Product codes	Base*	H:		
<b>RP749M</b> 5 holes	54 cm 47,5 cm 52 cm	Every 2,5 cm adjustable From 77,5 to 87,5 cm	130 kg	2 Pcs
<b>RP749L</b> 8 holes	54 cm 47,5 cm 52 cm	Every 2,5 cm adjustable From 83,5 to 101,5 cm	130 kg	2 Pcs

\* Encumbrance measured at the lowest height regulation

### 4 tips - Double handgrip

Cod. **RP747**



#### Technical features

WEIGHT AND DIMENSION				
Base*	H:			
60 cm 51 cm 58 cm	Every 2,5 cm adjustable From 71 to 89 cm	130 kg	2 Pcs	

\* Encumbrance measured at the lowest height regulation

### 4 tips

Series **RP730**



#### Technical features

WEIGHT AND DIMENSION				
Product codes	Base*	H:		
<b>RP730M</b> 5 holes	61 cm 48 cm 59 cm	Every 2,5 cm adjustable From 77 to 87 cm	130 kg	2 Pcs
<b>RP730L</b> 8 holes	63 cm 49 cm 60 cm	Every 2,5 cm adjustable From 83 to 101 cm	130 kg	2 Pcs

\* Encumbrance measured at the lowest height regulation

- EN** Anodized aluminium walkers
- F** Déambulateurs en aluminium anodisé
- ES** Andadores en aluminio anodizado
- P** Andadores em alumínio anodizado

**Clik**

**2 swivel castors and 2 double castors with self-locking tips Ø 10 cm**

Cod. **RP743**



Technical features

WEIGHT AND DIMENSION			
Base*	H:		
	Every 2,5 cm adjustable From 85 to 103 cm	120 kg	2 Pcs

\* Encumbrance measured at the lowest height regulation

**2 swivel castors and 2 manual brakes castors Ø 12 cm**

Cod. **RP742**



Technical features

WEIGHT AND DIMENSION			
Base*	H:		
	Every 2,5 cm adjustable From 86 to 103 cm	130 kg	2 Pcs

\* Encumbrance measured at the lowest height regulation

Spare parts and accessories for walkers

Cod. <b>RV7045</b> Basket. Base 35x10x17h cm Top 40x14 cm for RP743 e RP749	Cod. <b>RV7046</b> Basket. Base 40,5x15x18,5h cm Top 45x15 cm for RP742	Cod. <b>RV7045N</b> Basket. Base 40,6x15x17,8h cm Top 44,5x18,5 cm for all the walkers	Cod. <b>RV7030</b> Grey Cod. <b>RV7031</b> Black Tips Ø 28 mm - PAIR	Cod. <b>RV7052</b> Glide brake feet piece with attachments - PAIR	Cod. <b>RV7053</b> Glide brake wheels - Ø 7 cm PAIR	Cod. <b>RV7053D</b> Double glide brake wheels - Ø 10 cm - PAIR	Cod. <b>RV7120-8</b> 8 holes Wheels swivel castors with brake for <b>RP741</b> - PAIR
Cod. <b>RV7054-5</b> 5 holes Cod. <b>RV7054-8</b> 8 holes Swivel castors, Ø 7 cm - PAIR	Cod. <b>RV7055-5</b> 5 holes Cod. <b>RV7055-8</b> 8 holes Fixed castors Ø 7 cm - PAIR	Cod. <b>RV7056-5</b> 5 holes Cod. <b>RV7056-8</b> 8 holes Legs - PAIR	Cod. <b>RV7121-8</b> 8 holes Legs with swivel castors Ø 10 cm - PAIR	Cod. <b>RV7154-8</b> Legs with swivel castors Ø 12 cm - PAIR	Cod. <b>RV7155-8</b> Fixed castors Ø 12 cm - PAIR	Cod. <b>RV7114</b> Antibrachial support - PAIR	Cod. <b>RV7119-8</b> 8 holes Wheels swivel castors without brake for <b>RP741</b> - PAIR

- EN** Anodized aluminium walkers
- F** Déambulateurs en aluminium anodisé
- ES** Andadores en aluminio anodizado
- P** Andadores em alumínio anodizado

**Painted - 4 swivel castors Ø 7,5 cm - demountable**

Cod. **RP748**



Technical features

WEIGHT AND DIMENSION				
Base*	H:			
54 cm 54 cm 54 cm	Every 2,5 cm adjustable From 77 to 92 cm	130 kg	2 Pcs	

\* Encumbrance measured at the lowest height regulation

**2 swivel castors with lock- 2 fixed castors with brakes**

Cod. **RP751**



Technical features

WEIGHT AND DIMENSION				
Seat	28x44 cm - Polyurethane			
57 cm	82÷92* cm	49÷59 cm	69 cm	52 cm
20 cm	6,6 Kg	12 cm	12 cm	130 Kg

\* Encumbrance measured at the lowest height regulation

Spare parts



Cod. **RV7016**  
Legs with swivel castors and brake Ø 10 cm -PAIR for **RP748**



Cod. **RV7015**  
Legs with swivel castors without brake Ø 10 cm -PAIR for **RP748**



Cod. **RP758**  
PVC seat for **RP748**



Cod. **RV7108**  
Seat for **RP751**



Cod. **RV7014N**  
Kit brake - PAIR for **RP751**



Cod. **RV7013**  
Leg and rear wheel - PAIR for **RP751**



Cod. **RV7012**  
Leg and front wheel - PAIR for **RP751**

- EN** Anodized aluminium walkers
- F** Déambulateurs en aluminium anodisé
- ES** Andadores en aluminio anodizado
- P** Andadores em alumínio anodizado

**4 tips - fixed**

Series **RP729**



Technical features

WEIGHT AND DIMENSION					
Product codes	Base*	H:			
<b>RP729M</b> 5 holes		Every 2,5 cm adjustable From 76 to 86 cm	110 kg	4 Pcs	
<b>RP729L</b> 5 holes		Every 2,5 cm adjustable From 86 to 96 cm	110 kg	4 Pcs	

\* Encumbrance measured at the lowest height regulation

- EN** Anodized aluminium walkers - Children
- F** Déambulateurs en aluminium anodisé - Enfant
- ES** Andadores en aluminio anodizado - Niños
- P** Andadores em alumínio anodizado - Infantil

**4 tips - foldable**

Cod. **RP731**



Technical features

WEIGHT AND DIMENSION					
Product codes	Base*	H:			
		Every 2,5 cm adjustable From 53 to 62,5 cm	60 kg	2 Pcs	

\* Encumbrance measured at the lowest height regulation

**2 castors and 2 tips - Foldable**

Cod. **RP736**



Height adjustable handles - maximum increase 12 cm

Technical features

WEIGHT AND DIMENSION					
Product codes	Base*	H:			
		Every 2,5 cm adjustable From 41 to 60 cm	60 kg	2 Pcs	

\* Encumbrance measured at the lowest height regulation

- EN** Anodized aluminium forearm crutches
- F** Cannes anglaises en aluminium anodisé
- ES** Muletas en aluminio anodizado
- P** Canadianas de aluminio anodizado

**Brio**

**Adult**


Cod. **RP701V**  
Green

Cod. **RP701R**  
Red

Cod. **RP701B**  
Blue

Cod. **RP701A**  
Silver

Cod. **RP701N**  
Black




Technical features

WEIGHT AND DIMENSION			
	Diameter		
H: 93÷116,5 cm - H: 74÷97 cm (from grip to ground) each 2,5 cm adjustable	ø upper: 22 mm - ø lower: 19 mm	100 Kg	12 pairs

Cod. **RP705A**

Cod. **RP706N**  
Black



Technical features


WEIGHT AND DIMENSION			
	Diameter		
H: 93,5÷116,5 cm - H: 74÷97 cm (from grip to ground) each 2,5 cm adjustable	ø upper : 22 mm - ø lower: 19 mm	100 Kg	12 pairs

- EN Forearm crutches
- F Cannes anglaises
- ES Muletas
- P Canadianas

Brio

**Children**

Cod. **RP700C**



Technical features

WEIGHT AND DIMENSION			
↕	Diameter	👤	📦
H: 82,5÷97,5 cm H: 65÷81 cm (from grip to ground) each 2,5 cm adjustable	ø upfor : 22 mm ø lower: 19 mm	80 Kg	12 pairs


- EN Anodized aluminium shoulder crutches
- F Béquilles sous aisselles en aluminium anodisé
- ES Muletas axilares en aluminio anodizado
- P Muletas axilares em alumínio anodizado

Brio

**Adult**

Cod. **RP710**

Cod. **RP711**



Technical features

WEIGHT AND DIMENSION			
Product codes	↕	👤	📦
<b>RP710</b>	H: 114÷134 cm	130 Kg	8 pairs
<b>RP711</b>	H: 134÷154 cm	130 Kg	8 pairs

Spare parts for crutches

**Forearm crutch**



Cod. **RV7010**  
Grey tips  
Ø 18 mm - PAIR



Cod. **RV7011**  
Black tips  
Ø 18 mm - PAIR

**Shoulder crutch**



Cod. **RV7020**  
Tips  
Ø 20 mm - PAIR



Cod. **RV7040**  
Underarm pad - PAIR



Cod. **RV7050**  
Grip - PAIR

- EN** Three-leg and four-leg canes in anodized aluminium
- F** Cannes tripodes et quadripodes en aluminium anodisé
- ES** Trípodes y cuadrípodes en aluminio anodizado
- P** Tripés e quadripés em alumínio anodizado

**Closed handle - Anatomic grip**

**Cod. RP721**

Three-leg  
Adult



**Cod. RP724**

Four-leg



**Cod. RP715**

Three-leg  
Children

Technical features

WEIGHT AND DIMENSION			
Product codes	RP715	RP721	RP724
Base			
H:	66÷73 cm	74÷97 cm	74÷96 cm
	80 Kg	130 Kg	
	4 Pcs		

**Open handle**

**Cod. RP720**

Three-leg



**Cod. RP723**

Four-leg



**Cod. RP726**

Four-leg

Steel  
base



Technical features

WEIGHT AND DIMENSION			
Product codes	RP720	RP723	RP726
Base			
H:	75÷97 cm	75÷95 cm	
	130 Kg		
	4 Pcs		

**Antibrachial support**

**Cod. RP719**

Three-leg



**Cod. RP722**

Four-leg



Technical features

WEIGHT AND DIMENSION		
Product codes	RP719	RP722
Base		
H:	76÷98 cm	
	100 Kg	
	4 Pcs	

Spare parts



**Cod. RV7033**  
Rubber tips for four-leg canes  
large base- PAIR  
Ø 18 mm



**Cod. RV7036**  
Rubber tips for RP726  
Ø 12 mm - 4 Pcs

EN Steel four-leg cane  
 F Canne quadripode en acier  
 ES Cuadrípode en acero  
 P Quadripés em aço

EN Steel walking stick  
 F Canne en acier  
 ES Muletilla en acero  
 P Bengala em aço

### PVC open handle

Cod. **RH720**



**Brio<sup>HD</sup>**

Spare parts



Cod. **RHR710**  
 4 tips kit for RH720



Technical features

WEIGHT AND DIMENSION				
Base				
20,5 cm				
15,5 cm	H: 74÷97 cm	226 Kg	4 pcs	
20,5 cm				

### PVC open handle

Cod. **RH150**



**Brio<sup>HD</sup>**

Spare parts



Cod. **AU301**  
 Rubber tip with heavier base  
 base Ø 18 mm - SINGLE



Technical features

WEIGHT AND DIMENSION	
H:	74÷97 cm
	226 Kg
	8 Pcs

EN Aluminium walking stick  
 F Canne en aluminium  
 ES Muletilla en aluminio  
 P Bengala em alumínio

**Brio**

### With light and alarm, height adjustable

Cod. **RP165**

1 button  
 for 2 functions:  
 • Fixed light  
 • Flash light



Technical features

WEIGHT AND DIMENSION		
H:		Diameter
Every 2,5 cm adjustable	74÷96 cm	100 Kg
		ø upfor : 22 mm ø lower: 18 mm

Spare parts



Cod. **AU301**  
 Rubber tip with heavier base  
 Ø 18 mm -SINGLE

- EN** Anodized coloured aluminium walking sticks
- F** Canes en aluminium anodisé et coloré
- ES** Muletillas de colores en aluminio anodizado
- P** Bengalas de cor em alumínio anodizado

**Standard rubber tip**

**Tip large base**

Cod. **RP190N**  
Black




Cod. **RP190R**  
Red



Cod. **RP190V**  
Green



Cod. **RP191R**  
Red



Cod. **RP191N**  
Black



Cod. **RP191V**  
Green



Spare parts



Cod. **RPR196**  
Standard black tip

Spare parts



Cod. **RPR197**  
Large base black tip

**Four-leg base**

Cod. **RP192V**  
Green



Cod. **RP192R**  
Red



Cod. **RP192N**  
Black



Spare parts



Cod. **RPR198**  
Black tip quadripod base



Cod. **RPR199**  
Tips kit for quadripod base

Technical features

WEIGHT AND DIMENSION			
Product codes	H:		Diameter
<b>RP190x</b>	Every 2,5 cm adjustable 72÷95 cm	110 Kg	ø upper : 22 mm ø lower: 19 mm
<b>RP191x</b>	Every 2,5 cm adjustable 74÷97 cm	110 Kg	ø upper : 22 mm ø lower: 19 mm
<b>RP192x</b>	Every 2,5 cm adjustable 74÷97 cm	110 Kg	ø upper : 22 mm ø lower: 19 mm

- EN** Aluminium walking sticks
- F** Cannes en aluminium
- ES** Muletillas en aluminio
- P** Bengalas em alumínio

## Height adjustable - with courtesy lace

**Cod. RP162A**

Monocromatic  
ABS and TPR  
Derby  
Silver



**Cod. RP162B**

Monocromatic  
ABS and TPR  
Derby  
Blue



**Cod. RP162V**

Monocromatic  
ABS and TPR  
Derby  
Green



**Cod. RP162R**

Monocromatic  
ABS and TPR  
Derby  
Red



**Cod. RP162P**

Monocromatic  
ABS and TPR  
Derby  
Purple



**Cod. RP162N**

Monocromatic  
ABS and TPR  
Derby  
Black



**Cod. RP163-1**

Aluminium  
T-handle  
Squared



**Cod. RP163-2**

Wooden  
T-handle  
Floral



**Cod. RP168-1**

Wooden  
T-handle  
Floral



### Technical features

### Spare parts

WEIGHT AND DIMENSION									
Product codes	RP162A	RP162B	RP162V	RP162R	RP162P	RP162N	RP163-1	RP163-2	RP168-1
H:	68÷90,5 cm								
	100 kg								
Diameter	ø upper : 22 mm ø lower: 19 mm								



**Cod. RPR755**  
Black tip large base

- EN** Aluminium walking sticks
- F** Cannes en aluminium
- ES** Muletillas en aluminio
- P** Bengalas em alumínio

**Height adjustable - With courtesy lace**

**Cod. RP167-2**

Aluminium with Derby handle  
Cashmere



Brown tips

**Cod. RP167-3**

Aluminium with Derby handle  
Purple flowers



**Cod. RP167-4**

Aluminium with Derby handle  
Circles



**Cod. RP167-5**

Aluminium with Derby handle  
Black and white



**Cod. RP169-1**

ABS and TPR with Derby handle  
Floral



**Cod. RP169-2**

ABS and TPR with Derby handle  
Chevron pattern



**Cod. RP169-3**

ABS and TPR with Derby handle  
Optical blue



**Cod. RP169-5**

ABS and TPR with Derby handle  
Optical black



**Cod. RP169-6**

ABS and TPR with Derby handle  
Tartan



**Cod. RP169-7**

ABS and TPR with Derby handle  
Squared



Technical features

WEIGHT AND DIMENSION										
Product codes	RP167-2	RP167-3	RP167-4	RP167-5	RP169-1	RP169-2	RP169-3	RP169-5	RP169-6	RP169-7
H:	68±90,5 cm									
	100 kg									
Diameter	ø upper : 22 mm - ø lower: 19 mm									

Spare parts



**Cod. RPR755**  
Black tip large base

EN Anodized aluminium walking sticks with non-slip tip  
 F Cannes en aluminium anodisé avec embouts antidérapants  
 ES Muletilas en aluminio anodizado con conteras antideslizantes  
 P Bengalas em alumínio anodizado com pés antideslizantes

**Brio**

**Foldable - Height adjustable**

Cod. **RP145NL**

Cod. **RP145NC**

Wooden grip -  
Black



Cod. **RP145BC**

Wooden grip -  
Bronze



Folded

Cod. **RP159**

Wooden T  
handle -  
woman



Folded

Cod. **RP160-1**

ABS and TPR  
with Derby  
handle  
Tartan



Folded

Cod. **RP160-2**

ABS and TPR  
with Derby  
handle  
Black and  
white



Folded

Cod. **RP160-3**

ABS and TPR  
with Derby  
handle  
Floral



Folded

Technical features

WEIGHT AND DIMENSION							
Product codes	RP145NL	RP145NC	RP145BC	RP160-1	RP160-2	RP160-3	RP159
RDM	2432141			2376904			2432161
H:	82,5÷92,5 cm	77,5÷87,5 cm		68÷89 cm			83÷93 cm
	100 kg						
Diameter	ø upper: 22 mm - ø lower: 19 mm						ø upp. 19 mm ø low. 16 mm

Spare parts



Cod. **RV7029**

Brown tips  
Ø 18 mm - PAIR

Cod. **RV7028**

Black tips  
Ø 18 mm - PAIR

Cod. **RV7038**

Tips RP159  
Ø 18 mm - PAIR

- EN** Anodized aluminium walking sticks with non-slip tip
- F** Cannes en aluminium anodisé avec embouts antidérapants
- ES** Muletillas en aluminio anodizado con conteras antideslizantes
- P** Bengalas em alumínio anodizado com pés antideslizantes

### Height adjustable

**Cod. RP146**

Wooden handle



**Cod. RP148**

Wooden handle



**Cod. RP153S**

Anatomic handle left



**Cod. RP153D**

Anatomic handle right



#### Technical features

WEIGHT AND DIMENSION				
Product codes	RP146	RP148	RP153S	RP153D
H:	79÷102 cm		77,5÷100 cm	
	110 kg			
Diameter	ø upper : 22.2 mm - ø lower: 19 mm			

#### Spare parts



**Cod. RV7029**  
Brown tips  
Ø 18 mm - PAIR  
**Cod. RV7028**  
Black tips  
Ø 18 mm - PAIR

- EN** Tips
- F** Embouts
- ES** Conteras
- P** Ponteirias



**Cod. AU301**

Rubber with heavier base

Tube ø 18-19 mm



**Cod. AU302**

Aluminium - Oscillating

For tubes and metal aids with inner diameter > 16,1 and up to 18,8 mm

- EN** Wooden sticks
- F** Cannes en bois
- ES** Muletillas madera
- P** Bengalas de madera

**T-handle**

**Cod. RP140**

WOMAN  
Beech Wooden  
handle



**Cod. RP141**

WOMAN  
Beech Wooden  
handle Metal ring



**Cod. RP130**

MAN  
Beech Wooden  
handle



**Cod. RP135**

Beech  
Chromed handle  
and ring



**Curved handle**

**Cod. RP115**

WOMAN  
Beech Metal ring  
Methacrylate  
handle



**Cod. RP120**

MAN  
Chestnut  
natural



**Cod. RP110**

MAN  
Chestnut



Technical features

WEIGHT AND DIMENSION



H:

92 cm



90 Kg

Spare parts



**Cod. RV4451**  
Tip nr.16 - Woman - SINGLE

**Cod. RV4452**  
Tip nr.18 - Man - SINGLE

- EN Painted steel pedal exerciser
- F Pedalier pour rééducation en acier verni
- ES Pedalier para rehabilitación en acero pintado
- P Pedaleira para reabilitação em aço pintado

### Foldable with display

Cod. **RP926**



### Crossy Top



#### Technical features

WEIGHT AND DIMENSION	
Outer dimension	49 x 37 x 34 cm
Minimum height (pedals in horizontal position)	27 cm
Maximum height (pedals in upright position)	34 cm

### Foldable

Cod. **RP924**



### Crossy Foldy



#### Technical features

WEIGHT AND DIMENSION	
Outer dimension	49 x 37 x 34 cm
Minimum height (pedals in horizontal position)	27 cm
Maximum height (pedals in upright position)	34 cm

### Standard

Cod. **RP922**



### Crossy Fix



#### Technical features

WEIGHT AND DIMENSION	
Outer dimension	49 x 37 x 34 cm
Minimum height (pedals in horizontal position)	27 cm
Maximum height (pedals in upright position)	34 cm

- EN** Painted steel pedal exercisers
- F** Pedaliers pour rééducation en acier verni
- ES** Pedalieras para rehabilitación en acero pintado
- P** Pedaleiras para reabilitação em aço pintado

**Demountable with fixed handles**

**Crossy** *Up*

Cod. **RP928**



Technical features

WEIGHT AND DIMENSION	
Outer dimension	41,5 x 54,5 x H: 95 cm

**Demountable legs and arms**

**Crossy** *Double*

Cod. **RP929**



Technical features

WEIGHT AND DIMENSION	
Outer dimension	39 x 56 x H: 80,5÷92,5 cm

**For legs and knees, with removable cover**

Cod. **ST381**



It adapts perfectly to the legs while providing ideal alignment for pelvis, knees and spine, enhancing both posture and blood circulation while sleeping. It relieves pressure on the lower back and fits comfortably to the curves of the legs. Hand washable cover at 40°C.

Technical features

SPECIFICATIONS		
Inner	Shaped Memory Foam	
Cover	100% polyester	
DIMENSIONS		
W:	D:	H:
24,5 cm	20 cm	15/9 cm

**Shaped for legs and knees, with removable cover**

Cod. **ST382**



Thanks to the anatomical shape, it adapts perfectly to the legs providing ideal alignment for the pelvis, knees and spine, improving both posture and blood circulation during sleep. It relieves pressure on lower back and fits comfortably to the curves of the legs. Hand washable cover at 40°C.

Technical features

SPECIFICATIONS		
Inner	Moulded Memory Foam	
Cover	100% polyester	
DIMENSIONS		
W:	D:	H:
27 cm	12 cm	28 cm



- EN Positioning cushions
- F Coussins de positionnement
- ES Cojines de posicionamiento
- P Almofadas de posicionamento



### Half cylinders, with removable cover

Cod. **ST350S**  
35 cm



Cod. **ST350L**  
50 cm



Suitable for relieving legs, improving sleep and circulation. They favor spine alignment. Excellent as lumbar support for a comfortable sitting posture. Cover washable by hand at 40°C.

#### Technical features

Product codes	ST350S	ST350L	
<b>SPECIFICATIONS</b>			
Inner	polyurethane		
Cover	100% polyester		
<b>DIMENSIONS</b>			
	↔ W:	↗ D:	↕ H:
ST350S	35 cm	20 cm	10 cm
ST350L	50 cm		

### Twist cylinder, with removable cover

Cod. **ST352**

High adaptability thanks to the inner plastic



Suitable for relieving legs, improving sleep and circulation. It favors spine alignment. Cover washable by hand at 40°C.

#### Technical features

<b>SPECIFICATIONS</b>			
Inner	expanded polyurethane		
Cover	100% polyester		
<b>DIMENSIONS</b>			
	↔ W:	↗ D:	↕ H:
	63 cm	-	Ø 11,5 cm



- EN Positioning cushions
- F Coussins de positionnement
- ES Cojines de posicionamiento
- P Almofadas de posicionamento



## Half cylinder positioning cushions for legs, with removable cover

Cod. **ST383-1** Polyurethane coated cover

Cod. **ST383-2** Polyester cover



*Flame-retardant,  
perspiring, waterproof,  
bi-elastic, non-toxic,  
hypoallergenic*



Suitable for relieving legs, improving sleep and circulation. Hand washable cover at 40°C.

### Technical features

Product codes	ST383-1	ST383-2
SPECIFICATIONS		
Inner	polyurethane D28 cut	
Cover	100% polyurethane	100% polyester
DIMENSIONS		
W:	D:	H:
50 cm	24,5 cm	9,5 cm



## Ergonomic, triangular, with removable cover

Cod. **ST385-1** Polyurethane coated cover

Cod. **ST385-2** Polyester cover



Suitable for lateral body positioning during sleep. Indicated for post-operative care, for medical assistance, home care or physiotherapy. Ideal to avoid rolling during sleep. Hand washable cover at 40°C.



### Technical features

Product codes	ST385-1	ST385-2
SPECIFICATIONS		
Inner	polyurethane D36 cut	
Cover	100% polyurethane	100% polyester
DIMENSIONS		
W:	D:	H:
60 cm	25 cm	20 cm



- EN Positioning cushions for legs and back
- F Coussins de positionnement pour jambes et dos
- ES Cojines posicionadores para piernas y espalda
- P Almofadas de posicionamento para pernas e costas



### Ergonomic, shaped back and leg positioner, with removable cover

Cod. **ST386-1** Polyurethane coated cover

Cod. **ST386-2** Polyester cover



Its shape fits perfectly to the legs, favoring better blood circulation of the lower limbs. Suitable for limbs relaxation after trauma and in cases requiring higher position than the torso, tired and/or swollen legs, legs' pain, circulation problems, pre and post pregnancy, phlebitis, calf cramps. Ideal for those suffering from gastroesophageal reflux. Hand washable cover at 40°C.

#### Technical features

Product codes	ST386-1	ST386-2
<b>SPECIFICATIONS</b>		
Inner	Cut polyurethane base, upper side 2 cm memory foam	
Cover	100% polyurethane	100% polyester
<b>DIMENSIONS</b>		
W:	D:	H:
67 cm	54 cm	20 cm



### Ergonomic, multifunction, with removable cover

Cod. **ST387-1** Polyurethane coated cover

Cod. **ST387-2** Polyester cover



*Flame-retardant, perspiring, waterproof, bi-elastic, non-toxic, hypoallergenic*



Versatile and suitable for use in many different combinations as a positioner for legs and back. For relaxation and reading, usable both on the bed and on the sofa, it helps to keep neck, shoulders and lower back aligned. Ideal for those suffering from gastroesophageal reflux. Hand washable cover at 40°C.

#### Technical features

Product codes	ST387-1	ST387-2
<b>SPECIFICATIONS</b>		
Inner	cut polyurethane D36	
Cover	100% polyurethane	100% polyester
<b>DIMENSIONS</b>		
W:	D:	H:
50 cm	61 cm	1 - 27 cm



- EN** Multi-purpose orthopedic backrest
- F** Coussin de dossier orthopédique polyvalent
- ES** Cojín de respaldo ortopédico versátil
- P** Almofada ortopédica versátil



**With removable cover**

Cod. **ST388-1** Polyurethane coated cover

Cod. **ST388-2** Polyester cover



*Flame-retardant,  
perspiring, waterproof,  
bi-elastic, non-toxic,  
hypoallergenic*

Practical support suitable for reading, eating and watching TV, comfortably in bed. Indicated for long-lasting bedridden subjects, during breastfeeding and for elderly people. Hand washable cover at 40°C.

Technical features

Product codes	ST388-1	ST388-2
<b>SPECIFICATIONS</b>		
Inner	polyurethane D27 cut	
Cover	100% polyurethane	100% polyester
<b>DIMENSIONS</b>		
W:	D:	H:
60 cm	60 cm	45 cm



- EN Patient turning cushion
- F Coussin de retournement du patient
- ES Cojín giratorio para pacientes
- P Almofada giratória do paciente

**Inflatable, with removable cover**

Cod. **ST390**



Technical features

SPECIFICATIONS	
Inner	medical PVC
Cover	100% polyester

DIMENSIONS*		
W:	D:	H:
49 cm	40 cm	15 cm

\*Measures may change depending on used pressure

### Lumbar support, with removable cover

Cod. **ST346**



Suitable for traveling or working. It is used between seat backrest and lower back to give back support and help maintaining correct posture. Helpful for reducing back pain when sitting or driving for a long time. Complete with adjustable strap. Hand washable cover at 30°C.



#### Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
↔ W:	↗ D:	↕ H:
33 cm	35 cm	9/3 cm

### Swivel

Cod. **ST340**



For people with movement difficulties, to get out of the car, from bed or get up from chair. Anti-sliding base, padded seat, rotary on rigid internal support, reducing the user's effort.



#### Technical features

SPECIFICATIONS		
Upper surface	100% cotton	
Inner	100% polyester	
Base	non-slip	
DIMENSIONS		
↔ W:	↗ D:	↕ H:
44 cm	44 cm	4 cm

### Wedge-shaped, with removable cover

Cod. **ST345**



The wedge shape allows an uniform weight distribution on all the seating surface and helps keeping the natural curve of the spine, so to get a more comfortable sitting posture and reduce fatigue and stress.



#### Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
↔ W:	↗ D:	↕ H:
41 cm	41 cm	7,5/3 cm

### Anatomic, with removable cover

Cod. **ST356**



Indicated for long-term patients and post-operative care. Recommended for people needing a pillow with appropriate ischial discharges. Anatomical shape with hole. Usable on any flat surface. Hand washable cover at 30°C.



#### Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
W:	D:	H:
42 cm	38,5 cm	2,5 - 8,5 cm

### Antiprostatitis, with removable cover

Cod. **ST355**



Indicated for long-term patients and post-operative care. Suitable for motorists and sedentary people as a preventive aid for prostatitis and for cases where a suitable pillow with appropriate ischial discharges is recommended. Anatomical shape with hole. Usable on any flat surface. Hand washable cover at 30°C.



#### Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
W:	D:	H:
44 cm	37,5 cm	7,5 cm

### U-shaped, with removable cover

Cod. **ST336**

Ad U



Indicated to give relief in case of post-operative care, decubitus sores, hemorrhoids and prostatitis. Usable on any flat surface and suitable for long car journeys. Hand washable cover at 30°C.



#### Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
W:	D:	H:
41 cm	51 cm	8 cm

**With removable cover**

Cod. **ST332-44**

Round  $\varnothing$  44 cm

Cod. **ST335-41**

Oval - W: 41 cm

Cod. **ST335-48**

Oval - W: 48 cm



Indicated to give relief in case of post-operative care, decubitus sores, hemorrhoids and prostatitis. Usable on any flat surface and suitable for long car journeys. Hand washable cover at 30°C.

Technical features

Product codes	ST332-44	ST335-41	ST335-48
<b>SPECIFICATIONS</b>			
Inner	moulded polyurethane		
Cover	100% polyurethane		
<b>DIMENSIONS</b>			
	↔ W:	↗ D:	↕ H:
ST332-44	-	-	44 cm
ST335-41	41 cm	32 cm	-
ST335-48	48 cm	38 cm	8 cm

**Inflatable**

Cod. **ST304**  $\varnothing$  40 cm

Cod. **ST305**  $\varnothing$  42,5 cm

Cod. **ST306**  $\varnothing$  45 cm



Technical features

Product codes	ST304	ST305	ST306
<b>SPECIFICATIONS</b>			
Material	rubber		
<b>DIMENSIONS</b>			
∅	40 cm	42,5 cm	45 cm

Indicated to give relief in case of post-operative care, decubitus sores, hemorrhoids and prostatitis. Usable on any flat surface and suitable for long car journeys.

- EN** Handy grip
- F** Pinces de préhension
- ES** Pinzas recogedoras
- P** Pinças para apanhar objetos

Prenz

### Anodized aluminium

Cod. **AU120**

Handy grip  
67 cm



Rotating head with hook and small magnet. Do not grab objects weighing more than 2 kg.

Cod. **AU121**

Handy grip  
55 cm

Antibrachial rest



Rotating head with non-slip suction cups. Do not grab objects weighing more than 2 kg.

Cod. **AU122**

Handy grip  
71 cm



Rotating head with non-slip rubber coated fork. Do not grab objects weighing more than 2 kg.


Cod. **AU123**

Handy grip  
74 cm



Head with serrated ends. Do not grab objects weighing more than 2 kg.

### Technical features



- EN** Cervical collars
- F** Collier cervicaux
- ES** Collarines
- P** Colares cervicais

## Rigid - Schanz type - Polyester and vinyl

### Series **RP180**

Without chin rest



### Series **RP181**

With chin rest



Perspiration holes  
Height and length with velcro adjustable

#### Technical features

Product codes	<b>RP180S</b>	<b>RP180M</b>	<b>RP180L</b>	<b>RP180XL</b>
Size	<i>Small</i>	<i>Medium</i>	<i>Large</i>	<i>Extra large</i>
<b>DIMENSION</b>				
W:	35÷40 cm	40÷46 cm	46÷54 cm	54÷60 cm
H:	9,5 cm	10,5 cm	12 cm	13 cm

#### Technical features

Product codes	<b>RP181S</b>	<b>RP181M</b>	<b>RP181L</b>
Size	<i>Small</i>	<i>Medium</i>	<i>Large</i>
<b>DIMENSION</b>			
W:	35÷40 cm	40÷46 cm	46÷54 cm
H:	11,5 cm	12,5 cm	13 cm

## Soft in foam

### Series **RP182**

3 heights available




Hypoallergenic tissue  
Length adjustable with velcro

## Semi-rigid in foam

### Series **RP183**

Internal plastic support



#### Technical features

Product codes	<b>RP182S-06</b> <b>RP182S-08</b> <b>RP182S-10</b>	<b>RP182M-06</b> <b>RP18M-08</b> <b>RP182M-10</b>	<b>RP182L-06</b> <b>RP18L-08</b> <b>RP182L-10</b>
Size	<i>Small</i>	<i>Medium</i>	<i>Large</i>
<b>DIMENSION</b>			
W:	40 cm	44 cm	48 cm
H:	6-8-10 cm	6-8-10 cm	6-8-10 cm

#### Technical features

Product codes	<b>RP183S</b>	<b>RP183M</b>	<b>RP183L</b>
Size	<i>Small</i>	<i>Medium</i>	<i>Large</i>
<b>DIMENSION</b>			
W:	40 cm	44 cm	48 cm
H:	7 cm	8 cm	9 cm

- EN** Arm sling
- F** Bandage d'immobilisation bras
- ES** Cabestrillo
- P** Inmovilizador de brazo

### Cotton

Cod. **RP170** *Small*

Cod. **RP171** *Medium*

Cod. **RP172** *Large*



### In foam - Covered with hypoallergenic tissue

Cod. **RP175** *Unique size*



#### Technical features

Product codes	RP170	RP171	RP172
<b>DIMENSION</b>			
 W:	34 cm	35,5 cm	37 cm
 H:	19,5 cm	20 cm	22 cm

**Open toe, rigid outsole**

Series **SC100**



**AMBIDEXTROUS**  
 Sandal with adjustable closure



Removable upper part



Completely openable

Technical features

Product codes	SC100-XS	SC100-S	SC100-M	SC100-L	SC100-XL	SC100-XXL
<b>DIMENSION</b>						
Measures	35/36	37/38	39/40	41/42	43/44	45/46
Sizes	XS	S	M	L	XL	XXL

**Baruk type**

Series **SC110**



**AMBIDEXTROUS**  
 Edgeless with adjustable closure



Technical features

Product codes	SC110-XS	SC110-S	SC110-M	SC110-L	SC110-XL	SC110-XXL
<b>DIMENSION</b>						
Measures	35/36	37/38	39/40	41/42	43/44	45/46
Sizes	XS	S	M	L	XL	XXL

- EN Post surgery shoes
- F Chaussures post-opératoires
- ES Zapatos postoperatorios
- P Zapatos pós-cirúrgicos

**4U**soft

**Complete opening - rigid outsole**

Series **SC120**

Back opening



**AMBIDEXTROUS**  
Slipper, fully openable and adjustable



Frontal opening



Completely openable with velcro closure

Technical features

Product codes	SC120-XS	SC120-S	SC120-M	SC120-L	SC120-XL	SC120-XXL
<b>DIMENSION</b>						
Measures	35/36	37/38	39/40	41/42	43/44	45/46
Sizes	XS	S	M	L	XL	XXL

- EN Plaster shoe
- F Chaussure de plâtre
- ES Bota para yeso
- P Sapato para gesso

**4U**soft

**Denim-like fabric**

Series **SC300**



**AMBIDEXTROUS**



Technical features

Product codes	SC300-XS	SC300-S	SC300-M	SC300-L	SC300-XL	SC300-XXL
<b>DIMENSION</b>						
Measures	35/36	37/38	39/40	41/42	43/44	45/46
Sizes	XS	S	M	L	XL	XXL

**Stretch material - Pair**

Series **SC200**



Rigid reinforced heel



Frontal opening

Technical features

Product codes	SC200-35	SC200-36	SC200-37	SC200-38	SC200-39	SC200-40	SC200-41	SC200-42	SC200-43	SC200-44	SC200-45
DIMENSION											
Measures	35	36	37	38	39	40	41	42	43	44	45
L:	23,1 cm*	23,7 cm*	24,4 cm*	25,1 cm*	25,7 cm*	26,4 cm*	27,1 cm*	27,8 cm*	28,4 cm*	29,1 cm*	29,8 cm*

\*Foot area. Tolerance  $\pm 0.5$  cm

**Complete opening - Pair**

Series **SC210**



Adjustable heel closure



Frontal opening



Completely openable with velcro closure

Technical features

Product codes	SC210-35	SC210-36	SC210-37	SC210-38	SC210-39	SC210-40	SC210-41	SC210-42	SC210-43	SC210-44	SC210-45
DIMENSION											
Measures	35	36	37	38	39	40	41	42	43	44	45
L:	23,1 cm*	23,7 cm*	24,4 cm*	25,1 cm*	25,7 cm*	26,4 cm*	27,1 cm*	27,8 cm*	28,4 cm*	29,1 cm*	29,8 cm*

\*Foot area. Tolerance  $\pm 0.5$  cm

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno



Cod. **LAD462** Bubble mattress and pump with regulation **kit**

Cod. **LAR052** Only bubble mattress with flaps

Cod. **LAR242** Only Piuma Up pump with regulation

**FUNCTIONS**



ALTERNATING



Suitable for the prevention and treatment of **I STAGE** decubitus sores. Pump with pressure regulation according to the patient's weight.

Technical features

SPECIFICATION	
<b>Mattress</b>	
Material	Medical PVC
Material thickness	0,70 mm
Inflated cell minimum height	7,6 cm
Number of cells	130
Flaps	50 cm
<b>Compressor</b>	
Power	220V / 50-60 Hz
Pressure	40-100 mmHg
Power cable	2 m
Air release	6-7 l/mn
Cycle time	6 minutes
Noise	32-34 dB

WEIGHT AND DIMENSION					
	W:	D:	H:	Kg	
<b>Compressor</b>	27 cm	13 cm	10,5 cm	1,1 kg	-
<b>Mattress without flaps</b>					
<b>While functioning</b>	200 cm	90 cm	7,6 cm	2,3 kg	135 kg

Spare parts



Cod. **LTM670**  
Spare tube for **LAR052**



Cod. **RV355**  
Mending kit for **LAR052**

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno



## Double bubble mattress in PVC and pump with regulation

Cod. **LAD464** PVC bubble mattress and pump with regulation kit

Cod. **LAR054** Only bubble mattress with flaps

Cod. **LAR242** Only Piuma Up pump with regulation

### FUNCTIONS



ALTERNATING



Suitable for the prevention and treatment of **I STAGE** decubitus sores. Pump with pressure regulation according to the patient's weight. PU cover **OPTIONAL**.

### Technical features

SPECIFICATION		WEIGHT AND DIMENSION				
<b>Mattress</b>		W:  D:  H:  kg				
Material	Medical PVC	<b>Compressor</b>	27 cm	13 cm	10,5 cm	1,1 kg -
Material thickness	0,70 mm	<b>Mattress without flaps</b>				
Inflated cell minimum height	15,2 cm	While functioning	200 cm	90 cm	15,2 cm	4,6 kg 145 kg
Number of cells	260	<b>Spare parts</b>				
Flaps	50 cm	<b>Optional</b>				
<b>Compressor</b>						
Power	220V / 50-60 Hz	Cod. <b>LTM670</b> Spare tube for <b>LAR054</b>		Cod. <b>RV355</b> Mending kit for <b>LAR054</b>		Cod. <b>LAR306</b> PU standard cover for <b>LAR054</b>
Pressure	40-100 mmHg					
Power cable	2 m					
Air release	6-7 l/mn					
Cycle time	6 minutes					
Noise	32-34 dB					

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno



## Interchangeable cells mattress and pump with pressure regulation

**Cod. LAD463** Kit interchangeable cells mattress and pump with pressure regulation

**Cod. LAR053** Only mattress in Nylon + PVC

**Cod. LAR243** Only Piuma Up compressor with regulation

### FUNCTIONS



ALTERNATING



Suitable for the prevention and treatment of **II STAGE** decubitus sores. Alternating cycle 12 min. Pump with pressure regulation according to the patient's weight. Cells fixed with buttons, easy to change in case of damage, and washable. PU or stretch cover **OPTIONAL**.

### Technical features

SPECIFICATION	
<b>Mattress</b>	
Material	Nylon®/PVC
Material thickness	0,32 mm
Cell height	About 10,2 cm / 4"
Number of cells	20
Flaps	50 cm
<b>Compressor</b>	
Power	220V / 50-60 Hz
Pressure	40-100 mmHg
Power cable	2 m
Air release	6-7 l/mn
Cycle time	12 minutes
Noise	32 - 34 dB

WEIGHT AND DIMENSION					
	W:	D:	H:	Kg	Icon
<b>Compressor</b>	27 cm	13 cm	10,5 cm	1 kg	-
<b>Mattress without flaps</b>					
While functioning	200 cm	86 cm	10,2* cm 12** cm	3,8 kg	145 kg

\* Spare cell only  
\*\* Support base included

#### Spare parts



Cod. LAR204  
Spare cell LAR053

#### Accessories



Cod. LAR304  
PU cover for LAR053



Cod. LAR305  
Stretch cover for LAR053

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón anti-escaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor altermo



## Interchangeable cells mattress and pump with pressure regulation


### Nylon + PVC mattress

Cod. **LAD468** Complete kit

Cod. **LAR400** Only mattress in Nylon + PVC

Cod. **LAR244** Only Piuma Up 2 compressor with regulation

#### FUNCTIONS



H 13 cm

Pillow function in the first 3 mattress' elements

2 plastic-coated metal hooks

**17 ELEMENTS**

Suitable for prevention and treatment of decubitus sores **STAGE III**. The first three elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. Compressor is equipped with manual pressure regulation, visual alarm and sound for low pressure and interchangeable air filter.

#### Technical features

SPECIFICATION	
<b>Compressor</b>	
Power	220V / 50-60 Hz
Pressure	40-100mmHg
Power cable	2 m
Air release	6-7LPM
Cycle time	12 min
Fuse	T1A 250V
Noise	30-35 dB
<b>Mattress</b>	
Material	Nylon+PVC
Number of cells	17 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

WEIGHT AND DIMENSION				
	W:	D:	H:	
<b>Compressor</b>	27 cm	13 cm	10,5 cm	-
<b>Mattress while functioning</b>	196 cm	86 cm	13 cm	160 kg

#### Spare parts

**Spare cell**  
Cod. **LAR720**  
Nylon+PVC  
Cod. **LAR722**  
Micro perforated  
Nylon+PVC



Cod. **LAR707**  
Nylon + PU cover

#### Accessories



Cod. **LAR708**  
Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón anti-escaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno



## Interchangeable cells mattress and pump with pressure regulation

### Nylon + PVC mattress

- Cod. **LAD470** Complete kit
- Cod. **LAR401** Only mattress in Nylon + PVC
- Cod. **LAR710** Only Piuma Up 3 compressor

### Nylon + TPU mattress

- Cod. **LAD471** Complete kit
- Cod. **LAR402** Only mattress in Nylon + TPU
- Cod. **LAR710** Only Piuma Up 3 compressor


### FUNCTIONS



### SOUND AND VISUAL ALARMS




CPR valve



8 central cells with micro-holes

**H 13 cm**

Pillow function in the first 3 mattress' elements



**17 ELEMENTS**



Hooks to hang the compressor to the bed



Quick connector with cap



Transport function

Suitable for prevention and treatment of decubitus sores **STAGE III**. The first three elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. Compressor is equipped with manual pressure regulation, visual alarm and sound for low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Mattress/compressor connection through fast connectors with cap, in case of patient transport.

### Technical features

PIUMA UP 3 SERIES	
Product codes	<b>LAD470</b>   <b>LAD471</b>
<b>SPECIFICATIONS</b>	
<b>Compressor</b>	
Power	220V / 50 Hz
Pressure	55-120mmHg
Power cable	5 m
Air release	7.5/8.5LPM
Cycle time	12 min
Fuse	T1A 250V
Noise	30-35 dB
<b>Mattress</b>	
Material	Nylon+PVC (for LAD470 mattress) Nylon+TPU (for LAD471 mattress)
Elements no.	17 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

### DIMENSIONS AND WEIGHT

	W:	D:	H:	
<b>Compressor</b>	30 cm	13,5 cm	11 cm	-
<b>Mattress while functioning</b>	196 cm	86 cm	13 cm	160 kg

### Spare parts

- Spare cell**
- Cod. **LAR720**  
Nylon+PVC
- Cod. **LAR721**  
Nylon+TPU
- Cod. **LAR722**  
Micro perforated Nylon+PVC
- Cod. **LAR723**  
Micro perforated Nylon+TPU



Cod. **LAR700**  
Nylon + PU cover

### Accessories



Cod. **LAR702**  
Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

EN Alternating Therapy kit mattress and pump  
 F Kit matelas anti-escarres et compresseur à cycle alterné  
 ES Kit colchón antiescaras y compresor de aire alternante  
 P Kit colchão anti-escaras e compresor alterno



## Interchangeable cells mattress and pump with pressure regulation

### Nylon + PVC mattress

Cod. **LAD475** Complete kit

Cod. **LAR403** Only mattress in Nylon + PVC

Cod. **LAR711** Only Piuma Up 3 compressor

### Nylon + TPU mattress

Cod. **LAD476** Complete kit

Cod. **LAR404** Only mattress in Nylon + TPU

Cod. **LAR711** Only Piuma Up 3 compressor

### FUNCTIONS



### SOUND AND VISUAL ALARMS



CPR valve

Pillow function in the first 3 mattress' elements

8 central cells with micro-holes

H 20,3 cm

20 ELEMENTS



Quick connector with cap



Hooks to hang the compressor to the bed

Transport function

Suitable for prevention and treatment of decubitus sores **STAGE IV**. The first four elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. The height of the elements allows to use the mattress without using an additional mattress. The elements are made with the CELL-ON-CELL technique which divides the section in two single modules of which the lower one remains constantly inflated in order to avoid an excessive BOTTOM-OUT effect (sinking), and ensure safety in the event of a power failure. The compressor is equipped with manual pressure regulation, visual and audible alarm for the low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Connection mattress/compressor through fast connectors with cap, usable in case of patient transport.

### Technical features

PIUMA UP 3 SERIES	
Product codes	<b>LAD475</b> <b>LAD476</b>
SPECIFICATIONS	
<b>Compressor</b>	
Power	220V / 50 Hz
Pressure	55-120mmHg
Power cable	5 m
Air release	7.5/8.5LPM
Cycle time	12 min
Fuse	T1A 250V
Noise	30-35 dB
<b>Mattress</b>	
Material	Nylon+PVC (for LAD475 mattress) Nylon+TPU (for LAD476 mattress)
Elements no.	20 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

### DIMENSIONS AND WEIGHT

	W:	D:	H:	
Compressor	30 cm	13,5 cm	11 cm	-
Mattress while functioning	200 cm	86 cm	21 cm	200 kg

### Spare parts

#### Spare cell

Cod. **LAR724**

Nylon+PVC

Cod. **LAR725**

Nylon+TPU

Cod. **LAR726**

Micro perforated Nylon+PVC

Cod. **LAR727**

Micro perforated Nylon+TPU



Cod. **LAR701**

Nylon + PU cover



Cod. **LAR703**

Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón anti-escaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno



## Interchangeable cells mattress and pump with pressure regulation

### Nylon + PVC mattress

- Cod. **LAD480** Complete kit
- Cod. **LAR403** Only mattress in Nylon + PVC
- Cod. **LAR712** Only Piuma Up 4 compressor

### Nylon + TPU mattress

- Cod. **LAD481** Complete kit
- Cod. **LAR404** Only mattress in Nylon + TPU
- Cod. **LAR712** Only Piuma Up 4 compressor

### FUNCTIONS


- ALTERNATING
- MAX FIRM
- CONTROL PANEL LOCK
- STATIC
- SEAT INFLATE
- CYCLE TIME
- ALARM DEACTIVATION

### SOUND AND VISUAL ALARMS

- LOW PRESSURE
- POWER FAILURE ALARM
- MAINTENANCE



CPR valve



8 central cells with micro-holes

**H 20,3 cm**

Pillow function in the first 4 mattress' elements



Quick connector with cap



Transport function



Hooks to hang the compressor to the bed

**20 ELEMENTS**

Suitable for prevention and treatment of decubitus sores **STAGE IV**. The first four elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. The height of the elements allows to use the mattress without using an additional mattress. The elements are made with the CELL-ON-CELL technique which divides the section in two single modules of which the lower one remains constantly inflated in order to avoid an excessive BOTTOM-OUT effect (sinking), and ensure safety in the event of a power failure. The digital compressor is equipped with pressure and cycle duration adjustment, visual and audible alarm for low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Connection mattress/compressor through fast connectors with cap, usable in case of patient transport.

### Technical features

PIUMA UP 4 SERIES	
Product codes	<b>LAD480</b>   <b>LAD481</b>
<b>SPECIFICATIONS</b>	
<b>Compressor</b>	
Power	220V / 50 Hz
Pressure	55-120mmHg
Power cable	5 m
Air release	8/9LPM
Cycle time	Adjustable 10-15-20-25 min
Fuse	T1A 250V
Noise	20-25 dB
<b>Mattress</b>	
Material	Nylon+PVC (for LAD480 mattress) Nylon+TPU (for LAD481 mattress)
Elements no.	20 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

DIMENSIONS AND WEIGHT				
	W:	D:	H:	
<b>Compressor</b>	30 cm	13,5 cm	11 cm	-
<b>Mattress while functioning</b>	200 cm	86 cm	21 cm	200 kg

### Spare parts

- Spare cell**
- Cod. **LAR724** Nylon+PVC
- Cod. **LAR725** Nylon+TPU
- Cod. **LAR726** Micro perforated Nylon+PVC
- Cod. **LAR727** Micro perforated Nylon+TPU



Cod. **LAR701**  
Nylon + PU cover

### Accessories



Cod. **LAR703**  
Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno



## Interchangeable cells mattress and pump with pressure regulation

### Nylon + TPU mattress

Cod. **LAD490** Complete kit

Cod. **LAR406** Only mattress in Nylon + TPU

Cod. **LAR712** Only Piuma Up 4 compressor

#### FUNCTIONS


-  **ALTERNATING**
-  **MAX FIRM**
-  **CONTROL PANEL LOCK**
-  **STATIC**
-  **SEAT INFLATE**
-  **CYCLE TIME**
-  **ALARM DEACTIVATION**

#### SOUND AND VISUAL ALARMS

-  **LOW PRESSURE**
-  **POWER FAILURE ALARM**
-  **MAINTENANCE**



CPR valve



8 central cells with micro-holes



H 20,3 cm



20 ELEMENTS

120 cm width

Pillow function in the first 4 mattress' elements



Quick connector with cap



Transport function



Hooks to hang the compressor to the bed

Suitable for prevention and treatment of decubitus sores **STAGE IV**. The first four elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. The height of the elements allows to use the mattress without using an additional mattress. The elements are made with the CELL-ON-CELL technique which divides the section in two single modules of which the lower one remains constantly inflated in order to avoid an excessive BOTTOM-OUT effect (sinking), and ensure safety in the event of a power failure. The digital compressor is equipped with pressure and cycle duration adjustment, visual and audible alarm for low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Connection mattress/compressor through fast connectors with cap, usable in case of patient transport.

#### Technical features

SPECIFICATIONS	
<b>Compressor</b>	
Power	220V / 50 Hz
Pressure	50-120mmHg
Power cable	5 m
Air release	8/9LPM
Cycle time	Adjustable 10-15-20-25 min
Fuse	T1A 250V
Noise	20-25 dB
<b>Materasso</b>	
Material	Nylon+TPU
Elements no.	20 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

DIMENSIONS AND WEIGHT				
	 W:	 D:	 H:	
<b>Compressor</b>	30 cm	13,5 cm	11 cm	-
<b>Mattress while functioning</b>	200 cm	120 cm	20,3 cm	200 kg

#### Spare parts

##### Spare cell

Cod. **LAR728**

Nylon+TPU

Cod. **LAR729**

Micro perforated

Nylon+TPU



Cod. **LAR706**

Nylon + PU cover

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón anti-escaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno



## Interchangeable cells mattress and pump with pressure regulation

### Nylon + TPU mattress

Cod. **LAD491**

Complete kit

Cod. **LAR405**

Only mattress in Nylon + TPU

Cod. **LAR712**

Only Piuma Up 4 compressor

### FUNCTIONS

- ALTERNATING
- MAX FIRM
- STATIC
- SEAT INFLATE
- CYCLE TIME
- ALARM DEACTIVATION
- CONTROL PANEL LOCK

### SOUND AND VISUAL ALARMS

- LOW PRESSURE
- POWER FAILURE ALARM
- MAINTENANCE



Pillow function in the first 4 mattress' elements

H 20,3 cm

8 central cells with micro-holes

**21 ELEMENTS**  
Lenght 208 cm

Hooks to hang the compressor to the bed

Quick connector with cap

Transport function

Suitable for prevention and treatment of decubitus sores **STAGE IV**. The first four elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. The height of the elements allows to use the mattress without using an additional mattress. The elements are made with the CELL-ON-CELL technique which divides the section in two single modules of which the lower one remains constantly inflated in order to avoid an excessive BOTTOM-OUT effect (sinking), and ensure safety in the event of a power failure. The digital compressor is equipped with pressure and cycle duration adjustment, visual and audible alarm for low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Connection mattress/compressor through fast connectors with cap, usable in case of patient transport.

### Technical features

PIUMA UP 4 SERIES	
Product codes	<b>LAD491</b>
SPECIFICATIONS	
<b>Compressor</b>	
Power	220V / 50 Hz
Pressure	55-120mmHg
Power cable	5 m
Air release	8/9LPM
Cycle time	Adjustable 10-15-20-25 min
Fuse	T1A 250V
Noise	20-25 dB
<b>Mattress</b>	
Material	Nylon + TPU
Elements no.	21 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

DIMENSIONS AND WEIGHT				
	W:	D:	H:	
<b>Compressor</b>	30 cm	13,5 cm	11 cm	-
<b>Mattress while functioning</b>	208 cm	86 cm	21 cm	200 kg

### Spare parts

- Spare cell**
- Cod. **LAR724**  
Nylon+PVC
- Cod. **LAR725**  
Nylon+TPU
- Cod. **LAR726**  
Micro perforated Nylon+PVC
- Cod. **LAR727**  
Micro perforated Nylon+TPU



Cod. **LAR704**  
Nylon + PU cover

### Accessories



Cod. **LAR705**  
Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump DOMUS 1
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 1
- ES** Kit colchón anti-escaras y compresor de aire alternante DOMUS 1
- P** Kit colchão anti-escaras e compressor altermo DOMUS 1

## Bubble mattress in PVC and pump with regulation

Cod. **LAD662** Complete kit

Cod. **LAR052** Only bubble mattress with flaps

Cod. **LAR262** Only Domus 1 pump with regulation

### FUNCTIONS



ALTERNATING



Suitable for the prevention and treatment of I STAGE decubitus sores. Pump with pressure regulation according to the patient's weight.

### Technical features

SPECIFICATION		WEIGHT AND DIMENSION											
<b>Mattress</b>		↔ W:		↗ D:		↕ H:		Kg		Person			
Material	Medical PVC	27 cm		13 cm		10,5 cm		1 kg		-			
Material thickness	0,60 mm (± 0,02%)	<b>Mattress without flaps</b>											
Layer thickness	0,32 mm	While functioning		196 cm		90 cm		7 cm		2 kg		100 kg	
Inflated cell minimum height	~ 7 cm	Deflated		234 cm		100 cm		-		2 kg		100 kg	
<b>Compressor</b>		Spare parts											
Power	230V / 50Hz												
Pressure	30-80 mmHg (2psi)	Cod. <b>LTM670</b>		Cod. <b>RV355</b>									
Power cable	3,3 m	Spare tube for LAR052		Mending kit for LAR052									
Air release	> 4 l/mn												
Cycle time	9,6 minutes												
Noise	≤ 36 dB												

- EN** Alternating Therapy kit mattress and pump DOMUS 2
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 2
- ES** Kit colchón anti-escaras y compresor de aire alternante DOMUS 2
- P** Kit colchão anti-escaras e compressor alterno DOMUS 2

## Interchangeable cells mattress and pump with pressure regulation

- Cod. LAD663** Complete kit
- Cod. LAR163** Only mattress in Nylon + PVC
- Cod. LAR263** Only Domus 2 compressor with regulation

### FUNCTIONS



Suitable for the prevention and treatment of **II STAGE** decubitus sores. Pump with pressure regulation according to the patient's weight. Cells fixed with buttons, easy to change in case of damage, and washable. Nylon+PU cover **OPTIONAL**.

### Technical features

SPECIFICATION	
<b>Mattress</b>	
Material	Nylon®/PVC
Layer thickness	0,32 mm
Inflated cell height	9,5 cm
Number of cells	18
<b>Compressor</b>	
Power	230V / 50Hz
Pressure	30-80 mmHg
Power cable	3 m
Air release	> 4 l/mn
Cycle time	9,6 minutes
Noise	32-34 dB

WEIGHT AND DIMENSION					
	W:	D:	H:	kg	
<b>Compressor</b>	27 cm	13 cm	10,5 cm	1 kg	-
<b>Mattress While functioning</b>	190 cm	80 cm	10,5 cm	3,5 kg	140 kg

#### Spare parts



Cod. **LAR210**  
Spare cell for **LAR163**



Cod. **LTM670**  
Spare tube for **LAR052**


#### Optional



Cod. **LAR363**  
Nylon+PU cover for **LAR163**

- EN** Alternating Therapy kit mattress and pump DOMUS 3
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 3
- ES** Kit colchón anti-escaras y compresor de aire alternante DOMUS 3
- P** Kit colchão anti-escaras e compressor alterno DOMUS 3

## Interchangeable cells mattress and pump with pressure regulation




**2 ways**

Cod. **LAD670-2** Complete kit

Cod. **LAR170** Only mattress

Cod. **LAR270-2** Only Domus 3 compressor



**3 ways**

Cod. **LAD670-3** Complete kit

Cod. **LAR173** Only mattress

Cod. **LAR270-3** Only Domus 3 compressor

### FUNCTIONS



ALTERNATING



STATIC

### SOUND AND VISUAL ALARMS



LOW PRESSURE



Hooks to hang the compressor to the bed



Suitable for prevention and treatment of decubitus sores **STAGE III**. The mattress has the cushion function on the first 3 elements. The rest of the mattress is divided in 2 sections working alternating with 2 or 3 ways. Nylon/PU cover perspiring and waterproof included. Rings for cable and belts to fix the mattress to the bed. **Compressor** filters interchangeable.

### Technical features

SPECIFICATION		WEIGHT AND DIMENSION					
<b>Compressor</b>		↔ W:	↗ D:	↕ H:	⚖ Kg	👤 Person	
Power	220-240V / 50 Hz	<b>Packaging</b>	35 cm	48 cm	49 cm	-	-
Pressure	30-80mmHg	<b>Compressor</b>	28 cm	12,6 cm	18,5 cm	2,2 kg	-
Power cable	4,9 m	<b>Mattress While functioning</b>	200 cm	90 cm	13 cm	5,2 kg	180 kg
Air release	> 8 l/mn	<b>Spare parts</b>		<b>Optional</b>			
Cycle time	9,6 minutes						
Fuse	T1AL 250V	Cod. <b>LAR211</b>	Cod. <b>LAR217</b>	Cod. <b>LAR370</b>			
Noise	≤ 30 dB	Spare cell	Spare cell with micro-hole	Nylon+PU cover			
<b>Mattress LAR170 and LAR173</b>							
Material	Nylon® + TPU perspiring/ waterproof						
Number of cells	17 (9 with micro-holes)						
CPR valve	About 35 sec. deflation						

- EN** Alternating Therapy kit mattress and pump DOMUS 3
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 3
- ES** Kit colchón anti-escaras y compresor de aire alternante DOMUS 3
- P** Kit colchão anti-escaras e compressor alterno DOMUS 3

## Interchangeable cells mattress and pump with pressure regulation

Cod. **LAD672-2** Complete kit

Cod. **LAR171** Only mattress

Cod. **LAR270-2** Only Domus 3 compressor

### FUNCTIONS



ALTERNATING



STATIC

### SOUND AND VISUAL ALARMS



LOW PRESSURE



Hooks to hang the compressor to the bed



Suitable for prevention and treatment of decubitus sores **STAGE III**. The mattress is working alternating with 2 ways. Nylon/PU cover perspiring and waterproof included. Rings for cable and belts to fix the mattress to the bed. **Compressor** filters interchangeable.

### Technical features

SPECIFICATION	
<b>Compressor</b>	
Power	220-240V / 50 Hz
Pressure	30-80mmHg
Power cable	4,9 m
Air release	> 8 l/mn
Cycle time	9,6 minutes
Fuse	T1AL 250V
Noise	≤ 30 dB
<b>Mattress</b>	
Material	Nylon® + TPU perspiring/waterproof
Number of cells	17 (9 with micro-holes)
CPR valve	About 35 sec. deflation

### WEIGHT AND DIMENSION

	↔ W:	↗ D:	↕ H:	⚖ Kg	📦
<b>Packaging</b>	35 cm	48 cm	49 cm	-	-
<b>Compressor</b>	28 cm	12,6 cm	18,5 cm	2,2 kg	-
<b>Mattress While functioning</b>	200 cm	90 cm	13 cm	5,6 kg	180 kg

### Spare parts



Cod. **LAR211**  
Spare cell for **LAR171**




Cod. **LAR217**  
Spare cell with micro-holes for **LAR171**



Cod. **LAR370**  
Nylon+PU cover for **LAR171**

- EN** Alternating Therapy kit mattress and pump DOMUS 3
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 3
- ES** Kit colchón anti-escaras y compresor de aire alternante DOMUS 3
- P** Kit colchão anti-escaras e compressor alterno DOMUS 3

## Interchangeable cells mattress and pump with pressure regulation




**2 ways**

Cod. **LAD675-2** Complete kit

Cod. **LAR172** Only mattress

Cod. **LAR270-2** Only Domus 3 compressor



**3 ways**

Cod. **LAD675-3** Complete kit

Cod. **LAR174** Only mattress

Cod. **LAR270-3** Only Domus 3 compressor

### FUNCTIONS



ALTERNATING



STATIC

### SOUND AND VISUAL ALARMS



LOW PRESSURE



Suitable for prevention and treatment of decubitus sores **STAGE III**. The mattress is working alternating with 2 or 3 ways. Nylon/PU cover perspiring and waterproof included. Rings for cable and belts to fix the mattress to the bed.

### Technical features

SPECIFICATION	
<b>Compressor LAR270-2 and LAR270-3</b>	
Power	220-240V / 50 Hz
Pressure	30-80mmHg
Power cable	4,9 m
Air release	> 8 l/mn
Cycle time	9,6 minutes
Fuse	T1AL 250V
Noise	≤ 30 dB
<b>Mattress LAR172 and LAR174</b>	
Material	Nylon® + TPU perspiring/ waterproof
Number of cells	20 (9 with micro-holes)
CPR valve	About 50 sec. deflation

WEIGHT AND DIMENSION					
	↔ W:	↗ D:	↑ H:	Ⓚ Kg	👤
<b>Packaging</b>	35 cm	48 cm	49 cm	-	-
<b>Compressor</b>	28 cm	12,6 cm	18,5 cm	2,2 kg	-
<b>Mattress While functioning</b>	200 cm	90 cm	20,3 cm	6,9 kg	200 kg

### Spare parts



Cod. **LAR212**  
Spare cell



Cod. **LAR218**  
Spare cell with micro-holes



Cod. **LAR375**  
Nylon+PU cover

- EN** Alternating Therapy kit mattress and pump DOMUS 4
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 4
- ES** Kit colchón anti-escaras y compresor de aire alternante DOMUS 4
- P** Kit colchão anti-escaras e compressor alterno DOMUS 4

## Interchangeable cells mattress and pump with digital pressure regulation

Cod. **LAD680** Complete kit

Cod. **LAR180** Only mattress

Cod. **LAR280** Only Domus 4 compressor

### FUNCTIONS



### SOUND AND VISUAL ALARMS



Suitable for prevention and treatment of decubitus sores **STAGE IV**. The mattress is working alternating with 2 ways. Nylon/PU cover perspiring and waterproof with antimicrobial silver ions included. It can be used without an additional mattress. Cell-on-cell system avoids the bottom-out effect in case of power outages. Rings for cable and belts to fix the mattress to the bed. Air filter interchangeable.

### Technical features

SPECIFICATION	
<b>Compressor</b>	
Power	220-240V / 50 Hz
Pressure	15-40mmHg
Power cable	4,9 m
Air release	> 8 l/mn
Cycle time	9,6 minutes
Fuse	T1A1 250V
Noise	≤ 26 dB
<b>Mattress</b>	
Material	Nylon® + TPU perspiring/waterproof
Number of cells	20 (9 with micro-holes)
CPR valve	2 valves about 50 sec. deflation

### WEIGHT AND DIMENSION

	↔ W:	↗ D:	↕ H:	⚖ Kg	👤
<b>Packaging</b>	35 cm	48 cm	49 cm	-	-
<b>Compressor</b>	28 cm	12,6 cm	18,5 cm	2,2 kg	-
<b>Mattress While functioning</b>	200 cm	90 cm	20,3 cm	6,9 kg	200 kg

### Spare parts



Cod. **LAR214** Cell-on-cell element for **LAR180**  
Cod. **LAR219** Cell with micro-holes for **LAR180**  
Cod. **LAR212** Cell for cushion function



Cod. **LAR380** Nylon® + PU cover for **LAR180**

- EN** Alternating Therapy kit mattress and pump DOMUS AUTO
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS AUTO
- ES** Kit colchón anti-escaras y compresor de aire alternante DOMUS AUTO
- P** Kit colchão anti-escaras e compressor alterno DOMUS AUTO

## Interchangeable cells mattress and pump with automatic pressure regulation

- Cod. LAD690** Complete kit
- Cod. LAR190** Only mattress
- Cod. LAR290** Only Domus Auto compressor

### FUNCTIONS


-  **ALTERNATING**
-  **MAX FIRM**
-  **STATIC**
-  **SEAT INFLATE**



**20 CELLS**

### SOUND AND VISUAL ALARMS

-  **LOW PRESSURE**
-  **POWER OUTAGES**
-  **TECHNICAL ASSISTANCE**



Automatic pressure regulation according to the patient's weight and movements



Hooks to hang the compressor to the bed



Quick Connector with Cap for patient transportation

Suitable for prevention and treatment of decubitus sores **STAGE IV**. The mattress is working alternating with 2 ways. Nylon/PU cover perspiring and waterproof with antimicrobial silver ions included. It can be used without an additional mattress. Cell-on-cell system avoids the bottom-out effect in case of power outages. Rings for cable and belts to fix the mattress to the bed. Air filter interchangeable.

### Technical features

SPECIFICATION		WEIGHT AND DIMENSION					
<b>Compressor</b>		 W:  D:  H:  Kg 					
Power	220-240V / 50 Hz	<b>Packaging</b>	35 cm	48 cm	49 cm	-	-
Pressure	20-30-40mmHg	<b>Compressor</b>	28 cm	12,6 cm	18,5 cm	2,2 kg	-
Power cable	4,9 m	<b>Mattress</b>					
Air release	> 8 l/min	<b>While functioning</b>	200 cm	90 cm	20,3 cm	6,9 kg	200 kg
Cycle time	9,6 minutes	<b>Spare parts</b>					
Fuse	T1A1 250V						
Noise	≤ 26 dB	<b>Cod. LAR214</b>	<b>Cod. LAR212</b>	<b>Cod. LAR380</b>			
<b>Mattress</b>		Cell-on-cell element for LAR190	Cell for cushion function	Nylon® + PU cover for LAR190			
Material	Nylon® + TPU perspiring/waterproof						
Number of cells	20						
CPR valve	2 valves about 50 sec. deflation						

EN Expanded polyurethane mattress - NON FIRE RESISTANT  
 F Matelas en polyuréthane expansé - NON IGNIFUGE  
 ES Colchón de poliuretano expandido - NO IGNIFUGO  
 P Colchão de poliuretano expandido - NÃO RESISTENTE AO FOGO

LATEX  
FREE

### 1 section - Without cover

Cod. **ST625/6**

190x85 cm  
h 10 cm

Cod. **ST625/1**

190x85 cm  
h 14 cm

Cod. **ST625/2**

190x120 cm  
h 14 cm



D25  
Kg/m<sup>3</sup>

### 3 sections - Without cover

D25  
Kg/m<sup>3</sup>

Cod. **ST625/7**

63x85 cm  
h 10 cm

Cod. **ST625/3**

63x85 cm  
h 12,5 cm

Cod. **ST625/4**

63x85 cm  
h 14 cm

Cod. **ST625/5**

63x120 cm  
h 14 cm



#### Technical features

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	kg
<b>ST625/6</b>	85 cm	10 cm	4 kg	kg	
<b>ST625/1</b>	190 cm	85 cm	14 cm	5,7 kg	150 kg
<b>ST625/2</b>	120 cm	14 cm	7,9 kg	150 kg	

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	kg
<b>ST625/7</b>	183 cm	85 cm	10 cm	4 kg	100 kg
<b>ST625/3</b>	85 cm	12,5 cm	5,3 kg	120 kg	
<b>ST625/4</b>	190 cm	85 cm	14 cm	5,7 kg	150 kg
<b>ST625/5</b>	120 cm	14 cm	7,9 kg	150 kg	

#### Mattress covers

**Polyester+polyurethane cover**, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

##### Fire resistant

Cod. <b>STA110/1</b> 190 x 85 x 14h cm	Cod. <b>STA110/3</b> 63 x 85 x 12,5h cm	Cod. <b>STA110/5</b> 63 x 120 x 14h cm
Cod. <b>STA110/2</b> 190 x 120 x 14h cm	Cod. <b>STA110/4</b> 63 x 85 x 14h cm	Cod. <b>STA110/6</b> 190 x 85 x 12,5h cm

**Polyester cover**, elastic, perspiring, warm washable, zipper on 3 sides.

##### Non fire resistant

Cod. <b>STA100/1</b> 190 x 85 x 14h cm	Cod. <b>STA100/3</b> 63 x 85 x 12,5h cm	Cod. <b>STA100/5</b> 63 x 120 x 14h cm
Cod. <b>STA100/2</b> 190 x 120 x 14h cm	Cod. <b>STA100/4</b> 63 x 85 x 14h cm	Cod. <b>STA100/6</b> 190 x 85 x 12,5h cm

- EN** Expanded polyurethane mattress - FIRE RESISTANT
- F** Matelas en polyuréthane expansé - IGNIFUGE
- ES** Colchón de poliuretano expandido - IGNIFUGO
- P** Colchão de poliuretano expandido - RESISTENTE AO FOGO

**LATEX  
FREE**

### 1 section 190x85 cm - Without cover

Cod. **ST725/6**

190x85 cm  
h 10 cm

Cod. **ST725/1**

190x85 cm  
h 14 cm

Cod. **ST725/2**

190x120 cm  
h 14 cm



### 3 sections - Without cover

**D30  
Kg/m³**

Cod. **ST725/3**

63x85 cm  
h 12,5 cm

Cod. **ST725/4**

63x85 cm  
h 14 cm

Cod. **ST725/5**

63x120 cm  
h 14 cm



#### Technical features

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:		
<b>ST725/6</b>		85 cm	10 cm	4,5 kg	100 kg
<b>ST725/1</b>	190 cm	85 cm	14 cm	5,8 kg	150 kg
<b>ST725/2</b>		120 cm	14 cm	8,1 kg	150 kg

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:		
<b>ST725/3</b>		85 cm	12,5 cm	5,5 kg	120 kg
<b>ST725/4</b>	190 cm	85 cm	14 cm	5,8 kg	150 kg
<b>ST725/5</b>		120 cm	14 cm	8,1 kg	150 kg

#### Mattress covers

**Polyester+polyurethane cover**, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

##### Fire resistant

Cod. **STA110/1**  
190 x 85 x 14h cm

Cod. **STA110/3**  
63 x 85 x 12,5h cm

Cod. **STA110/5**  
63 x 120 x 14h cm

Cod. **STA110/2**  
190 x 120 x 14h cm

Cod. **STA110/4**  
63 x 85x 14h cm

Cod. **STA110/6**  
190 x 85 x 12,5h cm

**Polyester cover**, elastic, perspiring, warm washable, zipper on 3 sides.

##### Non fire resistant

Cod. **STA100/1**  
190 x 85 x 14h cm

Cod. **STA100/4**  
63 x 85 x 14h cm

Cod. **STA100/2**  
190 x 120 x 14h cm

Cod. **STA100/5**  
63 x 120 x 14h cm

Cod. **STA100/3**  
63 x 85 x 12,5h cm

Cod. **STA100/6**  
190 x 85 x 12,5h cm

##### Fire resistant

Cod. **STA100/7**  
190 x 85 x 10h cm

- EN** Expanded polyurethane mattress - FIRE RESISTANT
- F** Matelas en polyuréthane expansé - IGNIFUGE
- ES** Colchón de poliuretano expandido - IGNIFUGO
- P** Colchão de poliuretano expandido - RESISTENTE AO FOGO


**LATEX FREE**

### 1 section - Without cover

Cod. **ST728/1**

190x85 cm  
h 14 cm

**D30**  
Kg/m<sup>3</sup>



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	Person
190 cm	85 cm	14 cm	6,6 kg	150 kg

Mattress covers

**Polyester+polyurethane cover**, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

**Fire resistant**

Cod. **STA110/1**

190 x 85 x 14h cm

**Polyester cover**, elastic, perspiring, warm washable, zipper on 3 sides.

**Non fire resistant**

Cod. **STA100/1**


190 x 85 x 14h cm

### 1 section - Diversified discharge - Without cover

Cod. **ST732/1**

h 14 cm

35 cm



Shell height  
H 8 cm  
Internal width 68 cm

Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	Person
190 cm	85 cm	14 cm	8,5 kg	150 kg

Mattress covers

**Polyester+polyurethane cover**, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

**Fire resistant**

Cod. **STA110/1**

190 x 85 x 14h cm

**Polyester cover**, elastic, perspiring, warm washable, zipper on 3 sides.

**Non fire resistant**

Cod. **STA100/1**

190 x 85 x 14h cm

**EN** Ventilated expanded polyurethane mattress - FIRE RESISTANT  
**F** Matelas en polyuréthane expansé ventilé- IGNIFUGE  
**ES** Colchón de poliuretano expandido ventilado - IGNIFUGO  
**P** Colchão de poliuretano expandido ventilado - RESISTENTE AO FOGO

LATEX  
FREE


### 1 section - Without cover

Cod. **ST729/1**

h 14 cm

**D30**  
Kg/m<sup>3</sup>

Suitable for 1 and 2  
junctures beds



It can be used on both sides

Fire resistant **Class 1 IM**


### 1 section 190x120 cm - Egg-shaped processing - Without cover

**D30**  
Kg/m<sup>3</sup>

Cod. **ST729/2**

h 14 cm

Suitable for 1 and 2  
junctures beds



It can be used on both sides

Fire resistant **Class 1 IM**

#### Technical features

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	Person icon
<b>ST729/1</b>	85 cm	14 cm	6,4 kg	150 kg	
<b>ST729/2</b>	190 cm	120 cm	9,6 kg		

#### Mattress covers

**Polyester+polyurethane cover**, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

**Fire resistant**

Cod. **STA110/1**

190 x 85 x 14h cm

**Polyester cover**, elastic, perspiring, warm washable, zipper on 3 sides.

**Non fire resistant**

Cod. **STA100/1**

190 x 85 x 14h cm

- EN** Leveling unit in polyurethane
- F** Élément de nivelage en polyurethane
- ES** Unidad de nivelación en poliuretano
- P** Unidade de nivelamento em poliuretano

### Removable cover with zipper on 2 sides

Cod. **ST740**

h 4 cm

Cod. **ST742**

h 6 cm



**D21**  
Kg/m<sup>3</sup>

Technical features

DIMENSION			
Product code	↔ W:	↗ D:	↕ H:
<b>ST740</b>	190 cm	80 cm	4 cm
<b>ST742</b>			6 cm

- EN** Silicone cotton wool mattress
- F** Matelas en fibre creuse siliconée
- ES** Colchón en fibra hueca siliconada
- P** Colchão em fibra oca siliconada

**17**  
DEN

### Cover not removable-1 section

Cod. **ST680**

h 11,5 cm



Fire resistant cover Class 1 IM

**Replaceable cylinders**

**17**  
DEN

Cod. **ST682**

h 13 cm



Fire resistant cover Class 1 IM

Technical features

The silicone cotton wool is a resilient material. It easily goes back to its previous shape even after a big pressure, keeping softness and elasticity. The silicon cotton wool insulates from hot and cold and it's highly breathable.

WEIGHT AND DIMENSION					
Product code	↔ W:	↗ D:	↕ H:	⚖ Kg	👤
<b>ST680</b>	200 cm	87 cm	11,5 cm	6,1 kg	
<b>ST682</b>	196 cm	88 cm	13 cm	7,8 kg	100 kg*

\* Without support mattress - 120 kg with leveling unit

- EN** Polyester mattresses cover
- F** Housse pour matelas en polyester
- ES** Funda para colchón en poliéster
- P** Capa para colchão em poliéster

**Two-way stretch - Perspiring - Zipper on 3 sides**

**Series STA110**

Polyester 42%/polyurethane 58%, waterproof, antibacterial, washable at 95°

**Series STA100**

Washable with hot water



Fire resistant **Class 1 IM**

Technical features

WEIGHT AND DIMENSION NON FIRE RESISTANT COVER				
Product codes	W:	D:	H:	Kg
STA100/1		85 cm	14 cm	575*
STA100/2	190 cm	120 cm		770*
STA100/3		85 cm	12,5 cm	230*
STA100/4	63 cm		14 cm	230*
STA100/5		120 cm		300*
STA100/6			12,5 cm	565*
STA100/7 ignifugo	190 cm	85 cm	10 cm	530*

WEIGHT AND DIMENSION FIRE RESISTANT COVER				
Product codes	W:	D:	H:	Kg
STA110/1		85 cm	14 cm	555*
STA110/2	190 cm	120 cm		745*
STA110/3		85 cm	12,5 cm	225*
STA110/4	63 cm		14 cm	425*
STA110/5		120 cm		555*
STA110/6	190 cm	85 cm	12,5 cm	545*

\*Weight can change ± 10 g

\*Weight can change ± 10 g

- EN** Expanded polyurethane pillow - HR21
- F** Coussin en polyuréthane expansé - HR21
- ES** Almohada de poliuretano expandido - HR21
- P** Almofada de poliuretano expandido - HR21

**Perforated anti-suffocation - Antimycotic perspiring, non-deformable, antibacterial**


**Cod. ST745**

With Trevira cover



**Cod. ST746**

With politex cover, polyurethane coated



**D21**  
Kg/m<sup>3</sup>

Fire resistant **Class 1 IM**

Technical features

DIMENSION		
W:	D:	H:
70 cm	40 cm	9 cm

- EN** PVC air cells cushion
- F** Coussin en PVC à bulles d'air
- ES** Cojín de PVC con burbujas de aire
- P** Almofada de célula de ar em PVC



### Height 6 cm

### Height 10 cm

Series **ST85x/1**

Series **ST85x/2**

Series **ST85x/1**





Series **ST85x/2**

1 section

2 sections

1 section

2 sections



Equipped with pump and elastic, antibacterial, fire-retardant and non-slip cover

It guarantees a perfect weight distribution, exploiting to the utmost pressure relief in every position. It adapts itself to the individual shapes of the patient and allows the full immersion of the ischials.

#### Spare parts

#### ACCESSORIES INCLUDED



**PU+Nylon cover for 1/2 sections cushions**

**Height 6 cm**

Cod. **ST785/6**  
36 x 36 x 6h cm

Cod. **ST786/6**  
40 x 40 x 6h cm

Cod. **ST787/6**  
46 x 40 x 6h cm

Cod. **ST788/6**  
50 x 46 x 6h cm

**Height 10 cm**

Cod. **ST785/10**  
36 x 36 x 10h cm

Cod. **ST786/10**  
40 x 40 x 10h cm

Cod. **ST787/10**  
46 x 40 x 10h cm

Cod. **ST788/10**  
50 x 46 x 10h cm



Cod. **ST786** Pump



Cover (see spare parts)

#### Technical features

Product codes	ST850/1 ST850/2	ST851/1 ST851/2	ST852/1 ST852/2	ST853/1 ST853/2	ST855/1 ST855/2	ST856/1 ST856/2	ST857/1 ST857/2	ST858/1 ST858/2
<b>SPECIFICATIONS</b>								
Height	6 cm				10 cm			
<b>WEIGHT AND DIMENSION</b>								
W:	36 cm	40 cm	46 cm	50 cm	36 cm	40 cm	46 cm	50 cm
D:			40 cm	46 cm			40 cm	46 cm
Weight	130 kg				130 kg			

- EN** PU air cells cushion
- F** Coussin en PU à bulles d'air
- ES** Cojín de PU con burbujas de aire
- P** Almofada de célula de ar em PU



## Height 5 cm


Series **ST86x/1**

1 section



Series **ST86x/2**

2 sections



*Equipped with pump and elastic, antibacterial, fire-retardant and non-slip cover*

It guarantees a perfect weight distribution, exploiting to the utmost pressure relief in every position. It adapts itself to the individual shapes of the patient and allows the full immersion of the ischials.

### ACCESSORIES INCLUDED



Cod. **ST786**  
Pump



**Cushion cover**  
for 1/2 sections

Cod. **STA860**  
Only for ST860/\*  
Cod. **STA861**  
Only for ST861/\*  
Cod. **STA862**  
Only for ST862/\*  
Cod. **STA863**  
Only for ST863/\*

### Technical features

Product codes	ST860/1	ST861/1	ST862/1	ST863/1	ST860/2	ST861/2	ST862/2	ST863/2
<b>SPECIFICATIONS</b>								
Sections	1				2			
<b>WEIGHT AND DIMENSION</b>								
W:	35 cm	41 cm	47 cm	4,7 cm	35 cm	41 cm	47 cm	4,7 cm
D:	41 cm		41 cm		41 cm		41 cm	
H:	5 cm				5 cm			
	130 kg				130 kg			

- EN** Memory foam and gel cushion
- F** Coussin à mémoire de forme et gel
- ES** Cojín en memory foam y gel
- P** Almofada em memory foam e gel

Series **ST711**



**Equipped with PU cover**  
removable by zipper on 3 sides,  
non-slip fabric

Technical features

WEIGHT AND DIMENSION			
Product codes	↔ W:	↗ D:	↕ H:
<b>ST711/1</b>	40 cm	40 cm	7 cm
<b>ST711/2</b>	43 cm	43 cm	7 cm
<b>ST711/3</b>	46 cm	40 cm	7 cm
<b>ST711/4</b>	50 cm	40 cm	7 cm
<b>ST711/5</b>	50 cm	46 cm	7 cm

Front side Memory Foam to make the seat more comfortable, density 620g. Gel layer on the seat to help relieve pressure from the back.

- EN** Self-mouldable fluid cushion
- F** Coussin fluide à rétention de forme
- ES** Cojín con fluidos auto-modelante
- P** Almofada com fluido automodelante

Series **ST719**

Preformed, firm base



**Microfibre cover**  
anti-slip tissue included

Technical features

WEIGHT AND DIMENSION					
Product codes	↔ W:	↗ D:	↕ H:	👤	⚖️
<b>ST719/1</b>	38 cm		6,5 cm	90 kg	2,5 kg
<b>ST719/2</b>	40 cm				2,5 kg
<b>ST719/3</b>	40 cm	45 cm			2,9 kg
<b>ST719/4</b>	42 cm			110 kg	2,8 kg
<b>ST719/5</b>	44 cm	42 cm			2,8 kg
<b>ST719/6</b>	45 cm	40 cm			2,9 kg
<b>ST719/7</b>	45 cm			130 kg	3 kg
<b>ST719/8</b>	45 cm	50 cm			3,3 kg
<b>ST719/9</b>	50 cm	45 cm			3,3 kg

- EN** Fluid gel silicone cushions
- F** Coussins en gel fluide de silicone
- ES** Cojines en gel fluido de silicona
- P** Almofadas em gel fluido de silicone

**Series ST712**



**Hightex cover**  
removable by included zipper

**Cod. ST713**

With central hole



**PoliteX cover**  
removable by included zipper

In fluid gel and polyurethane, with removable protective cover. It can be washed.

Technical features


WEIGHT AND DIMENSION				
Product codes	W:	D:	H:	kg
ST712/40	40 cm			100 kg
ST712/42	42 cm	4 cm		4,3 kg
ST712/45	45 cm		120 kg	4,7 kg

WEIGHT AND DIMENSION				
Product codes	W:	D:	H:	kg
	42 cm	42 cm	4 cm	110 kg
				3,5 kg

- EN** Compact viscoelastic cushion
- F** Coussin en viscoélastique compact
- ES** Cojín en viscoelástico compacto
- P** Almofada em visco-elástico compacto

**Viscosoft - machine washable**

**Series ST716**




Upper surface in Hightex, microfibre 100% polyester. Non-slip lower surface.

Technical features

WEIGHT AND DIMENSION				
Product codes	W:	D:	H:	kg
ST716/40	40 cm	40 cm		
ST716/43	43 cm	43 cm	4,5 cm	1,8 kg
ST716/46	46 cm	46 cm		

- EN** Perforated cushion in viscoelastic foam
- F** Coussin en mousse viscoélastique
- ES** Cojín perforado en goma viscoelástica
- P** Almofada em espuma viscoelástica

Series **ST708**



Waterproof non-slip fabric polyurethane cover, removable by equipped zipper

Technical features

WEIGHT AND DIMENSION				
Product codes	W:	D:	H:	kg
<b>ST708/40</b>	40 cm	70 cm	70 cm	2,5 kg
<b>ST708/42</b>	42 cm			3 kg
<b>ST708/44</b>	44 cm			3,5 kg
<b>ST708/46</b>	46 cm			4 kg
<b>ST708/48</b>	48 cm			4,5 kg
<b>ST708/50</b>	50 cm			4,5 kg

- EN** Multi-layer anatomic cushion with rigid base
- F** Coussin multicouche anatomique à base rigide
- ES** Cojín anatómico multiestrato con base rígida
- P** Almofada anatômica multi-estrados com base rígida

Series **ST709**



Waterproof non-slip fabric polyurethane cover, removable by equipped zipper

Technical features

WEIGHT AND DIMENSION				
Product codes	W:	D:	H:	kg
<b>ST709/40</b>	40 cm	9-7,5 cm	9-7,5 cm	0,7 kg
<b>ST709/42</b>	42 cm			0,8 kg
<b>ST709/44</b>	44 cm			0,9 kg
<b>ST709/46</b>	46 cm			1 kg
<b>ST709/48</b>	48 cm			1,05 kg
<b>ST709/50</b>	50 cm			1,1 kg

- EN** PVC water cushions K80
- F** Coussins à eau en PVC K80
- ES** Cojines de agua en PVC K80
- P** Almofadas de água em PVC K80

**Cod. ST327**

*With central hole*



**Cod. ST328**

Electro-welded PVC. Filling tube included- Washable with soap.

Technical features

SPECIFICATIONS		WEIGHT AND DIMENSION				
Thickness	0,4 - 1 cm	Product codes	↔ W:	↕ H:	👤	⚖️
		<b>ST327</b>	45 cm	50 cm	90 kg	400 g
		<b>ST328</b>				450 g

- EN** Natural fleece
- F** Peau de mouton naturelle
- ES** Piel natural
- P** Pele de cordeiro natural

**Cod. ST630**

Technical features

DIMENSION	
↔ W:	90-100 cm*



*\*The measures could be a bit different from what indicated in the catalogue*

- EN** Silicone cotton cushions
- F** Coussins en fibre creuse en silicone
- ES** Cojines en fibra hueca siliconada
- P** Almofadas em fibra oca siliconada

**17**  
DEN

**Cod. ST602**

*Cotton cover*



**Cod. ST607**

*3 elements set: cushion, back and armrests removable with zipper*



Technical features

WEIGHT AND DIMENSION			
↔ W:	↗ D:	↕ H:	Ⓚ Kg
43 cm	43 cm	11 cm	540 g

WEIGHT AND DIMENSION				
Product codes	↔ W:	↗ D:	↕ H:	Ⓚ Kg
<b>ST607 seat</b>	43 cm	43 cm	-	640 g
<b>ST607 backrest</b>	45 cm	60 cm	-	600 g

- EN** Heel, elbow guard and leg in silicone cotton wool
- F** Talonnière, coudière et pied en fibre creuse en silicone
- ES** Talonera, coderera, pata en fibra hueca siliconada
- P** Tornozeleira, cotoveleira, perna em fibra oca siliconada

**Cod. ST692**

*Elbow guard*



**Cod. ST690**

*Heel guard*



**Cod. ST694**

*Leg*



The silicone cotton wool is a resilient material. It easily goes back to its previous shape even after a big pressure, keeping softness and elasticity. The silicon cotton wool insulates from hot and cold and it's highly breathable.

Technical features

DIMENSION						
Product codes	↔ W:	↗ D:	↕ H:	minimum circumference	maximum circumference	Ⓚ Kg
<b>ST690</b>	31 cm	35 cm	10 cm	-	-	130 g
<b>ST692</b>	31 cm	32 cm	4 cm	32 cm	45 cm	120 g
<b>ST694</b>	38 cm	40 cm	6 cm	47 cm	80 cm	270 g

- EN** Silicone cotton cushions
- F** Coussins en fibre creuse en silicone
- ES** Cojines en fibra hueca siliconada
- P** Almofadas em fibra oca siliconada

**17**  
DEN

**Series ST600**  
Cotton cover



**Series ST601**  
3D removable and perspiring cover



Technical features

WEIGHT AND DIMENSION				
Product codes	↔ W:	↗ D:	↕ H:	Ⓚ Kg
<b>ST600/38</b>	38 cm	38 cm	10 cm	460 g
<b>ST600/40</b>	40 cm	40 cm		480 g
<b>ST600/43</b>	43 cm	43 cm		520 g
<b>ST600/45</b>	45 cm	45 cm		590 g
<b>ST600/48</b>	48 cm	48 cm		720 g
<b>ST600/50</b>	50 cm	50 cm		790 g

WEIGHT AND DIMENSION				
Product codes	↔ W:	↗ D:	↕ H:	Ⓚ Kg
<b>ST601/38</b>	38 cm	38 cm	12 cm	470 g
<b>ST601/40</b>	40 cm	40 cm		570 g
<b>ST601/43</b>	43 cm	43 cm		660 g
<b>ST601/45</b>	45 cm	45 cm		750 g
<b>ST601/48</b>	48 cm	48 cm		830 g
<b>ST601/50</b>	50 cm	50 cm		950 g

**Backrest - 4 sections**

**Cod. ST605**  
Cotton cover



**Cod. ST606**  
3D perspiring cover



The silicone cotton wool is a resilient material. It easily goes back to its previous shape even after a big pressure, keeping softness and elasticity. The silicon cotton wool insulates from hot and cold and it's highly breathable.

Technical features

WEIGHT AND DIMENSION			
↔ W:	↗ D:	↕ H:	Ⓚ Kg
60 cm	44 cm	15 cm	620 g

WEIGHT AND DIMENSION			
↔ W:	↗ D:	↕ H:	Ⓚ Kg
60 cm	44 cm	12 cm	560 g

- EN** Multifunctional chair
- F** Chaise multifonctionnelle
- ES** Sillón multifuncional
- P** Cadeira multifuncional



**RUGY**

**Examination**


**Cod. PM100BLU**

4 electric motors,  
3 sections

Fire resistant **Class 1 IM**



**Sections dimensions**



Trendelenburg position



Elevation



Backrest and legrest inclination

Technical features

Colour\* ■ Blu (#5946) \*Upholstery colour change, see optional accessories page

**SPECIFICATIONS**

Polyurethane padding	Density 40 - H: 5 cm
Upholstery	Washable fireproof leatherette
Backrest inclination	0-85°
Legrest inclination	0-107°
Trendelenburg	0-15°

**DIMENSIONS AND WEIGHT**

W:	D:	H:	Kg	
180 cm completely extended	88 cm	52÷92 cm	80 kg	200 kg

- EN** Multifunctional chair
- F** Chaise multifonctionnelle
- ES** Sillón multifuncional
- P** Cadeira multifuncional





## Gynaecological

Cod. **PM120BLU**

4 electric motors,  
3 sections

Fire resistant **Class 1 IM**



### Technical features

Colour\* Blu (#5946) \*Upholstery colour change, see optional accessories page

SPECIFICATIONS	
Polyurethane padding	Density 40 - H: 5 cm
Upholstery	Washable fireproof leatherette
Legs supports	PU
Backrest inclination	0-85°
Legrest inclination	0-107°
Trendelenburg	0-15°
DIMENSIONS AND WEIGHT	
W:	D:
H:	Kg:
180 cm completely extended	88 cm
52÷92 cm	95 kg
	200 kg

- EN** Multifunctional chair
- F** Chaise multifonctionnelle
- ES** Sillón multifuncional
- P** Cadeira multifuncional



## Blood sampling

Cod. **PM140BLU**

4 electric motors,  
3 sections

Fire resistant **Class 1 IM**

Armrests manually adjustable  
in height, inclination and 360°  
rotatable

Integrated padded  
leatherette headrest

Remote control and remote  
control holder




60 cm paper roll  
holder - head side



4 swivel wheels  
with brake

ABS  
protection carter

### Sections dimensions



Trendelenburg position



Elevation



Backrest and legrest inclination

### Technical features

Colour\* ■ Blu (#5946) \*Upholstery colour change, see optional accessories page

#### SPECIFICATIONS


Polyurethane padding	Density 40 - H: 5 cm
Upholstery	Washable fireproof leatherette
Armrests	PU
Backrest inclination	0-85°
Legrest inclination	0-107°
Trendelenburg	0-15°

#### DIMENSIONS AND WEIGHT

W:	D:	H:	Kg	
180 cm completely extended	78 cm	52÷92 cm	85 kg	200 kg

- EN** Optional accessories for multifunctional chair
- F** Accessoires optionnels pour chaise multifonctionnelle
- ES** Accesorios opcionales para sillón multifuncional
- P** Acessórios opcionais para cadeira multifuncional

### With surcharge



Cod. **PMA210**  
2-pedal controllers kit  
For head lift and  
elevation control



Cod. **PMA200**  
IV pole  
In anodized aluminum  
with 2 plastic hooks  
(max. capacity 2,5 kg per  
hook)

### Optional colours without surcharge\*



Cod. **PM100T**  
Cod. **PM120T**  
Cod. **PM140T**  
Turquoise #1944



Cod. **PM100V**  
Cod. **PM120V**  
Cod. **PM140V**  
Lime green #1816



Cod. **PM100L**  
Cod. **PM120L**  
Cod. **PM140L**  
Lilac #5947



Cod. **PM100R**  
Cod. **PM120R**  
Cod. **PM140R**  
Red #680



Cod. **PM100G**  
Cod. **PM120G**  
Cod. **PM140G**  
Yellow #41



Cod. **PM100B**  
Cod. **PM120B**  
Cod. **PM140B**  
White #6



Cod. **PM100N**  
Cod. **PM120N**  
Cod. **PM140N**  
Black #991

\*Ready in 10 working days from order

### Spare parts



Cod. **PMR100**  
Wheels with brake



Cod. **PMR104**  
Remote control



Cod. **PMR105**  
Motor for elevating /  
lowering



Cod. **PMR106**  
Backrest and footrest  
movement motor



Cod. **PMR107**  
Motor for  
Trendelenburg



Cod. **MIR114**  
Wall power supply  
(with Schuko plug)



Cod. **MIR209**  
Control box



Cod. **PMR110**  
PU anatomic legs  
supports




Cod. **PMR111**  
PU anatomic armrests



Cod. **PMR112**  
Stainless steel liquid  
collection tray



Cod. **PMR113BLU**  
Blue padded armrest



Cod. **PMR114BLU**  
Blue padded headrest

- EN** Examination couches - ELECTRICAL
- F** Tables d'examen - ÉLECTRIQUES
- ES** Camillas de reconocimiento - ELÉCTRICAS
- P** Macas para exame - ELÉCTRICAS



### 3 sections

Series **MI310**

Width 62 cm


Fire resistant **Class 1 IM**

Series **MI311**

Width 62 cm  
with castors



Sections dimensions



Electrical elevation of the couch

#### Technical features

LYTUS SERIES			
Product codes	<b>MI310BLU</b> <b>MI311BLU</b>	<b>MI310B</b> <b>MI311B</b>	<b>MI310N</b> <b>MI311N</b>
Colours	Blue	White	Black

SPECIFICATIONS	
Polyurethane padding	Density 30 - H: 5 cm
Upholstery	Washable flame-retardant leatherette
Backrest inclination	0°-70°
Legrest inclination	0°-90°

WEIGHT AND DIMENSION					
Product codes	L:	P:	H:	Kg	
<b>MI310x</b>	62 cm	57 kg			
<b>MI311x</b>	193 cm	72 cm	52±92 cm	60 kg	200 kg

- EN** Gynecological examination couches - ELECTRICAL
- F** Tables d'examen gynécologique - ÉLECTRIQUES
- ES** Camillas de reconocimiento ginecológico - ELÉCTRICAS
- P** Macas para exame ginecológico - ELÉCTRICAS



### 3 sections

#### Series MI320

Width 62 cm


Fire resistant **Class 1 IM**

#### Series MI321

Width 62 cm  
with castors



#### Sections dimensions



MI321 with castors



Electrical elevation of the couch

### Technical features

LYTUS SERIES			
Product codes	<b>MI320BLU</b> <b>MI321BLU</b>	<b>MI320B</b> <b>MI321B</b>	<b>MI370N</b> <b>MI371N</b>
Colours	Blu	White	Black

SPECIFICATIONS	
Polyurethane padding	Density 30 - H: 5 cm
Upholstery	Washable flame retardant leatherette
Backrest inclination	0°-70°
Legrest inclination	0°-90°

WEIGHT AND DIMENSION					
Product codes	L:	P:	H:	Kg	
<b>MI320x</b>	193 cm	85 cm	52÷92 cm	62 kg	200 kg
<b>MI321x</b>				65 kg	

- EN** Examination couches - HYDRAULIC
- F** Tables d'examen - HYDRAULIQUES
- ES** Camillas de reconocimiento - HIDRÁULICAS
- P** Macas para exame - HIDRÁULICAS



### Painted steel

**Series MI385**

Width 68 cm

**Series MI335**

Width 80 cm

**Series MI395**

Width 90 cm

**Series MI386**

Width 68 cm with castors

**Series MI336**

Width 80 cm with castors

**Series MI396**

Width 90 cm with castors



Gas spring backrest regulation


Hydraulic elevation

MI386 and MI396 with castors




Fire resistant **Class 1 IM**


Sections dimensions



Sections dimensions



Sections dimensions



### Technical features

LYTUS SERIES			
Product codes	MI385BLU - MI386BLU MI335BLU - MI336BLU MI395BLU - MI396BLU	MI385B - MI386B MI335B - MI336B MI395B - MI396B	MI385N - MI386N MI335N - MI336N MI395N - MI396N
Colours	Blue	White	Black
SPECIFICATIONS			
Polyurethane padding	Density 30 - H: 5 cm		
Upholstery	Washable leatherette fireproof		
Backrest inclination	0°-60°		
WEIGHT AND DIMENSIONS			
W:	202 cm		
D:	68 cm (MI385) - 72 cm (MI386)	80 cm (MI335) - 82 cm (MI336)	90 cm
H:	52÷86 cm		
Kg	58 Kg (MI385) - 61 kg (MI386)	68 kg (MI335) - 71 kg (MI336)	75 kg (MI395) - 78 kg (MI396)
	180 kg		

- EN** Examination couches - ELECTRICAL
- F** Tables d'examen - ÉLECTRIQUES
- ES** Camillas de reconocimiento - ELÉCTRICAS
- P** Macas para exame - ELÉCTRICAS



### Painted steel

#### Series MI380

Width 68 cm

#### Series MI330

Width 80 cm

#### Series MI390

Width 90 cm

#### Series MI381

Width 68 cm  
with castors

#### Series MI331

Width 80 cm  
with castors

#### Series MI391

Width 90 cm  
with castors



Electrical elevation of the couch




Backrest inclination with gear

MI381, MI331 and MI391 with castors




Fire resistant **Class 1 IM**


Sections dimensions



Sections dimensions



Sections dimensions



### Technical features

LYTUS SERIES			
Product codes	MI380BLU - MI381BLU MI330BLU - MI331BLU MI390BLU - MI391BLU	MI380B - MI381B MI330B - MI331B MI390B - MI391B	MI380N - MI381N MI330N - MI331N MI390N - MI391N
Colours	Blue	White	Black
SPECIFICATIONS			
Polyurethane padding	Density 30 - H: 5 cm		
Upholstery	Washable leatherette fireproof		
Backrest inclination	0°-60°		
WEIGHT AND DIMENSIONS			
W:	202 cm		
D:	68 cm (MI380) - 72 cm (MI381)	80 cm (MI330) - 82 cm (MI331)	90 cm
H:	52÷92 cm		
Kg	57 kg (MI380) - 60 kg (MI381)	67 kg (MI330) - 70 kg (MI331)	74 kg (MI390) - 77 kg (MI391)
	200 kg		

- EN** Examination couches - ELECTRICAL
- F** Tables d'examen - ÉLECTRIQUES
- ES** Camillas de reconocimiento - ELÉCTRICAS
- P** Macas para exame - ELÉCTRICAS



**Painted steel**

Series **MI370**

Width 62 cm

Series **MI371**

Width 62 cm  
with castors




Backrest inclination with gear

MI371 with castors



Fire resistant **Class 1 IM**

Sections dimensions



Electrical elevation of the couch

Technical features

LYTUS SERIES			
Product codes	<b>MI370BLU</b> <b>MI371BLU</b>	<b>MI370B</b> <b>MI371B</b>	<b>MI370N</b> <b>MI371N</b>
Colours	<span style="color: blue;">■</span> Blue	<span style="color: white;">■</span> White	<span style="color: black;">■</span> Black
SPECIFICATIONS			
Polyurethane padding	Density 25 - H: 5 cm		
Upholstery	Washable leatherette fireproof		
Backrest inclination	0°-60°		
WEIGHT AND DIMENSIONS			
W:	184 cm		
D:	62 cm (MI370) - 72 cm (MI371)		
H:	56÷82 cm		
Kg	45 kg (MI370) 48 kg (MI371)		
Person icon	150 kg		

- EN** Optional accessories for examination couches
- F** Accessoires optionnels pour tables d'examen
- ES** Accesorios opcionales para camillas de reconocimiento
- P** Acessórios opcionais para macas para exame



**with surcharge**



Cod. **MIA250** (MI335, MI336, MI382x, MI383x, MI385x, MI386x, MI392x, MI393x, MI395x, MI396x)  
Bilateral control handles for backrest inclination



Cod. **MR332** (MI37x)  
Electric bed elevation pedal



Cod. **MR333** (MI330x, MI331x, MI380x, MI381x, MI390x, MI391x)  
Electric pedal for bed and headrest elevation



Feet side  
Cod. **MIA391** (MI37x)  
Cod. **MIA392** (MI38x)  
Cod. **MIA393** (MI33x, MI39x)  
Paper holder 60 cm  
Cod. **MIA394** (MI33x, MI39x)  
Paper holder 80 cm



Head side  
Cod. **MIA395** (MI33x, MI39x)  
Cod. **MIA396** (MI38x)  
Cod. **MIA398** (MI31x-MI32x)  
Paper holder 60 cm  
Cod. **MIA397** (MI33x, MI39x)  
Paper holder 80 cm



Cod. **MIA310\*** (MI33x, MI37x, MI38x, MI39x)  
Cod. **MIA311\*\*** (MI33x, MI38x, MI39x)  
Folding bedrails for patient containment - PAIR  
Dimension cm L:72 x H:26 x H:15  
(from the lying surface)

\*Code for purchase together with the Lytus series couches

\*\* Code for separate or delayed purchase from the Lytus series couches



Cod. **MIA300** (MI33x)  
Perimeter bar for height adjustment - PAIR  
To be installed laterally on the base of the cot. Compatible with Lytus electric MI33x (excluding MI335, MI336), MI37x, MI38x (excluding MI385, MI386), MI39x (excluding MI395, MI396). Easily installed.



Cod. **MIA305\*\*\*** (MI33x MI37x, MI38x, MI39x)  
Aluminium IV pole with 2 hooks - H: 100÷145 cm  
\*\*\* Can only be purchased when ordering the couch




Cod. **MIA306** (MI31x/MI32x)  
Aluminium IV pole with 2 hooks - H: 100÷145 cm



Cod. **MIA312\*\*\*** (MI31x, MI32x)  
Folding side rails - PAIR



Cod. **MIA315X\*\*\*** (MI31x, MI32x)  
Padded, adjustable side armrests - PAIR



Cod. **MIA316\*\*\*** (MI31x, MI32x)  
Adjustable black PU armrests for blood sampling - PAIR



Cod. **MIA320** (MI31x, MI32x)  
Anatomical thighs supports for gynecology in PU, black and adjustable - PAIR

\*\*\*Alternative accessories to each other (only 1 of the 3 codes can be installed per cot)

**Optional colours without surcharge\***



\* Ready in 10 working days from order

- EN** Examination couches
- F** Tables d'examen
- ES** Camillas de reconocimiento
- P** Macas para exame



## Round tubular frame

Series **MOC330**

Chromed steel



4 adjustable feet


Series **MOV330**

Painted steel



4 adjustable feet

### Sections dimensions



Made by  
an Italian  
Laboratory

Fire resistant **Class 1 IM**

Optional  
accessories



Cod. **MIA370**  
Paper holder

### Technical features

LYBRA SERIES					
Product codes	<b>MOC330N</b>	<b>MOC330BLU</b>	<b>MOC330B</b>		
Colours	■ Black	■ Blue	□ White		
SPECIFICATIONS					
Polyurethane padding	Density 25 - H: 5 cm				
Upholstery	Washable leatherette				
Backrest inclination	0°-60°				
WEIGHT AND DIMENSION					
↔ W:	↔ W:	↗ D:	↕ H:	⚖ Kg	⚖ Kg
185 cm total	161 cm external legs	60 cm	79 cm	33 kg	180 kg

### Technical features

LYBRA SERIES					
Product codes	<b>MOV330N</b>	<b>MOV330BLU</b>	<b>MOV330B</b>		
Colours	■ Black	■ Blue	□ White		
SPECIFICATIONS					
Polyurethane padding	Density 25 - H: 5 cm				
Upholstery	Washable leatherette				
Backrest inclination	0°-60°				
WEIGHT AND DIMENSION					
↔ W:	↔ W:	↗ D:	↕ H:	⚖ Kg	⚖ Kg
185 cm total	161 cm external legs	60 cm	79 cm	33 kg	180 kg

- EN** Examination couches
- F** Tables d'examen
- ES** Camillas de reconocimiento
- P** Macas para exame



## Rectangular tubular frame in painted steel

Series **MOV333**

Width 60 cm

Series **MOV340**

Width 75 cm

Physiotherapy




Made by  
an Italian  
Laboratory

Fire resistant **Class 1 IM**


Optional  
accessories

Sections dimensions



Cod. **MIA385**  
Paper holder **MOV333**  
Cod. **MIA376**  
Paper holder **MOV340**

Sections dimensions



Technical features

RYGEL SERIES					
Product codes	<b>MOV333N</b>	<b>MOV333BLU</b>	<b>MOV333B</b>		
Colours	■ Black	■ Blue	□ White		
SPECIFICATIONS					
Polyurethane padding	Density 25 - H: 5 cm				
Upholstery	Washable leatherette				
Backrest inclination	0°-60°				
WEIGHT AND DIMENSION					
↔ W:	↔ W:	↗ D:	↕ H:	⚖ Kg	👤 Person
185 cm total	156 cm external legs	60 cm	79 cm	36 kg	180 kg

Technical features

RYGEL SERIES					
Product codes	<b>MOV340N</b>	<b>MOV340B</b>			
Colours	■ Black	□ White			
SPECIFICATIONS					
Polyurethane padding	Density 25 - H: 5 cm				
Upholstery	Washable leatherette				
Backrest inclination	0°-60°				
WEIGHT AND DIMENSION					
↔ W:	↔ W:	↗ D:	↕ H:	⚖ Kg	👤 Person
185 cm total	155 cm external legs	75 cm	79 cm	40 kg	180 kg


- EN** Examination couches
- F** Tables d'examen
- ES** Camillas de reconocimiento
- P** Macas para exame



## Rectangular tubular frame in painted steel

### Series **MOV350**


2 junctures, 3 sections



Fire resistant **Class 1 IM**

### Series **MOV355**

2 junctures, 3 sections  
Gynecological Table



#### Technical features

RYGEL SERIES					
Product codes	<b>MOV350N</b>	<b>MOV350BLU</b>	<b>MOV350B</b>		
Colours	■ Black	■ Blue	□ White		
SPECIFICATIONS					
Tubular frame	5x2,5 cm				
PU padding	Density 25 - H: 5 cm				
Upholstery	Washable leatherette				
Backrest inclination	0°-70°				
Legrest inclination	0°-90°				
WEIGHT AND DIMENSIONS					
↔ W:	↔ W:	↗ D:	↕ H:	⚖ Kg	👤 Person
185 cm overall	112 cm external, including legs	60 cm	83 cm	35 kg	180 kg

#### Optional accessories



Cod. **MIA385**  
Paper holder



Cod. **MIR194**  
Pair of complete leg supports for MOV35x

#### Technical features

RYGEL SERIES					
Product codes	<b>MOV355N</b>	<b>MOV355BLU</b>	<b>MOV355B</b>		
Colours	■ Black	■ Blue	□ White		
SPECIFICATIONS					
Tubular frame	5x2,5 cm				
PU padding	Density 25 - H: 5 cm				
Upholstery	Washable leatherette				
Backrest inclination	0°-70°				
Legrest inclination	0°-90°				
WEIGHT AND DIMENSIONS					
↔ W:	↔ W:	↗ D:	↕ H:	⚖ Kg	👤 Person
185 cm overall	112 cm external, including legs	78 cm	83 cm	39 kg	180 kg

#### Spare parts



Cod. **MIR191**  
Anatomical PU leg supports. Padding only.



Cod. **PMR112**  
Liquid collection tray in stainless steel (only for MOV355)

- EN** Ward stretcher
- F** Civière patientes de transport
- ES** Camilla de hospital
- P** Maca de enfermaria hospitalar



## Fixed height - in painted aluminium

**Cod. BC100**

Stretcher without accessories




Picture with  
**Optional  
Accessories**

4 corner  
resin  
bumpers



Backrest  
with rack  
inclination

### Sections dimensions



4 swivel castors,  
2 with brake  
Ø 200 mm

### Technical features

Hospital stretcher (BC100)						
SPECIFICATIONS						
Backrest inclination	0°-70°					
WEIGHT AND DIMENSIONS						
	L:	P:	H:	Kg	Maximum patient's weight	Safe working load
Stretcher	212 cm	72 cm	88 cm	32 kg	180 kg	215 kg
Stretcher net	200 cm	65 cm	74 cm	-	-	-

### Technical features

Mattress (BCA114 Optional)					
SPECIFICATIONS					
Padding	Expanded polyurethane fire resistant 11M, density 30 - H:7 cm				
Removable cover with 3 sides zipper	polyester 42%, polyurethane 58%, waterproof, antibacterial, 95° washable, fire retardant 11M				
WEIGHT AND DIMENSIONS					
	L:	P:	H:	Kg	Weight
	195 cm	65 cm	7 cm	3,7 kg	180kg

### Optional accessories



**Cod. BCA110**  
Reversible bedrails in chromed steel - PAIR



**Cod. BCA111**  
Steel oxygen bottle holder, max Ø max 18 cm



**Cod. BCA112**  
Drawer in painted steel



**Cod. BCA113**  
Steel IV pole - 4 inox steel hooks



**Cod. BCA115**  
Aluminium IV pole - 2 plastic hooks



**Cod. BCA114**  
Polyurethane mattress with polyurethane/polyester removable cover  
Fire retardant class IM

- EN** Modular multifunctional trolleys
- F** Chariots multifonctions modulaires
- ES** Carros multifunción modulares
- P** Carros multifuncionais modulares



### 1 shelf - 1 column - 1 handle



Laser cut base  
45x50 cm

**Cod. C1100B**

Shelf 30x40 cm

**Cod. C1105B**

Shelf 35x40 cm



Laser cut base  
45x53 cm

**Cod. C1122B**

Shelf 35x40 cm



Laser cut base  
45x53 cm

**Cod. C1123B**

Shelf 35x40 cm

### 2 shelves - 2 column - 2 handles



Laser cut base  
45x53 cm

**Cod. C1120B**

Shelf 35x40 cm



Solded base  
55x58 cm


**Cod. C1130B**

Shelf 40x50 cm

#### Technical features

SPECIFICATIONS	
Material	Base, shelf, handle in painted powder steel
Column	Aluminium
Castors	Anti static Ø 7,5 cm - Rear castors with brake
Handle and shelf	Adjustable height


#### ACCESSORIES INCLUDED




- Cod. CIR10**  
8 strips h 705mm (2 each colour: blue, red, yellow, green)
- Cod. CIR12**  
8 strips h 905mm (2 each colour: blue, red, yellow, green)

# Trolleys technical features

## 1 COLUMN DIMENSION



## 2 COLUMNS DIMENSION



### MEASURES CM

Product codes	A	B	C	D	E	Kg max
<b>CI100B</b>	80 cm	50 cm			30 cm	20 kg
<b>CI105B</b>			50 cm	40 cm		
<b>CI122B</b>	80 cm				35 cm	
<b>CI123B</b>	100 cm	63 cm				

### MEASURES CM

Product codes	A	B	C	D	E	Kg max
<b>CI120B</b>	80 cm	63 cm	50 cm	40 cm	35 cm	30 kg
<b>CI130B</b>	102 cm	73 cm	55 cm	50 cm	40 cm	

## Optional accessories



Cod. **CIA100**  
Shelf 30x40cm  
for 1 column trolley  
(CI100, CI110)



Cod. **CIA102**  
Shelf 35x40cm  
for 1 column trolley  
(CI105, CI115,  
CI122, CI123)



Cod. **CIA104**  
Shelf 35x40cm for 2  
column trolley  
(CI120)

Cod. **CIA110**  
Drawer 35x40cm  
(CI122, CI123)

Cod. **CIA120**  
Drawer 40x50cm  
(CI125, CI130)



Cod. **CIA161**  
Painted steel basket



Cod. **CIA156**  
Oxygen bottles  
support



Cod. **CIA152**  
Aluminium IV pole  
with support



Cod. **CIA154**  
Stainless steel IV pole  
with support



Cod. **CIA158**  
Monitor support

## Spare parts



Cod. **CIR100**  
Front castor



Cod. **CIR102**  
Rear anti static castor  
with brake



Cod. **CIR108**  
Angles for shelves  
- 4 pcs



Cod. **CIR104**  
Handle



Cod. **CIR106G** Grey  
Cod. **CIR106B** White  
Column cover

- EN** Couches for therapy and examination
- F** Tables de traitement et d'examen
- ES** Camillas de tratamiento y reconocimiento
- P** Macas para tratamiento e exame



## Wooden - Light walnut colour - Water paint painting

Cod. **MO705**


Light beech wood color



Paper holder included

Shelf included  
157x43,5 cm

### Sections dimensions



Fire resistant **Class 1 IM**

### Technical features

Colour	<input type="checkbox"/> Cream (pantone 151)			
<b>SPECIFICATIONS</b>				
Polyurethane padding	Density 25 - H: 4 cm			
Upholstery	Washable leatherette			
Backrest inclination	0°-45°			
<b>WEIGHT AND DIMENSION</b>				
W:	D:	H:	Kg	
189 cm	65 cm <sup>*1</sup>	78 cm <sup>*2</sup>	35 kg	200 kg

<sup>\*1</sup> Dimensions can be changed in width with an additional surcharge <sup>\*2</sup> Dimensions can be changed in height with an additional surcharge

### Optional accessories



Cod. **MO798-1**  
Additional shelf  
179x52 cm (MO700)



Cod. **MO791**  
Facial hole (MO700)



Upholstery colour  
See **Optional Accessories** page

- EN** Couches for therapy and examination
- F** Tables de traitement et d'examen
- ES** Camillas de tratamiento y reconocimiento
- P** Macas para tratamiento e exame



## Wooden - Light walnut frame - Water paint painting

Cod. **MO711**

Width 74 cm




Cod. **MO712**

Width 90 cm




Sections dimensions



Fire resistant **Class 1 IM**

Sections dimensions



### Technical features


Colour	Cream (pantone 151)
<b>SPECIFICATIONS</b>	
Polyurethane padding	Density 25 - H: 5 cm
Upholstery	Washable leatherette
Backrest inclination	0°-45°
<b>WEIGHT AND DIMENSION</b>	
W:	D:
H:	Kg:
Person:	
189 cm	74 cm*
78 cm*	36 kg
200 kg	

### Technical features

Colour	Cream (pantone 151)
<b>SPECIFICATIONS</b>	
Polyurethane padding	Density 25 - H: 5 cm
Upholstery	Washable leatherette
Backrest inclination	0°-45°
<b>WEIGHT AND DIMENSION</b>	
W:	D:
H:	Kg:
Person:	
189 cm	90 cm*
78 cm*	36 kg
200 kg	

\* Dimensions can be changed in height and width with an additional charge

### Optional with surcharge



Surcharge variation in height and/or width. See **Optional Accessories** page



Colour wooden frame, optional with surcharge. See **Optional Accessories** page

### Optional accessories



Cod. **MO798-2**  
Shelf for MO711  
160x58 cm

Cod. **MO798-3**  
Shelf for MO712  
160x74 cm



Cod. **MO729/2**  
Paper holder (60 cm) for MO711

Cod. **MO728/90**  
MO728/90  
Paper holder for 60-80cm roll (MO712)



Variation colour leatherette. See **Optional Accessories** page

- EN** Couches for therapy and examination
- F** Tables de traitement et d'examen
- ES** Camillas de tratamiento y reconocimiento
- P** Macas para tratamiento e exame




## Wooden - Light walnut frame - Water paint painting

**Cod. MO714**

4 sections




Sections inclination -45°/+45°



Fire resistant **Class 1 IM**

**Cod. MO715**



### Technical features


Colour	<input type="checkbox"/> Cream (pantone 151)			
<b>SPECIFICATIONS</b>				
Polyurethane padding	Density 25 - H: 5 cm			
Upholstery	Washable leatherette			
Backrest inclination	0°-45°			
<b>WEIGHT AND DIMENSION</b>				
↔ W:	↗ D:	↕ H:	⚖ Kg	👤
189 cm	74 cm*	78 cm*	36 kg	200 kg

### Technical features

Colour	<input type="checkbox"/> Cream (pantone 151)			
<b>SPECIFICATIONS</b>				
Polyurethane padding	Density 25 - H: 5 cm			
Upholstery	Washable leatherette			
Backrest inclination	0°-45°			
<b>WEIGHT AND DIMENSION</b>				
↔ W:	↗ D:	↕ H:	⚖ Kg	👤
189 cm	76 cm*	75 cm*	27 kg	150 kg

\*Dimensions can be changed in height and width with an additional charge

### Optional with surcharge



Surcharge variation in height and/or width. See **Optional Accessories page**



Colour wooden frame, optional with surcharge. See **Optional Accessories page**

### Optional accessories




Cod. **MO798-2**  
Shelf for MO714  
160x58 cm  
  
Cod. **MO798-4**  
Shelf for MO715  
165x66 cm



Cod. **MO791**  
Facial hole (MO715)



Cod. **MO729/2**  
Paper holder 60 cm for MO714



Cod. **MO728**  
Paper holder 60 cm for MO715



Variation colour leatherette. See **Optional Accessories page**

- EN** Wooden couches for Bobath therapy
- F** Tables de traitement Bobath
- ES** Camillas de tratamiento Bobath
- P** Macas de tratamiento método Bobath



**Wooden - Light walnut frame - Water paint painting**

Cod. **M0722**



Cod. **M0723**




Sections dimensions



Fire resistant **Class 1 IM**

Sections dimensions



Technical features

Colour	Green
<b>SPECIFICATIONS</b>	
Polyurethane padding	Density 25 - H: 5 cm
Upholstery	Washable leatherette
Backrest inclination	-
<b>WEIGHT AND DIMENSION</b>	
W:	D:
H:	Kg
200 kg	
189 cm	115 cm*
50 cm*	45 kg

Technical features

Colour	Green
<b>SPECIFICATIONS</b>	
Polyurethane padding	Density 25 - H: 5 cm
Upholstery	Washable leatherette
Backrest inclination	0°-45°
<b>WEIGHT AND DIMENSION</b>	
W:	D:
H:	Kg
200 kg	
189 cm	115 cm*
50 cm*	45 kg

\* Dimensions can be changed in height and width with an additional charge

Optional with surcharge



Surcharge variation in height and/or width. See **Optional Accessories** page



Colour wooden frame, optional with surcharge. See **Optional Accessories** page

Optional accessories



Variation colour leatherette. See **Optional Accessories** page

- EN** Foldable couches for therapy
- F** Tables pliantes de traitement
- ES** Camillas de tratamiento plegables
- P** Macas dobráveis de tratamento



**American ash wooden frame - Water paint painting**


**Cod. MO745**

Width 70 cm



**Cod. MO746**

Width 70 cm



Fire resistant **Class 1 IM**

Technical features

Colours	<input type="checkbox"/> Cream (pantone 151)				
<b>SPECIFICATIONS</b>					
Polyurethane padding	Density 25 - H: 4 cm				
Upholstery	Washable leatherette				
Backrest inclination	-				
<b>WEIGHT AND DIMENSION OPEN</b>					
↔ W:	↗ D:	↕ H:	<b>Kg</b>		
182 cm					
210 cm	70 cm	60+80 cm	13 kg		120 kg
With headrest					
<b>WEIGHT AND DIMENSION CLOSED</b>					
↔ W:	↗ D:	↕ H:	<b>Kg</b>		
91 cm	20 cm	70 cm	13 kg		

Technical features

Colours	<input type="checkbox"/> Cream (pantone 151)				
<b>SPECIFICATIONS</b>					
Polyurethane padding	Density 25 - H: 4 cm				
Upholstery	Washable leatherette				
Backrest inclination	0°-45°				
<b>WEIGHT AND DIMENSION OPEN</b>					
↔ W:	↗ D:	↕ H:	<b>Kg</b>		
182 cm					
210 cm	70 cm	60+80 cm	16 kg		120 kg
With headrest					
<b>WEIGHT AND DIMENSION CLOSED</b>					
↔ W:	↗ D:	↕ H:	<b>Kg</b>		
91 cm	20 cm	70 cm	16 kg		

Optional with surcharge



Colour wooden frame, optional with surcharge. See **Optional Accessories** page

Optional accessories



Cod. **MO747**  
Armrest+Headrest




Cod. **MO748**  
Headrest



Cod. **MO749**  
Armrest

Optional



Variation colour leatherette. See **Optional Accessories** page

- EN** Foldable couches for therapy
- F** Tables pliantes de traitement
- ES** Camillas de tratamiento plegables
- P** Macas dobráveis de tratamento



## American ash wooden frame - Water paint painting

Cod. **M0743**

Width 60 cm

Built-in face hole

Backrest inclination 0 - 45°



Folded bed

### Technical features

Colours  Cream (pantone 151)

#### SPECIFICATIONS

Polyurethane padding Density 25 - H: 3 cm

Upholstery Washable leatherette

Backrest inclination 0°-45°

#### WEIGHT AND DIMENSION OPEN

W:	D:	H:	Kg	
182 cm 210 cm With headrest	D: 60 cm 83 cm With headrest	60÷80 cm	14 kg	120 kg

#### WEIGHT AND DIMENSION CLOSED

W:	D:	H:	Kg
91 cm	20 cm	60 cm	14 kg

Optional with surcharge



Colour wooden frame, optional with surcharge. See **Optional Accessories** page

Optional accessories



Cod. **M0747**  
Armrest + Headrest



Cod. **M0750**  
Lateral armrests



Cod. **M0755**  
Carrying bag



Cod. **M0748**  
Headrest



Cod. **M0749**  
Armrest

Optional



Variation colour leatherette. See **Optional Accessories** page



- EN** Wooden ward screens and steps
- F** Paravents et marche-pieds en bois
- ES** Biombos y banquetas de madera
- P** Biombos e escadinhas de madeira



## Water paint painting

**Cod. MO760**

*MDF panels*

**Cod. MO765**

*Cotton panels, fire resistant*



### Technical features

WEIGHT AND DIMENSION				
Product codes		↔ W:	↕ H:	Ⓚ Kg
Ward screen dimensions	<b>MO760</b>	158 cm	170 cm	25 kg
	<b>MO765</b>	193 cm		10 kg
Panels dimensions	<b>MO760</b>	52,5 cm	170 cm	10 kg
	<b>MO765</b>	64 cm		

**Cod. MO781**

*Non-slip board, 1 step*



**Cod. MO782**

*Non-slip board, 2 steps*



Colour wooden frame, optional with surcharge. See **Optional Accessories** page



### Technical features

WEIGHT AND DIMENSION					
Product codes	↔ W:	↗ D:	↕ H:	Ⓚ Kg	Ⓜ
<b>MO781</b>	40 cm	27 cm	25 cm	2,5 kg	150 kg
<b>MO782</b>		41,5 cm	36 cm	3,5 kg	

- EN** Wooden trolley with castors
- F** Chariot en bois avec roues
- ES** Carrito de madera con ruedas
- P** Carro de madeira com rodas



### Water paint painting

Cod. **MO775-3**

3 shelves




Spruce blockboards, covered by tanganyika walnut, thickness 1,9 cm.

Technical features


WEIGHT AND DIMENSION			
W:	D:	H:	Kg
56 cm	70 cm	74,5 cm	8 Kg

## Optional for wooden furniture - With surcharge

### Wooden frame colour



### Width variation for beds




Cod. **MO793-L**  
Width variation up to 15 cm

Cod. **MO793-XL**  
Width variation more than 15 cm

Cod. **MO793-XL2**  
Variation width more than 15 cm (MO700)

ALLOWED VARIATION UP TO 15 CM		ALLOWED VARIATION OVER 15 CM	
<b>MO705</b>	up to <b>80 cm</b> only padding	<b>MO715</b>	more than <b>15 cm</b> padding and frame
<b>MO711</b>	up to <b>89 cm</b> only padding	<b>MO722</b>	more than <b>15 cm</b> padding and frame (only nautical fabric in blue or cream colour)
<b>MO712</b>	up to <b>105 cm</b> only padding	<b>MO723</b>	more than <b>15 cm</b> padding and frame (only nautical fabric in blue or cream colour)
<b>MO714</b>	up to <b>89 cm</b> only padding		
<b>MO715</b>	up to <b>91 cm</b> padding and frame		
<b>MO722</b>	up to <b>130 cm</b> padding and frame (only in blue or cream colour)		
<b>MO723</b>	up to <b>130 cm</b> padding and frame (only in blue or cream colour)		

### Height variation for beds



Cod. **MO793-H**  
Variation width up to 10 cm

VARIATION ALLOWED UP TO 10 CM			
<b>MO705</b>	10 cm	<b>MO712</b>	10 cm
<b>MO711</b>	10 cm	<b>MO722</b>	10 cm
		<b>MO723</b>	10 cm

## Optional leatherette colour without surcharge

### Available colours



- EN** Revolving stools
- F** Tabourets pivotants
- ES** Taburetes giratorios
- P** Bancos giratórios



**Series MI474**

Piston 14 cm

**Series MI479**

Piston 20 cm



**Series MI477**



**Series MI476**



**Cod. MI478N**



- Cod. **MI474B**
- Cod. **MI474N**
- Cod. **MI474BLU**
- Cod. **MI479B**
- Cod. **MI479N**
- Cod. **MI479BLU**
- Cod. **MI477B**
- Cod. **MI477N**
- Cod. **MI477BLU**
- Cod. **MI476B**
- Cod. **MI476N**
- Cod. **MI476BLU**

Fire resistant **Class 1 IM**

Technical features

Product codes	<b>MI479*</b>	<b>MI474*</b>	<b>MI476*</b>	<b>MI477*</b>	<b>MI478N</b>
<b>WEIGHT AND DIMENSION</b>					
H:	53÷73 cm	42÷56 cm			40÷53 cm
Seat	ø 32 cm				D: 35 W: 33 H: 15 cm
Base	ø 50 cm (aluminium)	ø 50 cm (aluminium)	ø 54 cm (plastic)	ø 54 cm (plastic)	ø 54 cm (plastic)
Elevation	Gas 20 cm	Gas 14 cm	Screw 14 cm	Gas 14 cm	Gas 14 cm
	150 kg				

\* Available in different colours

- EN** Painted steel steps
- F** Marche-pieds en acier verni
- ES** Banquetas en acero pintado
- P** Escadinhas em aço pintado



**Cod. MI481**

1 step



**Cod. MI482**

2 steps, adjustable feet



Technical features

Product codes	<b>MI481</b>			<b>MI482</b>		
<b>WEIGHT AND DIMENSION</b>						
Steps dimension	Product codes	W:	D:	H:	Kg	
	<b>MI481</b>	38 cm	45 cm	24 cm	4 kg	150 kg
	<b>MI482</b>	38 cm	50 cm	41 cm	6,5 kg	150 kg
Board dimension		38 cm	20 cm			

- EN** I.V. Poles
- F** Pieds à serum
- ES** Portasueros
- P** Soportes para soro



### Plastic base on castors

**Cod. MI432**  
Anodized aluminium pole

**Cod. MI435**  
Stainless steel pole

**Cod. MI437**  
Stainless steel pole and hooks



#### Technical features

Product codes	MI432	MI433	MI435	MI436	MI437
<b>WEIGHT AND DIMENSIONS</b>					
H:	135÷240 cm				
Kg max	10 Kg	20 Kg	10 Kg	20 Kg	
<b>SPECIFICATIONS</b>					
Base	With 5 spokes ø 54 cm				
Wheels	Swivel ø 50 mm				

- EN** I.V. Poles
- F** Pieds à serum
- ES** Portasueros
- P** Soportes para soro



**Stainless steel base on castors**


**Cod. MI425**

Stainless steel rod  
Chromed aluminium base



**Cod. MI426**

Stainless steel rod  
Stainless steel base



**Cod. MI427**

Stainless steel rod  
Stainless steel base



Technical features

Product codes	MI425	MI426	MI427
<b>WEIGHT AND DIMENSIONS</b>			
H:	135÷240 cm		
Kg max	20 Kg		40 Kg
<b>SPECIFICATIONS</b>			
Base	With 5 spokes ø 50 cm	With 5 spokes ø 54 cm	With 5 spokes ø 50 cm
Wheels	Swivel ø 50 mm		

- EN** I.V. Pole
- F** Pied à serum
- ES** Portasuero
- P** Soporte para soro



## Base - Pole - Hooks in stainless steel AISI 304

Cod. **MI440**



### Technical features

WEIGHT AND DIMENSIONS			
65 cm	154÷255 cm	60 kg	19 Kg
SPECIFICATION			
Base	Weighted, anti tipper		
Castors	Double - Antistatic - Swivel ø 7,5 cm		

## IV poles optional accessories




Cod. **MO441**  
Plastic bottle holder  
(housing for 200 ml + 1000 ml bottles) **(for all models)**



Cod. **MIA441**  
Only stainless steel handle **(only for MI440)**



Cod. **MIA443**  
Stainless steel handle and tray **(only for MI440)**



Cod. **MIA420**  
Weighting disc 1,750 Kg, max 2 pcs per pole **(for all models except MI440)**



Cod. **MIA421**  
Instrumentation support, dedicated for Moretti rods **(for all models except MI440)**



Cod. **MIA421-1**  
Universal instrumentation support, for rods with ø between 21 and 28 mm **(for all models except MI440)**



Cod. **MIA422-1**  
2 antistatic wheels kit with quick coupling stem **(for all models except MI427 and MI440)**



Cod. **MIA422-2**  
2 antistatic wheels kit with threaded stem **(only for MI427)**



Cod. **MIA423-1**  
2 wheels kit with brake, with quick coupling stem **(for all models excluding MI427 and MI440)**



Cod. **MIA423-2**  
2 wheels kit with brake with threaded stem **(only for MI427)**

- EN** Ward screens
- F** Paravents
- ES** Biombos
- P** Biombos

## Anodized aluminium

Cod. **MO411A**

3 panels

Cod. **MO415A**

4 panels



PVC washable curtain, self-extinguishing. Ø 5 cm castors.  
Central castors with brake.

### Spare parts

Cod. **MR581**

PVC curtain

### Technical features

WEIGHT AND DIMENSIONS				
	Product codes	↔ W:	↕ H:	⚖ Kg
Ward screen dimension	<b>MO411A</b>	160 cm	170 cm	7,7 kg
	<b>MO415A</b>	212,5 cm		9,2 kg
Panel dimension	<b>MO411A</b>	55 cm	170 cm	
	<b>MO415A</b>			

## Painted steel

Cod. **MO412C**

3 panels

Cod. **MO414C**

4 panels



PVC washable curtain, self-extinguishing. Ø 5 cm castors.  
Central castors with brake.

### Spare parts

Cod. **MR580**

PVC curtain

### Technical features

WEIGHT AND DIMENSIONS				
	Product codes	↔ W:	↕ H:	⚖ Kg
Ward screen dimension	<b>MO412C</b>	160 cm	170 cm	10,5 kg
	<b>MO414C</b>	212,5 cm		14 kg
Panel dimension	<b>MO412C</b>	55 cm	170 cm	
	<b>MO414C</b>			

- EN** Dressing trolleys
- F** Chariots à soins
- ES** Carros de cura
- P** Carros curativo

### Stainless steel 18/10 - Castors ø 8 cm

Cod. **MO233**

Cod. **MO234**

2 shelves



Cod. **MO243**

Cod. **MO244**

3 shelves



Cod. **MO251**

With drawer, bowl-stand and bowl



Cod. **MO252**

With 2 drawers, bowl-stand and bowl



Technical features


WEIGHT AND DIMENSION						
Product codes	↔ W:	↗ D:	↕ H:	Kg max	Kg *	Volume*
<b>MO233</b>	60 cm	40 cm	80 cm	60 kg total	9 kg*	0,043m <sup>3</sup> *
<b>MO234</b>	70 cm	50 cm	80 cm	60 kg total	10,5 kg*	0,054m <sup>3</sup> *
<b>MO243</b>	60 cm	40 cm	80 cm	60 kg total	11 kg*	0,072m <sup>3</sup> *
<b>MO244</b>	70 cm	50 cm	80 cm	60 kg total	13 kg*	0,072m <sup>3</sup> *
<b>MO251</b>	70 cm	50 cm	80 cm	60 kg total	15 kg*	0,26m <sup>3</sup> *
<b>MO252</b>	70 cm	50 cm	80 cm	60 kg total	17 kg*	0,26m <sup>3</sup> *

\* Volume refers to packaged products

### MAYO instrument table - Stainless steel 18/10 - Castors ø 5 cm

Cod. **MO275**

Height adjustable manually



Technical features

WEIGHT AND DIMENSION			
		Inner tray	Outer tray
↔ W:	70 cm	70 cm	70 cm
↗ D:	50 cm	45 cm	45 cm
↕ H:	90÷115 cm	1,8 cm	6,5 cm
Kg max	10 kg		
Kg *	17 kg*		
Volume*	0,16m <sup>3</sup> *		

\* Volume refers to packaged products

- EN** Drugs and instruments cabinets
- F** Armoire de medicament et instruments
- ES** Vitrina de medicamentos e instrumental
- P** Armário para medicamentos e instrumentos

### Painted steel - Tempered glass - With lock



**Cod. MO111**

1 door  
3 stainless steel shelves



**Cod. MO115**

2 doors  
3 stainless steel shelves



**Cod. MO121**

2 glass doors  
3 stainless steel shelves

Technical features

\* Volume refers to packaged product

DIMENSIONS				
Product codes	W:	D:	H:	Volume*
<b>MO111</b>	53 cm	36 cm	144 cm	0,31 m <sup>3</sup> *
<b>MO115</b>	75 cm	38 cm	169 cm	0,53 m <sup>3</sup> *
<b>MO121</b>				0,54 m <sup>3</sup> *

- EN** Ward trolleys
- F** Chariots de service
- ES** Carros auxiliares
- P** Carros hospitalares

### Aluminium frame - Bilaminare shelves

**Cod. MO201**

**Cod. MO203**

Without railings



ø 8 cm

**Cod. MO221**

**Cod. MO223**

With railings



ø 8 cm

Technical features

\* Volume refers to packaged products

WEIGHT AND DIMENSION						
Product codes	W:	D:	H:	Kg max	Kg *	Volume*
<b>MO201</b>	60 cm	40 cm	80 cm	60 kg total	12 kg*	0,043m <sup>3</sup> *
<b>MO203</b>	90 cm	60 cm			19 kg*	0,008m <sup>3</sup> *
<b>MO221</b>	60 cm	40 cm			12 kg*	0,043m <sup>3</sup> *
<b>MO223</b>	90 cm	60 cm			19 kg*	0,008m <sup>3</sup> *

- EN** Lamps
- F** Lampes
- ES** Lámparas
- P** Lâmpadas

## Bifconvex lens, without base

Cod. **MO416L**

Lamp with 3dt round lens




Cod. **MO417L**

Lamp with 3+7,5dt bifocal lens

Cod. **MO419L**

Lamp with 3dt round lens



Cod. **MO425L**

Lamp with 3+7,5dt bifocal lens

### Technical features

Product codes	MO417L	MO425L	MO416L	MO419L
<b>SPECIFICATIONS</b>				
<p>Biconvex lens in optical glass and bifocal lens</p>		<p>Biconvex lens in optical glass</p>		
Power	220V			

DIMENSION	
<p>107 cm (MO416L/417L)</p> <p>60 cm (MO416L/417L)</p>	<p>135 cm (MO419L/425L)</p> <p>80 cm (MO419L/425L)</p>

## Without base

Cod. **MO424**

Led lamp, 6.5W, middle life 50.000 hours, minimum light flux 650 lumen  
Long arm



### Technical features

DIMENSION	
<p>560</p> <p>1028</p> <p>490</p>	
SPECIFICATIONS	
Power	220-240V 50-60Hz

### Optional accessories



Cod. **MO4320**  
Wall mount



Cod. **MO4340**  
Extension 13 cm for MO4320



Cod. **MO4330**  
Table base Ø 250 mm (only for MO424)



Cod. **MO4310**  
Aluminium table clamp



Cod. **MO429**  
Fixed stand with Ø 25 mm stem, on casters.  
**Not used for MO419-MO425**  
H: 860 mm  
Ø base: 60 cm



Cod. **MO430**  
Stand with balanced telescopic stem with spring on casters.  
Heavy base  
Ø base: 60 cm  
H: 850÷1500 mm

- EN** Finger pulse oximeters
- F** Oxymètres de pouls
- ES** Pulsioxímetros de dedo
- P** Oxímetro de dedo

## Adult

Cod. **LTD800**  
LED display



Cod. **LTD805**  
Rotating LCD display with perfusion index



## Pediatric

Cod. **LTD809**  
Pediatric from 2 to 8 years.  
Rotating display\*\*



\* Maximum opening W:2 cm H:2,7 cm

\*\*The graphic subject varies according to availability

Simple, small, light-weight (50 gr. with batteries), easy to carry. Low battery signal. Automatic turning-off after 8 seconds without signal. Putting the finger in the sensor, the pulse oximeter will give you the oxygen saturation and the pulse rate in few seconds. 2 AAA batteries guarantee 30hrs measurements. A string to carry the device is provided. LTD805 and LTD809: pressing the on button you can rotate the display. Keeping it pressed you can adjust the display brightness.

### Accessories included



Cod. **LDR196**  
Rubber protective cover for LTD800-LTD805



Cod. **LDR194**  
Rubber protective cover for LTD809



String to carry

### Optional accessories



Cod. **LDR195B** Blue  
Cod. **LDR195R** Red  
Cod. **LDR195V** Green

Padded and resistant cover for pulsioximeters.

### Technical features

Product code	LTD800	LTD805
<b>SPECIFICATIONS</b>		
Display	LED	OLED
Batteries included	2 AAA alkaline batteries	
Parameters	SpO <sub>2</sub> , pulse	SpO <sub>2</sub> , pulse, SpO <sub>2</sub> wave, tracing
Alarm	low battery indication	
SpO <sub>2</sub>		
Measurement range	70-100%	
Resolution	1%	
Accuracy	70% - 100%: ± 2% 0% - 69%: not specified	
<b>PULSE RATE</b>		
Measurement range	30-250 bpm	
Resolution	1 bpm	
Accuracy	30-99: ± 2 bpm 100-250: ± 2%	
<b>WEIGHT AND DIMENSION</b>		
W:	5,8 cm	
D:	3,2 cm	
H:	3,3 cm	3,4 cm
Weight	50g (with batteries) 40g (without batteries)	

### Technical features

Product code	LTD809
<b>SPECIFICATIONS</b>	
Display	OLED
Batteries included	2 AAA alkaline batteries
Parameters	SpO <sub>2</sub> , pulse, tracing
Alarm	low battery indication
SpO <sub>2</sub>	
Measurement range	70-100%
Resolution	1%
Accuracy	70% - 100%; ± 2% 0% - 69%; not specified
<b>PULSE RATE</b>	
Measurement range	30-250 bpm
Resolution	1 bpm
Accuracy	30-99: ± 2 bpm 100-250: ± 2%
<b>WEIGHT AND DIMENSION</b>	
W:	5 cm
D:	2,8 cm
H:	2,8 cm
Weight	45G (with batteries)

- EN** Hand type pulse oximeter with alarms and graphic trend
- F** Oxymètre de pouls avec alarmes et écran graphique
- ES** Pulsioxímetro portátil con alarmas y monitor de control
- P** Oxímetro de pulso palmar com alarmes e display gráfico

## It can be connected to PC


**Cod. LTD822** Hand type pulse oximeter with alarms, storage and graphic display. Visual and sound alarms can be set up. Sensor compatible BCI (disposable, without connector)

**Cod. LTD823** Same characteristics as LTD822, internal mode and sensor NELLCOR OXIMAX (the sensor can be substituted with NELLCOR sensors only). Integrated temperature mode, probe included



**Easy to read**

**Measurement trend visualization**




**Accessories included**



Carrying bag



**Cod. LDR200**  
1 adult clip sensor, for LTD822 only

Simple and light-weight, it's suitable for monitoring adult, children and newborn babies; in the LCD high resolution display, you can check last 10 minutes registration in graphic trend or in table mode. It is possible to record information up to 100 patients for 300 hours. This pulse oximeter is compatible with DB9 Nellcor and with BCI sensors and can be connected to computer with a special software (LTD825 not included).

## Optional accessories



**Cod. LTD822R**  
Battery charger only for LTD822 with Battery included



**Cod. LDR197B** Blue  
**Cod. LDR197G** Grey  
**Cod. LDR197V** Green  
Silicone cover



**Cod. LTD825**  
**Software for memories management of LTD822 and LTD823.** You can transfer the pulse oximeter records to your computer through the sensor connection and the cable included in the software. You can print the data tables on normal paper or create a PDF file.

**Cod. LDR208**  
Rechargeable battery (not illustrated)

## Technical features

REFERENCES		SATURATION	
Electric class	internal power source	Adult and pediatric	±2 (70-100%)
Safety	B class - BF type -IPX2	Newborn	±3 (70-100%)
SPECIFICATIONS		In movement	±3 (70-100%)
Display	LCD 128 x 64 dot-matrix	PULSE RATE	
Batteries included	4 AA 1.5V alkaline (compatible with rechargeable batteries)	Adult and pediatric	±3 bpm
Battery life	48 h continuously	Newborn	±3 bpm
Alarm	SpO <sub>2</sub> - BMP	In movement	±5 bpm
Memory	100 patients, 300 h	Resolution	
RANGE		SpO <sub>2</sub>	1%
SpO <sub>2</sub>	0-100%	Bpm	1 bpm
BPM	25-300 BPM	WEIGHT AND DIMENSION	
		W:	D:
		H:	Kg
		7 cm	3,76 cm
		16 cm	165 g
			without batteries

- EN** Hand held pulse oximeter with alarms
- F** Oxymètre de pouls avec alarmes
- ES** Pulsioxímetro portátil con alarmas
- P** Oxímetro de pulso palmar com alarmes

## It can be connected to PC - Colour display

Cod. **LTD821**



### Technical features

SPECIFICATIONS			
Adult and pediatric			
Display	TFT da 2.4"		
Battery - 3 AA alkaline batteries or NiMH batteries, or power adapter			
Autonomy	10 h continuously		
Adjustable levels of video sound alarm and battery indicator			
Visualization of SpO <sub>2</sub> , PR, wave form and pulse intensity			
72h memory			
MedView Software to analyse recorded data			
USB cable for the data transmission on PC			
Protection type: device with inner power source			
SpO <sub>2</sub>			
Visualization range	0% - 100%		
Measurement range	70% - 100%		
Resolution	1%		
Accuracy	70% - 100%: ±2% 0% - 69%: not specified		
PR			
Visualization range	0 - 254 bpm		
Measurement range	30 - 250 bpm		
Resolution	±2 bpm o 2%		
PERFUSION INDEX			
Visualization range	0.1% - 20%		
Accuracy	0.1% - 1%: ±0.2% 1.1% - 20%: 20%		
WEIGHT AND DIMENSION			
W:	D:	H:	Kg
12,5 cm	6 cm	3 cm	141 g (without batteries)

Indicated for adult, paediatric and neonatal patients in hospitals and home care. 72-hour memory and 24-hour continuous working time.

### Accessories included

- 3 AA alkaline batteries  
(not illustrated)
- Adult clip sensor  
(not illustrated)
- CD Software  
(not illustrated)
- USB cable  
(not illustrated)

### Optional accessories

- Cod. **LDR225**  
Power adapter  
(not illustrated)
- Cod. **LDR226**  
Battery charger stand  
(not illustrated)
- Cod. **LDR198**  
Extension cable 2 m  
(not illustrated)

## Sensors and cable for pulseoximeter

### LTD821



Cod. **LDR120** 90 cm  
Soft adult sensor



Cod. **LDR125** 90 cm  
Wraparound adult sensor




Cod. **LDR198** 2 m  
Extension cable



Cod. **LDR105N** 90 cm  
Adult hinged sensor  
(LOT production after 02/2015)



Cod. **LDR115N** 90 cm  
Pediatric hinged sensor  
(LOT production after 02/2015)



Cod. **LDR135N** 90 cm  
Neonate sensor Y type  
(LOT production after 02/2015)

### LTD822




Cod. **LDR200** 90 cm  
Adult hinged sensor



Cod. **LDR209** 1,5 mt  
Extension cable for sensors



Cod. **LDR202** 90 cm  
Soft adult sensor



Cod. **LDR203** 90 cm  
Soft pediatric



Cod. **LDR204** 90 cm  
Wraparound neonate sensor



Cod. **LDR206** 1 mt  
Adult/pediatric lobe sensor

- EN** Ultrasonic pocket adult doppler
- F** Doppler à ultrasons de poche adulte
- ES** Doppler de ultrasonidos de bolsillo adulto
- P** Doppler de ultra-sons de bolso adulto

**Cod. LTD100**

*Sonotrax basic with 2Mhz probe*

**Cod. LTD101**

*Sonotrax basic with 8Mhz probe*

**Cod. LTD110**

*Sonotrax basic A with 2Mhz probe*

**Cod. LTD120**

*Sonotrax pro with 2Mhz probe*



Accessories included



1 waterproof probe (specify the probe in the order)



1 Carrying bag

Optional accessories



Cod. **LDR400/2**  
**2Mhz**  
Cod. **LDR400/3**  
**3Mhz**  
Waterproof fetal probes with deeper detection



Cod. **LDR400/4**  
**4Mhz**  
Cod. **LDR400/8**  
**8Mhz**  
Waterproof vascular probes with lower detection

Compact, easy to use. Ergonomic design allows a probe and device simple handgrip. Waterproof and easy interchangeable probes. Automatic turn-off.

Technical features

Product code	LTD100	LTD101	LTD110	LTD120				
<b>SPECIFICATIONS</b>					Recording length	480s/240s		
Display	45 x 25 mm LCD				Audio output power	0,5 W		
Heart rate range	50 - 210 bpm				Auto shut-off	1 minute		
Resolution	1 bpm				Battery	Battery / Rechargeable battery		
Audio sampling frequency	4KHz / 8 KHz				<b>WEIGHT AND DIMENSION</b>			
					W:	8,5 cm		
					D:	3,2 cm		
					H:	13,8 cm		
					Kg	290 g		
<b>MODELS COMPARISON</b>								
Product code	<b>LTD100 - BASIC</b>		<b>LTD101 - BASIC</b>		<b>LTD110 - BASIC A</b>		<b>LTD120 - PRO</b>	
Interchangeable probe	YES		YES		YES		YES	
FHR (Fetal heart rate) display	YES		YES		YES		YES	
Audio recorder	NO		NO		NO		YES	
Backlight	NO		NO		YES		YES	
Probe auto-detection	YES		YES		YES		YES	
Battery status	NO		NO		YES		YES	
Low battery indication	YES		YES		YES		YES	

EN Electrocardiograph  
 F Eléctrocardiographie  
 ES Electrocardiógrafo  
 P Electrocardiógrafo

## SE300 - 1/3 channel - Interpretation - Big colour display

Cod. **LTD405W**

CE  
0123

Data transfer through USB in DAT and PDF format

For optional accessories and technical features see accessory page

Languages available on request:  
 English, French, Spanish, Italian, Russian, Portuguese, Polish, Czech, Croatia, German, Romanian

Colour display




Left side connections

Right side connections

Compact, light, easy to carry thanks to a commode incorporated handle. Internal battery allows its use on any place. The heavy-duty external structure save the device from shocks. Easy to use thanks to a simple and intuitive software. Software (optional for the three channels model), allows data transfer and recording to the PC. Possibility to memory recall. Digital drift filters, AC and EMG.

### Accessories included

### Spare parts



Cod. **DRV2083/P**  
1 patient cable



1 electrode set



1 standard power cable



Cod. **DRV1521**  
Thermal paper



Cod. **DRV1800**  
1 gel - 260 g

Cod. **DRV2084**  
Rechargeable battery  
(not illustrated)

### Technical features

GENERAL INFORMATION				
Easy to carry	Automatic ECG parameters and analysis			
Easy to use	Selectable printing format: 3 LEAD, RHYTHM, 3/2 LEAD, MANUAL ONE LEAD			
Lithium internal battery	100 patients data storage can be reviewed in PC (to be used with special software)			
Baseline automatic adjustable	Heart rate variability (HRV function)			
Thermal printer high resolution	WEIGHT AND DIMENSION			
192x64 pixels display LCD with waveform visualisation	↔ W:	↗ D:	↕ H:	⚖ Kg
Baseline digital filters AC and EMG	30 cm	26 cm	8,5 cm	2,5 kg (with batteries)
Auto/manual operation selectable				
Lead-off cable detection				

## ECG technical features, LTD400-405W

SPECIFICATIONS	LTD405W
Input circuit	Floating input circuit, protection from defibrillation and pace maker
Cable	standard 12 LEAD
Acquisition mode	12 leads simultaneously
A/D converter	12 bit
Measurement range	> ± 5mVpp
Time constant	> 3.2 sec
Frequency Response	0,05Hz - 150Hz
Ecg parameter and analysis	si
Memory	100 patients
Calibration voltage	1mV ± 3%
Sensitivity	2,5 - 5 - 10 - 20 (mm/mV)
Input impedance	> 50MΩ
Input Circuit current	50nA
Noise level	<12,5 μ Vp-p
Anti baseline drift	auto
Patient current leakage	<10μA (220V - 240V/Hz)
Patient auxiliary current leakage	< 0,1μA (DC)
Filters	CA filter: On/Off DFT filter: 0.05/0.15/0.25/0.32/0.5/0.67Hz EMG filter: 25Hz/35Hz/45Hz/OFF Low Pass filter: 150Hz/100Hz/75Hz
CMRR	> 100dB
Recording mode	Auto/manual
Rhythm lead	Any lead selectable
Lead selection	Auto/manual
Safety standard	IEC I/CF
Power supply	AC 100v-115v/220v-240v, 50/60Hz Built-in rechargeable Lithion battery
Printer	Thermal
Paper	80mm x 30m
Paper speed	5mm/s, 6,25mm/s, 10mm/s, 12,5mm/s, 25mm/s, 50mm/s ± 3%
Display	320x240 pixel LCD colour
Communication	RS232, USB, ETHERNET


## Optional accessories for Electrocardiograph



**Cod. CO150**  
Aluminium trolley for ECG without cable pole, with fastening base. Specify during the order for which ECG you need the trolley

**Cod. LDR354**  
Adaptor plate for ECG  
(not illustrated)

**Cod. CO156**  
Cable holder for CO150  
(not illustrated)



**Cod. LTD406**  
Software smart ECG viewer for PC visualization

EN Electrocardiograph  
 F Eléctrocardiografe  
 ES Electrocardiógrafo  
 P Electrocardiógrafo


**SE301 - 3 channels - Interpretation - Touch screen display**

Cod. **LTD408**



For optional accessories and technical features see next page

Touch screen




Built-in thermal printer



Ultra-compact

Bi-directional connection ECG/Computer through software (optional). Pdf format reports export (optional). 12-lead simultaneous acquisition, sampling up to 120 seconds and 500 ECG recordings storage capacity. USB flash disk and micro SD card to extend memory (not included). Built-in rechargeable Li-ion battery. Possibility to connect to a scan barcode to obtain patient information (optional).

Accessories included



Cod. **DRV2085**  
1 patient cable



1 electrode set



Cod. **DRV2086**  
1 standard power cable



Cod. **DRV1534**  
Thermal paper



Cod. **DRV1800**  
1 gel - 260 g

Spare parts

Cod. **DRV2084**  
Rechargeable battery (not illustrated)

Technical features

GENERAL INFORMATION
Internal Lithium battery
Operating time about 8,5 hours
Manual recording mode until 5 hours
500 ECG recordings storage capacity
Possibility of External printer via USB port
Possibility of barcode scanner connection
Possible support USB flash disk and micro SD card to extend memory
High resolution colour touch screen display 5"
Complete digital filters

Sampling up to 120 seconds  
 500 ECG recording storage capacity, (data transfer on PC through software)

**12-lead simultaneous acquisition**

WEIGHT AND DIMENSION			
W:	D:	H:	Kg
22,4 cm	14,3 cm	5,4 cm	1 kg (without battery and paper)

## Technical features

REFERENCES			
Safety standard	IEC 60601-1:2005/A1:2012, EN 60601-1:2006/A1:2013, IEC/EN60601-1-2: 2007, EN60601-1-2:2007/AC:2010, IEC 60601-2-25:2011	Acquisition mode	Simultaneously 12 leads
Classification	Class I Anti-Shock level CF type	A/D Resolution	24 bit
SPECIFICATIONS		Time constant	≥3.2s
Working mode	Continuous	Frequency response	0.01Hz - 300Hz (-3dB)
EMC	CISPR 11 Group 1, Class A	Gain	2.5, 5, 10, 20, 10/5, 20/10 (mm/mV), AGC
Display	LCD 800x480 pixel	Input impedance	≥ 50 Mohm (10Hz)
POWER		Input circuit current	≤0,01 μA
Mains supply	Operating voltage =100V-240V Operating frequency = 50/60Hz Output power adaptor = 19V, 2A	Input voltage range	≤ ±5 mVpp
Built-in lithium battery	Rated output = 14,8 V Rated capacity = 2500 mAh Recharge time = ≤ 3,5 ore Cycle life = ≤ 300 times	Calibration voltage	1mV±3%
Recording	Thermal	DC offset voltage	±600mV
Recording paper	Thermal paper mm 80x20 mt	Noise	≤12.5 μVp-p
Effective width	72 mm	Multichannel crosstalk	0,5mm
Paper speed	5mm/s, 6.25mm/s, 10mm/s, 12.5mm/s, 25mm/s, 50mm/s ±3%	Filter	AC Filter: On/Off DFT Filter: 0.01/0.05/0.25/0.5/0.32/0.67Hz EMG Filter: 25Hz/35Hz/45Hz/OFF Low-pass Filter: 300Hz/270Hz/150Hz/100Hz/75Hz
Accuracy of data	± 5% (x-axis), ± 5% (y-axis)	CMRR	≥140dB (CA On) ≥110dB (CA Off)
HR recognition	Technique Peak-peak detection	Sampling Frequency	16.000/sec/channel
HR range	30 BPM -300 BPM	PACEMAKER DETECTION	
Accuracy	±1BPM	Amplitude	±2 mV ~ ±700 mV
ECG Unit Leads	12 standard	Width	0,1 ms ~ 2,0 ms
		Sampling Frequency	16.000/sec/channel

## Optional accessories for ECG



Cod. **LTR974**  
Scan barcode  
(not illustrated)

Cod. **LTD406**  
Software smart  
ECG viewer for PC  
visualization

- EN** Electrocardiograph
- F** Électrocardiographe
- ES** Electrocardiógrafo
- P** Electrocardiógrafo

### 3/6 channels SE601 - With interpretation

Cod. **LTD445S**

Internal memory  
up to 100 ECG



5.7" high resolution display

Data transfer  
through USB in DAT  
and PDF format

5.7" (320x240mm) display. It can show up to 12 leads; big alphanumeric keyboard and a wide internal memory for data record up to 100 ECG. Is it possible to create XML format ECG.

#### Accessories included



1 electrode set




1 standard power  
cable



Cod. **DRV1530**  
Thermal paper  
**Z-fold**



Cod. **DRV1800**  
1 gel 260g



Cod. **DRV2083/P**  
1 ECG cable

Rechargeable Li-ion  
battery  
(not illustrated)


#### Optional accessories

Cod. **CO156**  
Cable holder for  
CO150  
(not illustrated)



Cod. **CO150**  
Aluminium trolley for  
ECG without cable  
pole, with fastening  
base. Specify during  
the order for which  
ECG you need the  
trolley

Cod. **LDR354**  
Adaptor plate  
for ECG (not  
illustrated)



Cod. **LTD406**  
Software smart  
ECG viewer for PC  
visualization

## Technical features

REFERENCES	
Safety standard	IEC 60601-1 1988+A1+A2, EN 60601-1:1990+A1+A2, IEC/EN60601-1-2:2001+A1, IEC/EN60601-2-25, ANSI/AAMI EC-11
Classification	"I" class with internal power source Anti-Shock level CF type
SPECIFICATIONS	
Working mode	Continuous
EMC	"A" type
Display	LCD SNT 5,7" 320x240 pixel
POWER	
Mains supply	Rated input voltage =100V-240V Rated frequency = 50/60Hz Rated input power = 70VA
Built-in lithium battery	Rated capacity = 2500mAh When the capacity of battery is full, the electrocardiograph can work normally for nearly 5 hours; about 300 ECG of 3×4+1rh can be recorded in the Auto Mode. Necessary Charge time: 5 hours Charge mode: Constant current/voltage
Power consumption	70VA (max)
Fuse	T3.15AH250V Ø5×20
RECORDING	
Printer	Thermal dot-matrix recorder
Recording paper	Folded paper
Paper width	110mm
Effective width	104mm
Paper speed	5mm/s, 6.25mm/s, 10mm/s, 12.5mm/s, 25mm/s, 50mm/s ±3%
Accuracy of data	± 5% (x-axis), ± 5% (y-axis)
HR RECOGNITION	
HR recognition Technique	Peak-peak detection
HR range	30 BPM -300 BPM
ECG	
Accuracy	±1BPM
ECG unit	12 leads
Adquisition mode	simultaneously 12 leads
A/D resolution	24 bit
Time constant	≥3.2s
Frequency response	0.01Hz - 300 Hz (-3dB)
Gain	2.5, 5, 10, 20, 10/5, AGC (mm/mV)
Input impedance	100 MΩ (10Hz)
Input circuit current	≤10nA
Input voltage range	<±5 mVpp
Calibration voltage	1mV±2%
DC offset voltage	±600mV
Noise	<12.5 μ Vp-p
Multichannel crosstalk	≤0.5mm

Filter	AC Filter: On/Off DFT Filter: 0.01/0.05/0.15/0.25/0.32/0.5/0.67Hz EMG Filter: 25Hz/35Hz/45Hz/OFF Low-pass Filter: 300Hz/270Hz/150Hz/100Hz/75Hz		
CMRR	≥140dB (AC On) ≥123dB (AC Off)		
Sampling Frequency	1000Hz		
Patient leakage current	<10 μ A(AC) / <10 μ A(DC)		
Patient auxiliary current	<10 μ A(AC) / <10 μ A(DC)		
Dielectric Strength	4000V rms		
External Input/Output (Optional)			
Input	≥100k Ω; Sensitivity 10mm/V±5%; Single ended		
Output	≤100 Ω; Sensitivity 1V/mV±5%; Single ended		
GENERAL INFORMATION			
USB port for data patient transmission			
RJ45 and Rs-232 port for data transmission to PC			
Rechargeable Li-ion battery			
Single button for sampling, analyzing, printing and storage			
Standby mode for saving energy and extending LCD life			
Various printing formats			
HRV digital filters			
Automatic arrhythmia detection and recording			
Self measurement			
Accurate ECG interpretation with software SEIMP			
Heart rate variability analysis			
Multi-language support			
12-lead are gathered and amplified simultaneously, 6-Channel ECG waves are displayed and recorded simultaneously			
High resolution thermal recorder, recording frequency response ≤150Hz			
Flexible recording formats			
Big keyboard design, separate number and letter keys for easy operation			
Auto mode, manual mode, rhythm mode, R-R mode optional			
Convenient system setup and file management operation			
Auto measurement and auto interpretation optional			
Hint information for lead off, lack of paper and low battery capacity etc.			
Support Period Print and Arrhythmia Triggered Print			
LCD Backlight Auto turn-off , Auto Power-off function and			
WEIGHT AND DIMENSION			
 W:	 D:	 H:	
31 cm	32,2 cm	10,1 cm	2,6 kg (without batteries)

**EN** Electrocardiograph  
**F** Électrocardiographe  
**ES** Electrocardiógrafo  
**P** Electrocardiógrafo


## SE-1200- 6/12 channels - With interpretation - Touchscreen

Cod. **LTD455W**

EXPRESS memory  
up to 200 ECG

CE  
0123

8.4" colour touch screen display



Data transfer  
through USB in DAT  
and PDF format

Lightweight with carrying handle. It is provided with digital filters which avoids baseline drifts, AC and EMG interferences. Alphanumeric keyboard.

### Accessories included



1 electrode set




1 standard power  
cable



Cod. **DRV1528**  
Paper 210mmx20mt  
h 45mm



Cod. **DRV1800**  
1 gel 260g



Cod. **DRV2083/P**  
1 ECG cable

Rechargeable Li-ion  
battery  
(not illustrated)


### Optional accessories

Cod. **CO156**  
Cable holder for  
CO150  
(not illustrated)



Cod. **CO150**  
Aluminium trolley for  
ECG without cable  
pole, with fastening  
base. Specify during  
the order for which  
ECG you need the  
trolley

Cod. **LDR354**  
Adaptor plate  
for ECG (not  
illustrated)



Cod. **LTD406**  
Software smart  
ECG viewer for PC  
visualization

## Technical features

SPECIFICATIONS	
Circuit	Protection from defibrillation and pace maker
Lead	standard 12 leads
Acquisition mode	12 leads simultaneously
A/D converter	24 bit
Input voltage range	$\pm 5m V_{pp}$
Time constant	> 3.2 sec
Frequency range	0.01Hz - 300 Hz (-3dB)
Calibration voltage	1mV $\pm 2\%$
Sensitivity	2.5, 5, 10, 20, 10/5 AGC (mm/mV)
Input impedance	100 M $\Omega$ (10Hz)
Noise level	<12.5 $\mu$ Vp-p
Anti baseline drift	Automatic
Filters	CA filter: On/Off DFT filter: 001/005/015/025/032/05/067Hz EMG filter: 25Hz/35Hz/45Hz/Off Low Pass filter: 300Hz/270Hz/150Hz/100Hz/75Hz
CMRR	$\geq 140$ dB (AC On) $\geq 123$ dB (AC Off)
Sampling frequency	64.000/sec/channel
Recording mode	Auto/manual/rhythmic
Rhyth Lead	Single lead or 3 leads selectable
Safety Class	"I", "CF" type
Power supply	AC 100V-240V, 50/60Hz
Battery	Built-in Li-ion, 14.4V (400 ecg print)
Printer	Integrated thermal printer
Paper	Z-fold and roller (mm210/20m)
Paper speed	5mm/s, 6.25mm/s, 10mm/s, 12.5mm/s, 25mm/s, 50mm/s $\pm 3\%$
Display	800x600 pixel multicolour
Connettività	RS232, USB, ETHERNET

GENERAL INFORMATION
Low weight and compact size with handle
USB port for patient data transmission
RJ45 and Rs-232 port for data transmission on PC
Rechargeable LI-ion battery
Single button
Standby mode for saving energy and extending LCD life
Various printing formats
Digital filters which avoid baseline drifts
Automatic arrhythmia detection and recording
Auto-measurement
Accurate ECG interpretation with software SEIMP
Heart rate variability analysis (HRV function)
WEIGHT AND DIMENSION
 W:  D:  H:  Kg
42 cm                  33 cm                  12 cm                  5 kg

- EN** Spare parts for ECG
- F** Pièces de rechange pour ECG
- ES** Repuestos para ECG
- P** Peças de reposição para ECG


## Paper rolls



Technical features

DIMENSION				SPECIFICATIONS
Product code	W:	D:	H:	
<b>DRV1520</b>	5 cm	30 mt	5 cm	Graph paper LTD400 - 1pc
<b>DRV1521</b>	8 cm	30 mt	5 cm	Graph paper LTD405W - 1pc
<b>DRV1528</b>	21 cm	20 mt	4,5 cm	Graph paper serie LTD455W - 1pc
<b>DRV1530</b>	14 cm	11 cm	140 <b>Z-FOLD</b> papers h1 cm	Graph paper LTD445S
<b>DRV1534</b>	80 cm	20 cm	-	Graph paper LTD408

## ECG cables



Cod. **DRV2083/P**  
Patient cable for DIMED PRO ECG  
Cod. **DRV2085**  
Patient cable for automatic ECG  
**N.B.** 10-Lead Patient Cable With Protection From Defibrillator Discharge

## ECG electrodes



Cod. **DRV175** Ø 2,4 cm  
Cod. **DRV176** Ø 3 cm  
**Adults**  
Cod. **DRV174** Ø 1,5 cm  
**Pediatric**

"Ag/AgCl" electrode universal connection - 1pc



Cod. **DRV1620**  
**Adults**  
Cod. **DRV1621**  
**Pediatric**

Pediatric Electrode universal connection - 1pc

## Peripheral clamp



Cod. **DRV170**  
**Adults**  
Cod. **DRV171**  
**Pediatric**

AG/AGCL universal connection - 4pcs

## ECG disposable pre-gelled electrodes



Cod. **DRV165T TNT**  
Cod. **DRV165F FOAM**  
Ag/AgCl Pediatric clip electrode Ø 4 Cm - 50 pcs



Cod. **DRV166T TNT** Ø 5,5 cm  
Cod. **DRV166F FOAM** Ø 4,8-5 cm  
Ag/AgCl Adult clip electrode Ø 4,8-5 Cm - 50 pcs



Cod. **DRV167**  
Elettrodo ECG  
**W: 4,5 x D: 3,2 cm** - 50 pcs  
Cod. **DRV1690**  
Pre-gelled ECG electrode  
W:4,8xD:5cm- 50 pcs



Cod. **DRV168**  
Disposable pregelled E.C.G. electrode - Stamp type - 100 pcs

Cod. **DRV1691**  
Oval pregelled electrode  
36x49 mm - 50 pcs  
(not illustrated)

## Electrodes adapter



Cod. **DRV173**  
10 pcs kit adapter clip/stamp white




Cod. **DRV172**  
10 pcs kit adapter clip (6 white, 1 black, 1 red, 1 yellow, 1 green)

- EN** Multiparameter patient monitor
- F** Moniteur multiparamétrique
- ES** Monitor multiparamétrico
- P** Monitor multiparâmetro

**With optional printer**

Cod. **LTD360** 10" display

Cod. **LTD361** Touch screen 10" display



Multi-parameter monitor with high resolution display, resistant and compact structure, equipped with a comfortable handle to ease its carriage. 3-5 channel ECG display, RESP, SpO<sub>2</sub>, NIBP, PR, 2-TEMP. Arrhythmia and ST segment analysis. Pacemaker Detection, defibrillation and protection from electro-surgical interference. 168 hours of data storage and 4.000 NIBP measurements. 2 USB ports and port ethernet. **Optional integrated printer.**

Accessories included

Cod. **LTR382**  
5-leads and clip ECG cable protected against discharges  
**(not illustrated)**

ECG Electrodes kit, adult, disposable  
**(not illustrated)**

Cod. **LTR384**  
SpO<sub>2</sub> Finger Sensor, adult, reusable  
**(not illustrated)**

Cod. **LTR387**  
NIBP Cuff, Adult, reusable  
**(not illustrated)**

NIBP Tube  
**(not illustrated)**

Cod. **LTR385**  
Skin temperature probe, reusable  
**(not illustrated)**

Power (EUR standard)  
**(not illustrated)**

1 ground cable  
**(not illustrated)**

1 Rechargeable Lithium-Ion Battery (2600 mAh)  
**(not illustrated)**

Optional accessories



Cod. **CO150**  
Aluminium trolley

Cod. **CO165**  
Trolley plate for monitor  
**(not illustrated)**

Cod. **CO156**  
Cable holder for CO150  
**(not illustrated)**



Cod. **LTR380**  
Optional printer

Cod. **LTR383**  
SpO<sub>2</sub> Finger Sensor, pediatric, reusable  
**(not illustrated)**

Cod. **LTR386**  
Cavity temperature sensor, reusable  
**(not illustrated)**

Cod. **LTR389**  
Obese NIBP cuff  
**(not illustrated)**

Cod. **LTR396**  
Pediatric NIBP cuff  
**(not illustrated)**

## Technical features

SPECIFICATIONS	
<b>DISPLAY</b>	
LCD TFT	10" (LTD360); 10" touch screen (LTD361)
Resolution	1280x800
Waveforms displayed	Up to 7
<b>ECG</b>	
Lead Type	5-lead and 3-lead selectable
Gain	Auto x 0.125, x 0.25, x 0.5, x 1, x 2, x 4
Sweep Speed	6.25, 12.5, 25, 50 mm/s
Heart Rate Range Adult	20-300 bpm
Resolution	1 bpm
Accuracy	±2 bpm o 2%
CMRR	Diagnostic mode > 95 dB Monitoring mode > 105 dB Surgical Mode > 105 dB
ST-Segment Detection	Measurement Range: -2.0 mV - 2.0 mV Alarm Range: -2.0 mV - 2.0 mV
<b>RESP</b>	
Method	Trans-thoracic impedance
Band Width	0,1 Hz - 3 Hz
RR Measurement Range	Adult 0-120 rpm Pediatric/Neonatal 0-150 rpm
Accuracy	6-150 rpm: ±2 rpm o 2% 0-6 rpm: not specified
Apnea alarm threshold	10, 15, 20, 25, 30, 35, 40 s
<b>SpO<sub>2</sub></b>	
Measurement & Alarm Range	0-100%
Resolution	≤ 1%
Accuracy	±2% (70-100%, Adult, Pediatric) ±3% (70-100%, Neonatal)
Perfusion index range	0,1-20%
PI resolution	0,1-9,99%: 0,01% 10-20%: 0,1%
PR Measurement	25-240 bpm
Resolution	1 bpm

NIBP			
Method	Oscillometric		
Operation Modes	Manual/Automatic/Continuous		
Auto Measurement Time Interval	Adjustable (2,5-120 min)		
Measurement Unit	mmHg/kPa		
Measurement Types	Systolic, Diastolic, Mean		
Resolution	1 mmHg		
Accuracy	Max Mean error: ± 5 mmHg		
Max Standard Deviation	8 mmHg		
PR Measurement Range	20-300 bpm		
Resolution	1 bpm		
<b>Temperature (2 Channels, 1 probe by default)</b>			
Measurement/Alarm Range	15-50°C		
Measurement	0.1°C		
Accuracy	±0.2°C (with probe error included)		
<b>PRINTER (OPTIONAL)</b>			
Paper	Thermal, 48 mm		
Print speed	12, 25, 50 mm/s		
Traces no.	3		
<b>POWER SUPPLY</b>			
AC Power	100-240 V AC, 1,4 A, 50/60 Hz		
Rechargeable Li-ion Battery	2.600 mAh		
<b>WEIGHT AND DIMENSION</b>			
 W:	 D:	 H:	
27,8 cm	12 cm	18,9 cm	3,5 Kg

Languages available on request

**Italian, English, Spanish**

- EN** Multiparameter patient monitor
- F** Moniteur multiparamétrique
- ES** Monitor multiparamétrico
- P** Monitor multiparâmetro

**With 12" anti-glare display**

Cod. **LTD365/1** 12" display and printer

Cod. **LTD365/2** 12" display



Fanless design



Multiparameter monitor with low consumption backlit high resolution display, resistant and compact structure. 3-5 channel ECG display, RESP, SpO<sub>2</sub>, NIBP, PR, 1-TEMP. Arrhythmia and ST segment analysis. 160 hours of graphical and tabular trends and 2,000 NIBP measurements. 1 USB port and ethernet port.

Accessories included

S-leads and clip ECG cable protected against <b>(not illustrated)</b>	ECG Electrodes kit, adult, disposable <b>(not illustrated)</b>	Cod. <b>LDR362</b> SpO <sub>2</sub> Finger Sensor, adult, reusable <b>(not illustrated)</b>	Cod. <b>LDR363</b> NIBP Cuff, Adult, reusable <b>(not illustrated)</b>	NIBP Tube <b>(not illustrated)</b>	Cod. <b>LDR370</b> Skin temperature probe, reusable <b>(not illustrated)</b>
Power (EUR standard) <b>(not illustrated)</b>	1 ground cable <b>(not illustrated)</b>	1 Rechargeable Lithium-Ion Battery (2200 mAh) <b>(not illustrated)</b>			

Optional accessories

Cod. <b>LDR371</b> SpO <sub>2</sub> Finger Sensor, pediatric, reusable <b>(not illustrated)</b>	Cod. <b>LDR372</b> Adapter cable for SpO <sub>2</sub> Finger Sensor, pediatric, reusable <b>(not illustrated)</b>	Cod. <b>LDR364</b> NIBP pediatric cuff <b>(not illustrated)</b>
---	---	---

## Technical features

SPECIFICATIONS	
<b>DISPLAY</b>	
LCD TFT	12"
Resolution	800x600
Waveforms displayed	Up to 7
<b>ECG</b>	
Lead Type	5-lead and 3-lead selectable
Sweep Speed	6.25, 12.5, 25, 50 mm/s
Gain	Auto, 1.25, 2.5, 5, 10, 20, 40 mm/mV
Heart Rate Range Adult	20-254 bpm
Resolution	1 bpm
Band	Diagnostic mode 0,05-150 Hz Monitoring mode 0,5-40 Hz Surgical mode 1-20 Hz ST mode 0,05-40 Hz
ST-Segment Detection	Measurement Range: -2.0 mV - 2.0 mV Alarm Range: -2.0 mV - 2.0 mV Measurement: 0,01 mV
<b>RESP</b>	
Method	Trans-thoracic impedance
RR Measurement Range	Adult 0-120 rpm Pediatric/Neonatal 0-150 rpm
Apnea alarm threshold	Adult: 10-60 sec. interval 5 sec. Pediatric: 10-40 sec. interval 5 sec.
<b>SpO<sub>2</sub></b>	
Measurement & Alarm Range	0-100%
Resolution	1%
Accuracy	±2% (70-100%, Adult, Pediatric) ±3% (70-100%, Neonatal)
Perfusion index range	0,02-20%
PI resolution	0,02-9,99%: 0,01% 10-20%: 0,1%
PR Measurement	20-254 bpm
Measurement	1 bpm

<b>NIBP</b>			
Method	Oscillometric		
Operation Modes	Manual/Automatic/Continuous		
Auto Measurement Time Interval	Adjustable (1-720 min)		
Measurement Unit	mmHg/kPa		
Measurement Types	Systolic, Diastolic, Mean		
Measurement	1 mmHg		
Accuracy	Max Mean error: ± 5 mmHg		
Max Standard Deviation	8 mmHg		
PR Measurement Range	40-240 bpm		
Measurement	1 bpm		
<b>Temperature (2 Channels, 1 probe by default)</b>			
Measurement/Alarm Range	0-50°C		
Measurement	0.1°C		
Accuracy	0.2°C (with probe error included)		
<b>PRINTER (LTD365/1 only)</b>			
Paper	Thermal, 48 mm		
Print speed	25, 50 mm/s		
Traces no.	3		
<b>POWER</b>			
AC Power	100-240 V AC, 50/60 Hz		
Rechargeable Li-ion Battery	2.200 mAh		
<b>WEIGHT AND DIMENSION</b>			
 W:	 D:	 H:	
30 cm	15 cm	27,8 cm	2,72 Kg

Languages available on request

**Italian, English, Spanish**


- EN** Multiparameter patient monitor
- F** Moniteurs multiparamétriques
- ES** Monitores multiparámetros
- P** Monitores pacientes

**With optional printer**



Cod. **LTD340**

10,1" display



Cod. **LTD345**

Cod. **LTD347** CO<sub>2</sub> RESPIRONICS

Cod. **LTD348** CO<sub>2</sub> RESPIRONICS + IBP

Cod. **LTD357** CO<sub>2</sub>

Cod. **LTD358** CO<sub>2</sub> + IBP

12,1" display

High resolution colour TFT-LCD display. Visualization of ECG, RESP, SpO<sub>2</sub>, NIBP, PR, 2-TEMP. Suitable for adult, pediatric and neonatal patients. Arrhythmia analysis. Pacemaker detection, defibrillation and electrosurgical interference protection. 96 hours trend review, 500 NIBP measurements and 60 alarm memory. USB port. With handle for transport. **Optional built-in printer.**

Accessories included

Cod. **LTR303**  
1 Five lead ECG Cable, snap, Defib, IEC, 3.5m, reusable (**not illustrated**)

Power (EUR standard) (**not illustrated**)

30 ECG Electrodes, adult, disposable (**not illustrated**)

1 ground cable (**not illustrated**)

Cod. **LDR200**  
1 SPO<sub>2</sub> Finger Sensor, adult, 2.5m, reusable (**not illustrated**)

Cod. **LDR334**  
Adapter cable for LDR200

Cod. **LDR343**  
1 NIBP Cuff, Adult, 25cm-35cm, reusable (**not illustrated**)

1 Rechargeable Lithium-Ion Battery (14.8V, 2100mAh) (**not illustrated**)

Cod. **LDR340**  
1 NIBP Tube, 3m (**not illustrated**)

Cod. **LDR336**  
1 Temperature Probe Skin, adult, 3m, reusable (**not illustrated**)

Optional accessories



Cod. **CO150**  
Aluminium trolley

Cod. **LDR350**  
Trolley plate for monitor (**not illustrated**)



Cod. **CO159**  
Wall support

Cod. **CO156**  
Cable holder for CO150 (**not illustrated**)

Cod. **LDR342**  
Adult NIBP Cuff 33-47cm (**not illustrated**)


Cod. **LDR344**  
Pediatric NIBP Cuff 20,5-28cm (**not illustrated**)

Cod. **LDR345**  
Infant NIBP Cuff 10-19cm (**not illustrated**)



Cod. **LDR330N**  
Printer optional

Cod. **LDR335**  
Rectal temperature sensor adult (**not illustrated**)



Cod. **LTD826**  
**Patient care Viewer** data management software



Cod. **LDR329**  
Central Monitoring System Software. LAN connection. Multi-display modes on dual or single display. Large storage capacity of both the waveforms and the numeric measurements. Web visualization

## Technical features

Product codes	<b>LTD340</b>	<b>LTD345</b>	<b>LTD347</b>	<b>LTD348</b>	<b>LTD357</b>	<b>LTD358</b>
<b>REFERENCES</b>						
Antielectroshock type	IEC/EN 606011:1990+A1+A2, IEC/EN 60601-1-8 IEC/EN 60601-1-2: 2001+A1 IEC/EN 60601-2-25 IEC/EN 60601-2-27 IEC/EN 60601-2-30 IEC/EN60601-2-34 IEC/EN 60601-2-49 ISO 9919 EN 12470-4, EN 1060-1+A1 EN 1060-3+A1, EN 1060-4, ISO 21647 ANSI/AAMI SP10 ANSI/AAMI EC13 ANSI/AAMI EC53 ANSI/AAMI EC57					
<b>SPECIFICATION</b>						
<b>DISPLAY</b>						
Colour TFT LCD	10.1" (LTD340); 12.1" (LTD345-347-348-357-358)					
Resolution	800x480 (LTD340) 800x600 (LTD345-347-348-357-358)					
Waveforms displayed	Up to 11					
Sweep Speed	6.25, 12.5, 25, 50 mm/s					
<b>ECG</b>						
Lead Type	5-lead and 3-lead selectable					
Gain	Auto x 0.125, x 0.25, x 0.5, x 1, x 2, x 4					
Sweep Speed	6.25, 12.5, 25, 50 mm/s					
ECG HR Range Adult	Adults 15-300 bpm Pediatric/Neonate 15-350 bpm					
Resolution	1 bpm					
Accuracy	±1 bpm o 1%					
Filter	Diagnostic mode 0.05 -150 Hz Monitoring mode 0.5-40 Hz Surgical Mode 1-20 Hz					
ST-Segment Detection	Measurement Range: -2.0 mV - 2.0 mV Alarm Range: -2.0 mV - 2.0 mV Accuracy: from ±0.02 mV to 10% (from -0.8 mV to +0.8 mV)					
<b>RESP</b>						
Method	Trans-thoracic impedance					
Operation Mode	Auto/Manual					
Range di misurazione RR	Adults 0-120 rpm Pediatric/Neonatale 0-150 bpm					
Risoluzione	1 rpm					
RR Measurement Range	10, 15, 20, 25, 30, 35, 40 s					
Band Width	0.2 - 2.5 Hz (-3 dB)					
Sweep Speed	6.25, 12.5, 25, 50 mm/s					
<b>SpO<sub>2</sub></b>						
Measurement & Alarm Range	0-100%					
Resolution	1%					
Accuracy	±2% (70-100%, Adults, Pediatric) ±3% (70-100%, Neonate)					
Refresh Rate	1 secondo					
PR Measurement	25-300 bpm					
Resolution	1 bpm					
Refresh Rate	1 secondo					
<b>NIBP</b>						
Method	Automatic Oscillometric					
Operation Modes	Manual/Automatic/Continuous					

Auto Measurement Time Interval	1, 2, 3, 4, 5, 10, 15, 30, 60, 90, 120, 240, 480 minutes		
Measurement Unit	mmHg/kPa		
Measurement Types	Systolic, Diastolic, Mean		
Pressure Range	Adults:	Systolic 40-270 mmHg Diastolic 10-215 mmHg Mean 20-235 mmHg	
	Pediatric:	Systolic 40-230 mmHg Diastolic 10-180 mmHg Mean 20-195 mmHg	
	Neonatale:	Systolic 40-135 mmHg Diastolic 10-100 mmHg Mean 20-110 mmHg	
Resolution	1 mmHg		
Accuracy	Max Mean error: ± 5 mmHg		
Max Standard Deviation PR	8 mmHg		
Measurement Range	40-240 bpm		
Resolution	1 bpm		
<b>LTD348 - LTD358 ONLY IBP (2 Channels)</b>			
Measurement Pressure	ART,PA, CVP/RAP/LAP/ICP, P1/P2		
Measurement Range	50-300 mmHg		
Resolution	1 mmHg		
Accuracy	± 2% o ± 1 mmHg		
Sensitivity	5µV/V/mmHg		
Impedance Range	300-3000Ω		
<b>CO<sub>2</sub> respironics available for the models LTD347 - LTD348-357-358</b>			
Type	Sidestream/Mainstream		
Range	0-150 mmHg		
Accuracy (<60 bpm)	±2 mmHg 0-40 mmHg ±5 % 41-70 mmHg ±8 % 71-100 mmHg ±10 % 101-150 mmHg		
AwRR Accuracy	±1 rpm		
<b>Temperature (2 Channels, 1 probe by default)</b>			
Measurement/ Alarm Range	0-50°C		
Resolution	0.1°C		
Accuracy	±0.1°C (without probe)		
<b>OPTIONAL PRINTER</b>			
Print speed	25, 50 mm/s		
<b>POWER SUPPLY</b>			
AC Power	100-240 V AC, 50/60 Hz		
Rechargeable Li-ion Battery	14.8 V		
<b>WEIGHT AND DIMENSION</b>			
 W:	 D:	 H:	
32 cm	15 cm	26,5 cm	5 Kg

Languages available on request:

- Italian
- French
- Polish
- English
- Portuguese
- Chinese
- Spanish
- German
- Turkish

- EN** Vital signs monitor
- F** Moniteur de signes vitaux
- ES** Monitor de signos vitales
- P** Monitor de sinais vitais

## With touch screen colour display

Cod. **LTD426** SpO<sub>2</sub> + NIBP + Temperature



8" touch screen colour display



### Accessories included

Cod. **LDR363**  
NIBP adult cuff  
**(not illustrated)**

Cod. **LDR362**  
Reusable SpO<sub>2</sub>  
fingertip adult sensor  
**(not illustrated)**

Cod. **LDR367**  
Ear thermometer  
**(not illustrated)**

Cod. **LDR368**  
Disposable speculum kit  
**(not illustrated)**

### Optional accessories



Cod. **C0151**  
Aluminium trolley

Cod. **LDR359**  
Plate for trolley  
**(not illustrated)**

Cod. **LDR364**  
NIBP pediatric cuff  
**(not illustrated)**

Cod. **LDR371**  
Reusable SpO<sub>2</sub>  
fingertip pediatric  
sensor  
**(not illustrated)**

Cod. **LDR372**  
Adapter cable for  
SpO<sub>2</sub> fingertip  
pediatric sensor  
**(not illustrated)**

DIMED vital signs monitor with high resolution backlit display, USB interface, LAN, optional Wi-Fi. Internal storage of up to 120 hours of trend data and 2.000 measurement sets, with Power-Off memory function. Selectable patient criticality classification system (MEWS-NEWS-EWS). Acoustic and visual alarms, adjustable on 3 levels. Continuous monitoring and "spot-check" function. Simple, elegant, compact and light with a comfortable carrying handle.

### Technical features

GENERAL INFORMATION	
Values and plethysmographic curve	
Internal battery	
Adjustable alarms	
High capacity internal memory	
Graphic or table data visualization	
Electrical safety categories	<b>Class I Internal energy device</b> EMC type <b>Class A</b>
SPECIFICATIONS	
POWER	
Power supply	100 - 240 V AC, 50/60Hz
BATTERY	
Type	Lithium battery
Ampacity	2.200 mAh
Working period	3/4 hours
Recharge period	180 min
DISPLAY	
Display	8" TFT colour touch screen
NIBP	
Method	Oscillometric
Mode	Manual, auto, continuous
Automatic mode	Adjustable (1-720 min)
Measuring type	Systolic pressure, Diastolic pressure, Mean pressure
Venipuncture function	Inflation of the cuff at an almost diastolic pressure, to ease venipuncture
Protections	Overpressure protection

SpO <sub>2</sub>			
Measurement and alarm range	0 - 100 %		
Resolution	1 %		
Accuracy	Adult and pediatric: ±2% (70%-100%) Infant: ±3% (70%-100%) Undefined (0-70%)		
Perfusion index (PI)	0,05 - 20 %		
PULSE RATE			
Measuring range	20 - 254 bpm (SpO <sub>2</sub> ) 40 - 240 bpm (NIBP)		
Resolution	1 bpm		
Accuracy	± 2 bpm (SpO <sub>2</sub> ) ± 3 bpm (NIBP)		
TEMPERATURE (EAR PROBE)			
Range	34°C - 42,2°C		
Measuring time	1/2 sec		
Resolution	0,1°C		
Accuracy	± 0,2°C		
WEIGHT AND DIMENSION			
W:	D:	H:	Kg
16,4 cm	16,2 cm	24,5 cm	2 Kg (without battery)

**EN** Vital signs monitor  
**F** Moniteur de signes vitaux  
**ES** Monitor de signos vitales  
**P** Monitor de sinais vitais

**With colour display**

Cod. **LTD425**  
 M3A SpO<sub>2</sub>  
 + NIBP



2 displays:  
 3,5" LCD colour display  
 LED colour display



Accessories included

SpO<sub>2</sub> adult sensor and adult NIBP cuff (not illustrated)

Optional accessories



Cod. **CO150**  
 Aluminium trolley

Cod. **LDR355**  
 Plate for trolley  
 (not illustrated)

Cod. **CO156**  
 Cable holder for CO150  
 (not illustrated)

Cod. **LDR330N**  
 Printer  
 (not illustrated)

Created to be used in hospital and at home. 72 hours internal memory. 5 hours for SpO<sub>2</sub> wave form, 2,5 hours for SpO<sub>2</sub>+CO<sub>2</sub> wave form. 30.000 NIBP measurements and 800 alarms can be visualized. **Optional printer.**

Technical features

GENERAL INFORMATION		SpO <sub>2</sub>	
Values and plethysmographic curve		Measurement and alarm range	0 - 100 %
Internal battery		Resolution	1 %
Adjustable alarms		Accuracy	Adult and Pediatric: ±2% (70%-100% SpO <sub>2</sub> ) Undefined (0-69% SpO <sub>2</sub> ) Neonate: ±3% (69%-100% SpO <sub>2</sub> ) Undefined (0-70% SpO <sub>2</sub> )
Internal memory-high capacity		<b>PULSE RATE</b>	
Graphic or table data visualization		Measuring range	25 - 300 bpm (SpO <sub>2</sub> ) 40 - 240 bpm (NIBP)
Waveform real-time printing		Resolution	1 bpm
Electrical safety categories	<b>Class I Internal energy device.</b> EMC type <b>Class A</b>	Accuracy	± 2 bpm (SpO <sub>2</sub> ) ± 3,5 bpm (NIBP)
<b>SPECIFICATIONS</b>		Anti-motion interference	Strong Anti-motion Interference, Anti-electrotome
Anti-electroshock degree	BF Defibrillation type	<b>PRINTER (OPTIONAL)</b>	
<b>POWER</b>		Printing width	48 mm
Power supply	100 - 240 VAC, 50/60Hz, Pmax = 45VA FUSIBILE T 1.6AL	Paper speed	25 mm/s
<b>BATTERY</b>		Recording type	Current displayed parameter list recording / Current displayed alarm list recording
Type	Lithium battery	Trend List recall	72 hours
Voltage	14.8 VDC	NIBP Measurement recall	30.000 NIBP measurements
Working period	9 hours	<b>WEIGHT AND DIMENSION</b>	
Recharge period	± 180min	W:	17,4 cm
<b>DISPLAY</b>		D:	18,9 cm
Display	3,5" colour LCD and LED	H:	23,5 cm
<b>NIBP</b>		Weight	3 Kg (without battery)
Measurement range	From 0 - 300 mmHg		
Method	oscillometric		
Mode	Manual, auto, continuous		
Automatic mode	1/2/3/4/5/10/15/30/60/90/120/240/480 min		
Continuous	5 min, interval 5s		
Measuring type	Systolic pressure, Diastolic pressure, Mean pressure		

- EN** Patient monitors and monitor vital signs spare parts
- F** Pièces de rechange pour moniteurs et moniteurs de signes vitaux
- ES** Repuestos para monitor y monitores signos vitales
- P** Peças de reposição para monitor paciente e monitores de sinais vitais

## LTD340, LTD345, LTD347, LTD348, LTD357, LTD358 and LTD425

Cod. **LDR343**

Adult NIBP Cuff  
Medium 25-35cm  
(not illustrated)

Cod. **LDR340**

Spare NIBP tube  
(not illustrated)

Cod. **LTR303**

S-leads ECG cable with  
antifibrillation clip,  
IEC, 3.5 m, suitable only  
for LTD34x and LTD35x  
(not illustrated)

Cod. **LDR336**

Skin temperature  
sensor adult, 3m,  
only for LTD34x and  
LTD35x  
(not illustrated)

Cod. **LDR334 \***

Adapter cable for  
SpO<sub>2</sub> sensor - 1,5 mt  
(not illustrated)

Cod. **LDR200**

SpO<sub>2</sub> finger sensor for  
adult, 90 cm, reusable  
(not illustrated)

\* Patient monitor sensors are compatible with Dimed oximeter LTD822 sensors, with adapter LDR334

## LTD365/1, LTD365/2 and LTD426

Cod. **LDR362**

SpO<sub>2</sub> finger sensor for  
adult, reusable  
(not illustrated)

Cod. **LDR367**

Ear thermometer only  
for LTD426  
(not illustrated)

Cod. **LDR370**

Skin temperature  
probe, only reusable  
for LTD365/1 and  
LTD365/2  
(not illustrated)

Cod. **LDR363**

Adult cuff for pressure  
measurement  
(not illustrated)

## LTD360 and LTD361

Cod. **LDR348**

Spare battery 14,8V  
4Ah (lot production  
before 11/09/2011)  
(not illustrated)

Cod. **LDR348N**

Spare battery 14,8V  
5Ah (lot production  
after 11/09/2011)  
(not illustrated)

Cod. **LDR349**

Spare battery 14,8V  
2Ah (lot production  
before 11/09/2011)  
(not illustrated)

Cod. **LDR349N**

Spare battery 14,8V  
2Ah (lot production  
after 11/09/2011)  
(not illustrated)

## Paper rolls for patient monitors and vital signs monitor



Technical features

DIMENSION			SPECIFICATIONS
Product code	↔ W:	↗ D:	↕ H:
<b>DRV1525</b>	20 mt	5 cm	4 cm
			Graph paper for LTD32(x)/LTD34(x)/LTD35(x)

- EN** Twin Toco fetal colour monitor
- F** Moniteur foetal Toco gémellaire, écran couleur
- ES** Monitor fetal Toco gemelar, pantalla colores
- P** Monitor fetal Toco gemelar, display a cores

**With F6 printer and waterproof probes**

Cod. **LTD570**



Big size colour display

Reliable, compact, lightweight. LCD coloured display 10.2". It displays data and waveforms simultaneously. 12 hours memory. Twins monitoring function. Antepartum and intrapartum monitoring. US1/US2/TOCO/FM (AFM/MFM). Built-in printer. Easy to use with the included software. Selectable functions from keyboard. Basic functions: FHR, TOCO, fetal movement, automatic channel recognition. The high technology probe (9 elements, 2Mhz) allows accuracy, false signal reduction and continuous FHR recognising.

ACCESSORIES INCLUDED

Cod. <b>LDR430</b> 2 FHR probes (not illustrated)	Cod. <b>LDR435</b> Toco probe (not illustrated)	Cod. <b>LDR411</b> Events marker (not illustrated)	Power cable (not illustrated)
Cod. <b>DVR1532</b> Paper roll (not illustrated)	1.6A fuse (not illustrated)	CD english software for PC (not illustrated)	RS232 cable (not illustrated)
1 gel bottle (not illustrated)	Cod. <b>LDR440</b> 2 elastic belts (not illustrated)		

Optional



Cod. **CO150**  
Aluminium trolley

Cod. **LDR351**  
Plate for trolley  
(not illustrated)

Cod. **CO156**  
Cable holder for CO150  
(not illustrated)

Technical features

SPECIFICATIONS		Resolution	
DISPLAY		Zero mode	automatic/manual
Resolution	800x480 pixel	AFM (Auto Fetal Monitor) pulsed doppler ultrasound	
ULTRASOUND CHANNEL		AFM range	0-100%
Technique	Ultrasound pulse doppler with autocorrelation	Resolution	1%
Pulse repetition rate	2KHz	Marker	manual marker of the fetal movement
Ultrasound frequency	1,0 MHz ± 10%	Continuous working time	4 hours
Measurement range FHR	50 bpm -240bpm	Interface signal	RS232
Resolution	1 bpm	PRINTER	
Accuracy	± 2 bpm	Printing speed	1/2/3 cm/min
TOCO		Paper	thermosensitive, Z-fold
Toco range	0-100%	WEIGHT AND DIMENSION	
		W: 33 cm	D: 12,6 cm
		H: 34,7 cm	6 kg

- EN** Fetal monitor
- F** Moniteur foetal
- ES** Monitores fetales
- P** Monitor fetal

## 5.6" LCD



Cod. **LTD555** Black and white

Cod. **LTD566** Colour - Twin



Light weight and compact. Closable LCD display 5.6". Basic functions: FHR, TOCO, DECG, IUP and automatic recognition of fetal movement. Signals overlap verification to differentiate twins FHR (ONLY FOR Ltd566). With printer, 12-hour memory, software for PC and USB port.

### ACCESSORIES INCLUDED

Cod. **LDR430**

FHR probe (2 pcs for LTD566)  
**(not illustrated)**

Cod. **LDR435**

TOCO probe (only for LTD555)  
**(not illustrated)**

Cod. **LDR411**

Events marker  
**(not illustrated)**

Cod. **DRV1532**

3 paper roll (90mmx152mmx150p, US standard, for piece)  
**(not illustrated)**

Converter from RS323 to USB and DRiver CD, Software (CD)  
**(not illustrated)**

2 belts (3 for LTD566), ultrasound gel (CE marked, 250gr)  
**(not illustrated)**

### Optional



Cod. **LDR450**

Software system of central monitoring. LAN connection. Multi-display mode on double or single display. Big capacity of electronic storage, both of wave forms and numerical measurements. Web visualization.



Cod. **CO156**

Cable holder for CO150  
**(not illustrated)**

Cod. **CO150**  
Aluminium trolley

Cod. **LDR352**  
Plate for trolley (monitor)  
**(not illustrated)**

### Technical features

Product codes	LTD555	LTD566
<b>SPECIFICATIONS</b>		
<b>DISPLAY</b>		
Display	5,6" LCD	
Resolution	640x480 RGB	
<b>ULTRASOUND</b>		
Technique	Ultrasound doppler with autocorrelation	
Frequency pulse repetition	2 kHz	
Ultrasound frequency	(1.0 ±10%) MHz	
Range FHR measurement	50 bpm-240 bpm	
Resolution	1 bpm	
Accuracy	±2 bpm	
<b>TOCO</b>		
TOCO Range	0%-100%	
Non linear error	±10%	
Resolution	1%	
Zero mode	Automatic/Manual	
<b>AFM</b>		
Technique	Pulsed ultrasound doppler	

Range	0-100(%)
Resolution	1%
<b>RECORDING</b>	
Recording paper	Z-fold, 150/152 mm - thermo-sensitive paper
Recording speed	1/2/3 cm/min, 15mm/sec for stored data
<b>POWER SUPPLY</b>	
Voltage	100-240V
Frequency	50/60Hz
Battery (optional)	14.8 V Litio ricaricabile
<b>WEIGHT AND DIMENSION</b>	
W: 35 cm          D: 30 cm          H: 10,4 cm          3,5 kg	

- EN** DUS 60 portable echograph
- F** Échographe portable DUS 60
- ES** Ecógrafo portatil DUS 60
- P** Ecógrafo portátil DUS 60

## 2 probe connections - Display 12.1"

Cod. **LTD946**

*Installation and training to the client not included*

*This device can detect automatically the probe*



Easy to carry



Frontal view

Compact design, excellent mobility. LCD-TFT Monitor. Scan angle up to 152°; panoramic zoom in real time; frozen image; support for data storage; built-in flash and USB pen drive; memory 504 MB; optional lithium batteries. The echograph can be used in general surgery, obstetrics, gynecology, orthopedics, cardiology and many others.

## ACCESSORIES INCLUDED

<b>Cod. LDR810</b> Convex array transducer (2.5/3.5/4.5/H2.5/ H2.7MHz) <b>(not illustrated)</b>	2 fuses <b>(not illustrated)</b>	Support transducer port <b>(not illustrated)</b>	Support cable port <b>(not illustrated)</b>	Support for ultrasound <b>(not illustrated)</b>	Ultrasound gel 250 gr <b>(not illustrated)</b>
Power cable (EUR standard) <b>(not illustrated)</b>	Grounding cable <b>(not illustrated)</b>	Flash Disk (Netac, 2G, USB2.0 Protocol) <b>(not illustrated)</b>			

## Optional accessories

<b>Cod. LDR811</b> LINEAR array transducer 60 mm (6.5/7.5/8.5/ H4.5/H4.7MHz) <b>(not illustrated)</b>	<b>Cod. LDR812</b> LINEAR array transducer 40 mm (6.5/7.5/8.5/ H4.5/H4.7MHz) <b>(not illustrated)</b>	<b>Cod. LDR813</b> MICRO-CONVEX array transducer (5.5/6.5/7.5/ H4.5/H4.7MHz) <b>(not illustrated)</b>	<b>Cod. LDR814</b> ENDOVAGINAL array transducer (5.5/6.5/7.5/ H4.5/H4.7MHz) <b>(not illustrated)</b>	<b>Cod. LDR815</b> ENDORECTAL array transducer (6.5/7.5/8.5/ H4.5/H4.7MHz) <b>(not illustrated)</b>	<b>Cod. LDR822</b> Needle guide for transducer LDR812 <b>(not illustrated)</b>
<b>Cod. LDR820</b> Needle guide for transducer LDR810 <b>(not illustrated)</b>	<b>Cod. LDR821</b> Needle guide for transducer LDR811 <b>(not illustrated)</b>	<b>Cod. LDR825</b> Needle guide for transducer LDR815 <b>(not illustrated)</b>	<b>Cod. LTR970</b> Lithium-ion battery <b>(not illustrated)</b>	<b>Cod. LDR823</b> Needle guide for transducer LDR813 <b>(not illustrated)</b>	<b>Cod. LDR824</b> Needle guide for transducer LDR814 <b>(not illustrated)</b>
<b>Cod. LDR830</b> Footswitch <b>(not illustrated)</b>					

## Technical features

SPECIFICATIONS			
Imaging mode	B, B+B, 4B, B+M, M and PW		
Gray scales	256 levels		
Zoom	Zoom in real time x1.0, x1.44, x1.96, x2.56, x4.0, x5.76, x9.0, x16.0 Frozen condition (available only with B imaging mode) x1.0, x1.78, x4.0, x16.0		
Memory	504 MB		
Cine loop	256 frames		
Scanning depth	adjustable in real time with mode B, B+B, 4B, B+M, M and PW		
TCG	8-segment TCG (0-7), (mode B, B+B, 4B, B+M, not active in pause)		
Imaging conversion	Up/Down, Right/Left, 90° rotation		
Language conversion	English, French, German, Italian, Spanish, Polish, Romanian, etc. (Language options vary according to the software installed)		
Software packages	Obstetric, small parts, gynecology, pediatrics, cardiology, urology and blood vessel		
B-Mode Measurement	Distance, circumference, area, volume, ratio, stenosis %, histogram and angle		
M-Mode Measurement	Distance, time, slope, heart rate (2 cycles)		
D-Mode Measurement	Time, heart rate, velocity, acceleration, trace and RI		
Display	Patient name, age, gender, time, date, hospital name, doctor name, comment (insert characters to full screen)		
Body indicator	130 types		
USB port	USB 2.0		
DISPLAY			
Display	TFT-LCD		
Size	12.1"		
Angle of visualisation	Horizontal: $\theta$ xTyp.: 80°; Vertical: $\theta$ yTyp.: 80°;		
Pixel numbers	1024*768		
Brightness contrast of white colour	Typ.: 450 cd/m2		
Contrast ratio	Typ.: 700		
POWER SUPPLY			
Power supply	100 V-240 V-		
Frequency	50 Hz/60 Hz		
Input power	110 VA		
Lithium battery	Capacity: 5000 mAh Voltage: 14.8 VDC Average working time: 1 h Max. recharging time: 8 h Life cycle 300 times		
WEIGHT AND DIMENSION			
 W: 22 cm	 D: 33 cm	 H: 32 cm	 7,1 kg

- EN** Trolleys for electromedical equipment
- F** Chariots pour appareils électromédicaux
- ES** Carritos para dispositivos electromedicales
- P** Carrinhos para dispositivos eletro medicais



**Cod. CO150**

Aluminium frame, without cable arm, double basket. Suitable **for ECG, patient monitor and vital sign monitor.**  
Specify during the order for which kind of device you need the trolley



**Cod. CO155**

ABS trolley with drawer storage and probe compartment. **For Ecograph**

**Cod. CO160**

ABS trolley with drawer storage and probe compartment. **For ECG and Fetal Monitor**



#### Technical features

Product codes	CO150	CO155	CO160		
<b>SPECIFICATIONS</b>					
Plates for trolley CO150	LDR350 for LTD34x LDR351 for LTD57x LDR352 for LTD55x - LTD566x LDR354 for LTD4xx (no LTD408)				
<b>WEIGHT AND DIMENSION</b>					
Product codes	W:	D:	H:	Kg max	Kg
CO150	Ø 53 cm	85 ÷ 110 cm		<b>1° shelf</b> 18 kg	13 kg
CO155	48,8 cm	70,6 cm	82,2 ÷ 92,2 cm	<b>1° shelf</b> 20 kg <b>2° shelf</b> 5 kg	26 kg
CO160	48,8 cm	56,6 cm	82,5 ÷ 92,5 cm	<b>1° shelf</b> 20 kg <b>2° shelf</b> 5 kg	23,6 kg

- EN** Wall support
- F** Supports muraux
- ES** Soportes de pared
- P** Suportes de parede



**Cod. CO158**

Wall support for fetal monitors



**Cod. CO159**

Wall support for patient monitors

EN Otoscope  
 F Otoscope  
 ES Otoscópio  
 P Otoscópio

EN Otoscope  
 F Otoscope  
 ES Otoscópio  
 P Otoscópio



### Fiber optic - Xenon light

Cod. **DMV520** XHL xenon halogen technology in hard case with 8 reusable speculum



Spare parts



Cod. **DRV232**  
 Lampadina allo Xenon  
 XHL Xenon Halogen  
 Technology

Rotating 3x magnifier. The handle mounts 2 AA batteries. Hard case with 8 reusable specula.

Optional



Cod. **DMV512**  
 Kit 100  
 disposable  
 speculum  
 Ø 4,75mm

Cod. **DMV511**  
 Kit 100  
 disposable  
 speculum  
 Ø 2,75mm

Cod. **DMV510**  
 Kit 4 reusable  
 speculum  
 Ø 2,4mm Ø 3mm Ø 4mm Ø 5mm

### Standard light

Cod. **DMV540N** ■ black

Cod. **DMV540B** ■ light blue



Spare parts



Cod. **DRV238**  
 XHL xenon  
 halogen lamp

## Diagnostic penlight

### For medical use

Handle in chromed zinc alloy, PVC head.

Cod. **DMV120**

BUCK



Cod. **DMV124**

TAYLOR



Cod. **DMV122**

BABINSKY



### Technical features

Product codes	DMV120	DMV122	DMV124
WEIGHT AND DIMENSION			
↔ W:	18,6 cm	23 cm	18,8 cm
↗ D:	5,6 cm	4,4 cm	5,6 cm
⚖ Kg	56 g	92 g	74 g

## Neurological hammer

With support for tongue depressor (tongue depressor not included). 1,5V battery operated (battery included).

Cod. **DMV170**



- EN Heating pads
- F Coussins chauffants électriques
- ES Almohadas eléctricas
- P Almofadas eléctricas

- **ACCORDING TO CE LAW**  
(European directive for low tension products LVD 2006/95/EC)
- **NON-MEDICAL ARTICLE**
- **MAX DELIVERABLE TEMPERATURE**  
**65°C ± 5°C** (Ref. EN 60335-1:2012 - EN 60335-2-17:2013 - EN 62233:2008)

## 6 temperatures

Cod. **LTK700**



Washable fabric - max 30°



Automatic switch-off after 90 min.



6 temperatures

Extra soft surface

Backlight display



Easily removable cable to wash the product



### Technical features

SPECIFICATIONS	
Measure	40x30 cm
Power	100W
Voltage	220-240V
Material	100% polyester

## 6 temperatures - Neck

Cod. **LTK710**



Extra soft surface

Backlight display



Washable fabric - max 30°



Automatic switch-off after 90 min.



6 temperatures



Easily removable cable to wash the product



### Technical features

SPECIFICATIONS	
Measure	63x42 cm
Power	100W
Voltage	220-240V
Material	100% polyester

- EN 2-in-1 heating pad
- F Coussin chauffant électrique 2 en 1
- ES Almohada eléctrica 2 en 1
- P Almofada eléctrica 2 em 1

- **ACCORDING TO CE LAW**  
(European directive for low tension products LVD 2006/95/EC)
- **MAX DELIVERABLE TEMPERATURE**  
**65°C ± 5°C** (Ref. EN 60335-1:2012 - EN 60335-2-17:2013 - EN 62233:2008)
- **NON-MEDICAL ARTICLE**

### 3 temperatures

Cod. **LTK715**

Extra soft surface

Backlight display



Washable fabric - max 30°



Automatic switch-off after 90 min.



3 temperatures



Folded heating pad



Easily removable cable to wash the product

#### Technical features



#### SPECIFICATIONS

Dimensions	42x63 cm
Power	100W
Voltage	220-240V
Material	100% polyester

- EN Waist wrap heating pad
- F Ceinture abdominale chauffante
- ES Almohadilla eléctrica lumbar
- P Almofada eléctrica lombar

### 3 temperatures

Cod. **LTK720**

Extra soft surface



Washable fabric - max 30°



Automatic switch-off after 90 min.



3 temperatures



Backlight display



Easily removable cable to wash the product

#### Technical features

#### SPECIFICATIONS

Measure	29x69 cm
Power	100W
Voltage	220-240V
Material	100% polyester

EN Heating pads  
 F Coussins chauffants électriques  
 ES Almohadas eléctricas  
 P Almofadas eléctricas

- **ACCORDING TO CE LAW**  
 (European directive for low tension products LVD 2006/95/EC)
- **MAX DELIVERABLE TEMPERATURE**  
 $65^{\circ}\text{C} \pm 5^{\circ}\text{C}$  (Ref. EN 60335-1:2012 - EN 60335-2-17:2013 - EN 62233:2008)
- **NON-MEDICAL ARTICLE**

## Neck and shoulders

Cod. **LTK730**



Adjustable buttons



Backlight display



Washable fabric - max 30°



Automatic switch-off after 90 min.



3 temperatures

Extra soft surface



Easily removable cable to wash the product

### Technical features

#### SPECIFICATIONS

Measure	60x62 cm
Power	100W
Voltage	220-240V
Material	100% polyester

## Neck and back

Cod. **LTK740**



Adjustable buttons



Backlight display

Extra soft surface



Easily removable cable to wash the product



Washable fabric - max 30°



Automatic switch-off after 90 min.



3 temperatures

### Technical features

#### SPECIFICATIONS

Measure	60x90 cm
Power	100W
Voltage	220-240V
Material	100% polyester

**EN** Heating pads  
**F** Coussins chauffants électriques  
**ES** Almohadas eléctricas  
**P** Almofadas eléctricas

• **ACCORDING TO CE LAW**  
 (European directive for low tension  
 products LVD 2006/95/EC)  
 • **NON-MEDICAL ARTICLE**

• **MAX DELIVERABLE TEMPERATURE**  
**65°C ± 5°C** (Ref. EN 60335-1:2012 -  
 EN 60335-2-17:2013 -  
 EN 62233:2008)

### 3 temperatures - Neck and back

Cod. **LTK750**



Easily removable  
cable to wash the  
product



Backlight display

Extra soft  
surface



Washable fabric - max 30°



Automatic switch-off  
after 90 min.



3 temperatures

#### Technical features

##### SPECIFICATIONS

Measure	150x100 cm
Power	120W
Voltage	220-240V
Material	100% polyester

**EN** Foot warmer  
**F** Chauffe-pieds électrique  
**ES** Calienta-piés eléctrico  
**P** Aquecedor de pés elétrico

• **ACCORDING TO CE LAW**  
 (European directive for low tension  
 products LVD 2006/95/EC)  
 • **NON-MEDICAL ARTICLE**

• **MAX DELIVERABLE TEMPERATURE**  
**65°C ± 5°C** (Ref. EN 60335-1:2012 -  
 EN 60335-2-17:2013 -  
 EN 62233:2008)

### 3 temperatures

Cod. **LTK770**



Extra soft  
surface



Backlight display



Washable fabric - max 30°



Automatic switch-off  
after 90 min.



3 temperatures

#### Technical features

##### SPECIFICATIONS

Measure	30x30x24 cm
Power	100W
Voltage	220-240V
Material	100% polyester

- EN** Heated mattress pad
- F** Surmatelas chauffant
- ES** Almohadilla de colchón calefactada
- P** Colchão aquecido

- **ACCORDING TO CE LAW**  
(European directive for low tension products LVD 2006/95/EC)
- **NON-MEDICAL ARTICLE**
- **MAX DELIVERABLE TEMPERATURE**  
**65°C ± 5°C** (Ref. EN 60335-1:2012 - EN 60335-2-17:2013 - EN 62233:2008)

### 3 temperatures

Cod. **LTK780**  
Single



Washable fabric - max 30°

Automatic switch-off after 180 min.

3 temperatures

Cod. **LTK785**  
Double



#### Technical features

Product codes	LTK780	LTK785
<b>SPECIFICATIONS</b>		
Dimensions	150x80 cm	160x140 cm
Power	60W	2x60W (Max 120W)
Voltage	220-240V	
Material	100% polyester - Upper part: sherpa pile	



- EN** Analogic home scales
- F** Balances domestiques analogiques
- ES** Básculas mecánicas de baño
- P** Balanças mecânicas de banheiro

## Domestic use

Cod. **LTK650**

White  
analogic scale



Division 1 kg



Easy to read

Anti-slip  
matting



Adjustment  
wheel



### Technical features



#### WEIGHT AND DIMENSIONS



W:



D:



H:



28,5 cm

42,5 cm

8,5 cm

150 Kg

Cod. **LTK652**

Black  
analogic scale



Division 1 kg



Easy to read

Anti-slip  
matting



Adjustment  
wheel



### Technical features

#### WEIGHT AND DIMENSIONS



W:



D:



H:



36 cm

36,5 cm

6,5

160 Kg

- EN** Analogic home scale
- F** Balance domestique analogique
- ES** Báscula mecánica de baño
- P** Balança mecânica de banheiro

### Domestic use

Cod. **LTK654**

Chromed  
analogic scale



Division 1 kg



Easy to read

Anti-slip  
matting



Adjustment  
wheel



#### Technical features



#### WEIGHT AND DIMENSIONS



W:



D:



H:



45,8 cm

34 cm

10,2 cm

160 Kg

- EN** Digital baby scale
- F** Pèse-bébé électronique
- ES** Pesabebés electrónico
- P** Balança digital para bebês

### Domestic use

Cod. **LTK670**

Digital scale

Backlight LCD  
display

TARE/MEMORY  
function

Division 5 gr



#### Technical features



#### WEIGHT AND DIMENSIONS



W:



D:



H:



28,5 cm

42,5 cm

8,5 cm

20 Kg

**Travel cervical**

Cod. **ST343**

*With removable cover*



Cod. **ST380**

*2-in-1*



Thanks to its rounded shape, it is an additional support to the neck. Suitable in case of cervical neurological pathologies, it relieves muscular tensions of the cervical area. Removable cover. Washable polyester cover.

Thanks to its softness, it fits perfectly around the neck. Comfortable 2 in 1 support, from collar becomes a cylinder. Ideal in the car, plane, train, but also in an armchair. Hand washable at 40°C.

Technical features

SPECIFICATIONS	
Inner	moulded polyurethane
Cover	100% polyester
DIMENSIONS	
W:	D:
30 cm	35 cm
H:	
9 cm	

Technical features

SPECIFICATIONS	
Inner	100% polyfoam - 110 g
Cover	100% polyester
DIMENSIONS	
W:	D:
36 cm	27 cm
H:	
10 cm	



- EN** Memory foam cushions/pillows
- F** Coussin à mémoire de forme
- ES** Cojines/almohadas en memory foam
- P** Almofadas em memory foam

**Cervical**

Cod. **ST360**



Cod. **ST362**

*Travel*



They distribute the pressure uniformly and guarantee a correct posture of the column during sleep. Suitable for headaches, neck pain, shoulder pain and insomnia. Removable cover.

Technical features

SPECIFICATIONS			
Inner	Printed polyurethane		
Outer	100% polyester		
DIMENSION			
Product codes	↔ W:	↗ D:	↕ H:
<b>ST360</b>	60 cm	30 cm	11/9 cm
<b>ST362</b>	25 cm	30 cm	11/9 cm

**For C-PAP users**

Cod. **ST363**



Suitable for C-PAP users. Removable cover.

Technical features

SPECIFICATIONS	
Inner	Printed polyurethane
Outer	100% polyester
DIMENSION	
↔ W:	↗ D:
↕ H:	
55 cm	37 cm
	12/7 cm

- EN C-PAP and A-PAP respiratory therapy
- F Traitement PPC et AUTO-PPC
- ES Terapia CPAP y APAP
- P Terapia CPAP e APAP

## Positive airway pressure device

The set-up of the parameters has to be done by medical staff only.  
Get in touch with MORETTI SPA to get the password to set them up.

CE  
0123

Cod. **LTK405** **C-PAP** Continuous pressure

Cod. **LTK410** **A-PAP** Automatic pressure

Click link below to download the software:  
[en.morettispa.com/pap](http://en.morettispa.com/pap)

### ACCESSORIES INCLUDED

- 1 MICRO SD
- 1 Humidifier
- 1 Flexible tube
- 2 Filters
- 1 Carrying bag



Humidifier included



Compact



Dismountable



Easy to carry

Modern, compact and easy to carry design. Complete with following features:

- Easy to adjust ramp settings
- Losses compensation
- Data collection on SD card
- AHI index and historical data display

Moretti airway pressure devices are indicated for the treatment of obstructive sleep apnea (OSAS) in patients weighing more than 30 kg. The mask and air tube are Type BF applied parts.

Accessories needed for C-PAP operation (not included)



Cod. **LTK451-S** (Small)  
**LTK451-M** (Medium)  
**LTK451-L** (Large)  
Nasal mask



Cod. **LTK450-S** (Small)  
**LTK450-M** (Medium)  
**LTK450-L** (Large)  
Facial mask for people with nasal respiration problems

Optional accessories



Cod. **ST363**  
Pillow for C-PAP users  
See Memory Foam cushions' page

Cod. **LTK459**  
Oxygen concentrator port  
(not illustrated)

Spare parts



Cod. **LTK461**  
Flexible tube



Cod. **LTK462**  
Lace for C-PAP and A-PAP nasal and facial masks



Cod. **LTK460**  
Anti-dust filter (anti-pollen not commercialized)



Cod. **LTK466**  
Carrying bag  
Dims 32x27x13 cm



Cod. **LTK464**  
Humidifier with 260 ml water tank

Cod. **LTK463**  
Clip for mask lace  
(not illustrated)

Technical features

Product codes	LTK405		LTK410	
<b>MAIN FEATURES</b>				
<ul style="list-style-type: none"> <li>• Backlight LCD display and easy to use interface                             <ul style="list-style-type: none"> <li>• Noiseless</li> </ul> </li> <li>• Smart Start/Stop function allows therapy start and stop automatically by detecting patient's breath                             <ul style="list-style-type: none"> <li>• Protection class IP21</li> </ul> </li> </ul>				
<b>SPECIFICHE TECNICHE</b>				
Power	Power Input Universal power supply, 100-240V, 50/60 Hz			
Pressure range*	4 - 20 cm H <sub>2</sub> O (adjustable in 0,5 cm H <sub>2</sub> O increment)			
Ramp time	0 - 45 minutes (adjustable in 5 minutes increment)			
Noise level	≤ 30 dB (A)			
Initial Pressure	4 - 20 cm H <sub>2</sub> O (adjustable in 0,5 cm H <sub>2</sub> O increment)			
Maximum Pressure	4 - 20 cm H <sub>2</sub> O (adjustable in 0,5 cm H <sub>2</sub> O increment)			
Minimum Pressure	4 - 20 cm H <sub>2</sub> O (adjustable in 0,5 cm H <sub>2</sub> O increment)			
<b>DIMENSIONS AND WEIGHT</b>				
Product codes	W:	D:	H:	
<b>LTK405</b>				
<b>LTK410</b>	27,2 cm	18,1 cm	9,3 cm	1,41 Kg (humidifier included)

- EN** Two channels digital TENS
- F** TENS digital à deux canaux
- ES** TENS digital dos canales
- P** TENS digital de dois canais

## Transcutaneous electrical nerves stimulator

Cod. **LTK540**

25 adjustable power levels and 12 programs to select



Largely used in the pain relief treatment (back pain, headache, sport pain and muscle pain in general).

- EN** Electrostimulator 3 in 1
- F** Stimulateur électrique 3 en 1
- ES** Electroestimulador 3 en 1
- P** Estimulador elétrico 3 em 1



### Technical features

#### SPECIFICATIONS

12 programs with electrodes	
Output voltage	0-45V
Output intensity	1-25 (25 steps) adjustable
Frequency	Adjustable 2-150Hz
Pulse duration	Adjustable 50-300 us
Channels	2
Power supply	3 AAA batteries

#### WEIGHT AND DIMENSION

W:	D:	H:	Kg
6 cm	3,4 cm	11,7 cm	75,5 gr (without batteries)

### Spare parts

### ACCESSORIES INCLUDED



Cod. **LTK342**  
4 electrodes 4x4cm



Cod. **LTK363**  
Cables

4 electrodes  
2 cables

## TENS - EMS - Massage

Cod. **LTK545**



Largely used for muscle rehabilitation, to reduce muscular spasms, reduce or eliminate atrophy, improve mobility and blood circulation.



### Technical features

#### SPECIFICATIONS

78 programs	27 E.M.S. programs
27 T.E.N.S. programs	24 Massage programs
Output voltage	Adjustable 0-90mA
Frequency	Adjustable 1-290Hz
Pulse duration	Adjustable 30-350 us
Treatment duration	Adjustable 5-90 min.
Wave form	Quadra bifasica
Channels	2
Power supply	4xAAA batteries

#### WEIGHT AND DIMENSION

W:	D:	H:	Kg
6 cm	2,5 cm	11,7 cm	110 gr (without batteries)

### Spare parts

### ACCESSORIES INCLUDED



Cod. **LTK342**  
4 electrodes 4x4cm



Cod. **LTK364**  
Cables

4 electrodes  
2 cables

- EN Manual TENS
- F TENS manuel
- ES TENS manual
- P TENS manual

## 2 channels

Cod. **LTM710**

Without timer

Cod. **LTM711**

With adjustable timer  
15-30-60 minutes

The device offers three modes:  
burst (B)  
normal (N)  
modulación (M)

Technical features

SPECIFICATIONS		Intensity	0-80 mA adjustable 500 Ω	
<b>Mode</b>	<b>BURST - NORMAL - MODULATION</b>	Channel	Two isolated between them	
Wave form	Asymmetrical bi-phase-square pulse	<b>WEIGHT AND DIMENSION</b>		
Pulse width	30 - 260µs adjustable	W:	D:	H:
Pulse frequency	From 2 to 150 Hz adjustable	9,6 cm	6,5 cm	3 cm
				Weight 125 g




- EN Spare parts and accessories for T.E.N.S. and E.M.S.
- F Pièces de rechange et accessoires pour T.E.N.S. et E.M.S.
- ES Repuestos y accesorios para T.E.N.S. y E.M.S.
- P Peças de reposição e acessórios para T.E.N.S. e E.M.S.

## Self-adhesive pregelled electrodes - female jack - 2 mm hole



Cod. **LTR358**  
Ø5 cm / 4 pcs



Cod. **LTR343**  
4x8 cm / 4 pcs



Cod. **LTR356**  
4x8 cm / 4 pcs



Cod. **LTR354**  
5x9 cm / 4 pcs  
Cod. **LTR355**  
5x10 cm / 4 pcs



Cod. **LTR352**  
3,5x4,5 cm / 4 pcs  
Cod. **LTR342**  
4x4 cm / 4 pcs  
Cod. **LTR353**  
5x5 cm / 4 pcs



Cod. **LTR3404**  
3,5x4,5 cm / 4 pcs  
Cod. **LTR3414**  
4,5x8 cm / 4 pcs  
Cod. **LTR3415**  
4,6x4,7 cm / 4 pcs  
Cod. **LTR3416**  
5,3x9,6 cm / 4 pcs

## Silicone conductive electrode with wire and female jack - 2 mm hole



Cod. **LTR315**  
4,5x5 cm - 4 pc  
Cod. **LTR316**  
5x10 cm - 4 pc



Cod. **LTR786**  
1m x 5 cm - 1 pc  
Cod. **LTR787**  
1m x 10 cm - 1 pc

## Cables and adapters



Cod. **LTR216**  
Red/black cables with male unguarded jack



Cod. **LTR363**  
Black colour, red/black cables for LTKS40



Cod. **LTR346R Red**  
Cod. **LTR346N Black**  
Female connection clip adaptor with hole - 2mm

Cod. **LTR364**  
Grey colour, red/black cables for LTKS45

EN Nebulizer  
 F Nébuliseur  
 ES Nebulizador  
 P Nebulizador

## Piston type - Compact

Cod. **LTK150**

NYXY

CE  
0051



### Technical features

SPECIFICATIONS			
Air flow	10 l/mn 5 l/mn (operating flow)		
Compressor pressure range	26,8 Psi (185 KPa)		
Operating pressure range	8,6 Psi (60 KPa)		
Medication capacity	2 ÷ 12 ml		
Average nebulization rate	0,35 ml/ mn		
Nebulization	<5 µm 75%		
Mode of operating	20 mn ON / 40mn OFF		
Noise level	58 dBA		
MMAD	< 2,61 µm		
Insulation class	II BF		
Power	AC 230V, 50 Hz		
WEIGHT AND DIMENSION			
W:	D:	H:	
16 cm	20 cm	12 cm	1,3 kg

## Piston type - With accessories compartment

Cod. **LTK160**

NYXY  
FAMILY

CE  
0051



### Technical features

SPECIFICATIONS			
Air flow	14 l/mn 6 l/mn (operating flow)		
Compressor pressure range	36 Psi (250 KPa)		
Operating pressure range	15 Psi (90 KPa)		
Medication capacity	2 ÷ 16 ml		
Average nebulization rate	0,55 ml/ mn		
Nebulization	<5 µm 80%		
Mode of operating	continuous		
Noise level	58 dBA		
MMAD	2,92 µm		
Insulation class	II BF		
Power	AC 230V, 50 Hz -		
WEIGHT AND DIMENSION			
W:	D:	H:	
18 cm	25,5 cm	12 cm	1,5 kg

### Spare parts



Cod. **LTR141**  
Nebjet® nebulizer for LTK150



Cod. **LTR147**  
Mouth piece for LTK150



Cod. **LTR155**  
Accessories connector for LTK150



Cod. **LTR140**  
Fasterjet® nebulizer for LTK160



Cod. **LTR146**  
Mouth piece whit valve for LTK160



Cod. **LTR148**  
Nose piece



Cod. **LTR142**  
Adult mask



Cod. **LTR144**  
Child mask



Cod. **LTR236**  
PVC tube 1 m - with connections



Cod. **LTR239**  
3 filters

### ACCESSORIES INCLUDED

- 1 Nebjet nebulizer (for LTK150 only)
- 1 mouth piece (only for LTK150)
- 1 FASTERjet® nebulizer (only for LTK160)
- 1 mouth piece with valve (only for LTK160)
- 1 nose piece
- 1 adult mask
- 1 child mask
- 1 PVC tube with connections
- 3 filters
- 2 elastics for masks
- 1 Carrying bag (for LTK150 only)

- EN Professional piston type nebulizers
- F Nébuliseurs professionnels à piston
- ES Nebulizadores profesionales a pistón
- P Nebulizadores profissionais a pistão

## Piston type - ABS case

Cod. **LT130**



ACCESSORIES INCLUDED



- 1 Nebulizer
- 1 nosepiece
- 1 mouthpiece
- 1 adult mask
- 1 child mask
- 1 air tube
- 6 air filters

### Technical features

#### SPECIFICATIONS

Air flow	16 l/mn
Compressor pressure range	250 kPa
Operating pressure range	130 kPa
Average nebulization rate	5,2 l/min
Nebulization	0,5 a 10µm
Mode of operating	continuous
Noise level	57 dBA
MMAD	3,25 µm
Power	230V, 50/60 Hz - 0,8 A

#### WEIGHT AND DIMENSION

W:	D:	H:	Kg:
19 cm	25 cm	16 cm	2,2 kg

It produces a superfine nebulization of the medicine which allows to reach the lower respiratory tract increasing the treatment efficacy.

## Piston Type - ABS case

Cod. **LTK170**



**NYXY**  
PRO

ACCESSORIES INCLUDED



- 1 Fasterjet® nebulizer
- 1 nose piece
- 1 mouth piece with valve
- 1 adult mask
- 1 child mask
- 1 PVC tube with connections,
- 1 Porex® filter
- 2 elastics for masks

### Technical features

#### SPECIFICATIONS

Air flow	15 l/mn; Operating flow 0 ÷ 6,8 l/mn
Compressor pressure range	250 kPa /36 Psi
Operating pressure range	0 ÷ 110 kPa
Average nebulization rate	min 0.60 ml
Mode of operating	continuous
Medication capacity	2 ÷ 16 ml
Nebulization	< 5 µm 80%
Noise level	55 dBA
MMAD	2,7 µm
Operating temperature range	10°C ÷ 40°C
Power	AC 230V - 50Hz

#### WEIGHT AND DIMENSION

W:	D:	H:	Kg:
19,6 cm	35,7 cm	18,5 cm	2,5 kg

Fasterjet® nebulizer has a valve system which is synchronized to the respiration. It produces a superfine nebulization of the medicine which allows to reach the lower respiratory tract increasing the treatment efficacy. The air is filtered by Porex filter, which is replaceable.

- EN** Professional piston type nebulizers
- F** Nébuliseurs professionnels à piston
- ES** Nebulizadores profesionales a pistón
- P** Nebulizadores profissionais a pistão

### Piston Type - Metal painted case

Cod. **LT139**



FASTERJET®  
nebulizer

#### ACCESSORIES INCLUDED



- 1 FASTERJET® bulb
- 1 nosepiece
- 1 mouthpiece with valve
- 1 adult mask
- 1 child mask
- 1 PVC air tube with connections
- 1 Porex® spare filter
- 1 power cable

#### Technical features

SPECIFICATIONS	
Air flow	15 l/mn
Compressor pressure range	350 kPa
Operating pressure range	0 ÷ 130 kPa
Flusso medio di Nebulization	min 0,35 ÷ 0,80ml (60 a 130 kPa)
Mode of operating	continuous
Noise level	60 dBA
MMAD	2,11 µm
Temperatura uso	10°C ÷ 40°C
Power	230V - 50Hz - (90Va)

#### WEIGHT AND DIMENSION

W:	D:	H:	
19 cm	28 cm	17 cm	4,1 kg

Fasterjet® nebulizer has a valve system which is synchronized to the respiration. It produces a superfine nebulization of the medicine which allows to reach the lower respiratory tract increasing the treatment efficacy. The air is filtered by Porex filter, which is replaceable.

### Spare parts for LT130



Cod. **LTR237**  
Nebulizer



Cod. **LTR231**  
Mouth piece




Cod. **LTR234**  
Nose piece



Cod. **LTR233**  
Child mask



Cod. **LTR232**  
Adult mask



Cod. **LTR235**  
6 air filters



Cod. **LTR236**  
PVC tube with  
connections - 1 m

### Spare parts for LTK170 and LT139



Cod. **LTR140**  
FASTERJET® nebulizer



Cod. **LTR148**  
Nose piece



Cod. **LTR146**  
Mouth piece with valve



Cod. **LTR144**  
Child mask



Cod. **LTR142**  
Adult mask



Cod. **LTR123**  
Porex® filter



Cod. **LTR236**  
PVC tube with connections

**EN** Nebulizer accessories  
**F** Accessoires pour nébuliseur  
**ES** Accesorios para nebulizador  
**P** Acessórios para nebulizador

Cod. **LTR140**  
**FASTERJET®**  
 nebulizer



Intensive care

It reduces medication dispersion. For intensive care.

Technical features

SPECIFICATIONS	
MMMAD	5 l/min 3,25 µm - 7,5 l/min 2,44 µm
Capacity	16 ml
Nebulization	< 5 µm 80%
Residual volume	0,7 ml

Cod. **LTR141**  
**NEBJET®**  
 nebulizer



Ordinary care

Venturi effect. For ordinary care.

Technical features

SPECIFICATIONS	
MMMAD	5 l/min 2,61 µm - 7,5 l/min 2,03 µm
Capacity	12 ml
Nebulization	< 5 µm 75%
Residual volume	0,7 ml

Cod. **LTK185** **NASALJET®** nasal douche



Technical features

SPECIFICATIONS	
Pressure range	Minimum 60 kPa Maximum 120 kPa
Particle dimension	From 40 µm to 70 µm (Malvern Mastersizer)



Cod. **LTR236**  
 PVC tube



Cod. **LTR101**  
 Pyrex glass  
 nebulizer

**EN** Respiration training device  
**F** Appareil d'entraînement respiratoire  
**ES** Aparato médico para ejercer la respiración  
**P** Aparelho de exercício respiratório

**RespiTrain**

Cod. **ST586**



Base

Respiration training device through inspiration. The movement of the three spheres allows to determine the inhalation value. Demountable for cleaning.



- 1) Inhale thoroughly until you lift as many spheres as possible
- 2) Hold inspiration as long as possible
- 3) Remove the mouthpiece and exhale. Repeat. For the exhalation we can also turn upsidedown the respiration

Technical features

SPECIFICATIONS	
Transparent central part divided into 3 chambers in copolymere and no toxic polystyrene	
3 non-toxic polypropylene spheres. Red sphere 600 cc - Yellow sphere 900cc -Green sphere 1200cc per second	
1 polyethylene tube with mouthpiece	

- EN Digital thermometers
- F Thermomètres digitaux
- ES Termómetros digitales
- P Termômetros digitais

Cod. **RM300**

60 seconds



CE  
0197



### Technical features

SPECIFICATIONS	
Display LCD	•
60 second reading	•
Ingress protection	IP22
Autospegnimento	•
Temperature unit	°C / °F
Measurement range	From 32°C to 42,9°C
Accuracy	± 0.1 from 35,5° to 42° C ± 0.2 under 35.5°C and over 42°C

Type of measurement	oral, axillar
Memory	last measurement
Battery	alkaline 1,5 V
Battery life	about 200 h
Display	LCD 3 digits

### WEIGHT AND DIMENSION

W:	D:	H:	Kg
13,2 cm	2,2 cm	1,2 cm	12 g with batteries


## Digital infrared

Cod. **RM370**



The body temperature can be took in few seconds from a distance 0-5cm

In case of temperature superior to 37.6°C the thermometer will emit a sound for 3 times



### Technical features

SPECIFICATIONS	
Unit of measurement temperature	°C / F°
Measurement field	± 0.2°C from 32°C to 43°C (89.6°F-109.4°F)
Auto power off	30"
Battery	2x1,5V Tipo AAA (not included)
Display	LCD -2,5x2,5 cm

### WEIGHT AND DIMENSION

W:	D:	H:	Kg
14 cm	3,5 cm	4 cm	68 g without batteries

Easy to use. It allows to check the body temperature without a direct contact. put the thermometer towards the forehead and push the button, After that, the temperature will be shown on the display.

CE  
0123

- EN Instant ice spray
- F Glace spray
- ES Spray hielo
- P Gelo spray

Cod. **ST399**



Technical features

SPECIFICATIONS	
 400 ml	 24 pcs

### Instant-pack

Cod. **ST395**

TNT



Cod. **ST397**

Polythene



Without ammonium nitrate.

Technical features

SPECIFICATIONS			
Product codes	 W:	 D:	 N°
<b>ST395</b>	14 cm	18 cm	25 pcs
<b>ST397</b>	14 cm	18 cm	25 pcs

- EN Ice bag
- F Poche à glace
- ES Bolsa de hielo
- P Bolsa de gelo

Cod. **ST191**

PVC



Technical features

DIMENSION	
	28 cm

- EN Instant warmth pack
- F Pochette de chaud instantanée
- ES Bolsa de calor
- P Calor instantâneo

Cod. **ST405**

TNT



Technical features

DIMENSION	
 W:	 D:
14 cm	18 cm

- EN Cold/Heat gel pack
- F Pochette de gel chaud/froid
- ES Bolsa de gel calor/frío
- P Gel quente/frio em saquinho

### Reusable

Cod. **ST406**

In PE



Cod. **ST407**

In PE



Cod. **ST408**

TNT pouch for cold/heat gel pack



Technical features

DIMENSION		
Product codes	 W:	 D:
<b>ST406</b>	14 cm	18 cm
<b>ST407</b>	14 cm	24 cm
<b>ST408</b>	16,5 cm	22 cm

- EN Hot-water bottle
- F Bouillotte
- ES Bolsa de agua caliente
- P Bolsa de água quente

### Blue-bilaminated - 2 lt

Cod. **ST187B**

Rubber



- EN** Polyethylene accessories
- F** Accessoires en polyéthylène
- ES** Accesorios en polietileno
- P** Acessórios em polietileno

### Polyethylene urinals and polypropylene bed pan

Cod. **ST590**

Male



Cod. **ST592**

Male, with cover



Cod. **ST591**

Female



Cod. **ST485**



### Containers

Cod. **ST2855**

24H-CAN.  
Screw cap and handle



Cod. **ST597**

Chamber pot



Cod. **ST285**

24H-CAN. Screw cap



Technical features

Product codes	ST590 - ST591 - ST592	ST285	ST2855
<b>SPECIFICATIONS</b>			
	1000 ml	2500 ml	2500 ml
<b>DIMENSION</b>			
Product code	 W:	 D:	 H:
<b>ST597</b>	28,5 cm	32,5 cm	33 cm

- EN** Travelling enema syringe
- F** Bock à lavements
- ES** Enema de viaje
- P** Enema de viagem

Cod. **ST372**

Non-toxic PVC

Helen cannulae



- EN** Automatic blood pressure monitors
- F** Tensiomètres automatiques digitales
- ES** Tensiómetros digitales automáticos
- P** Esfigmomanômetros automáticos digitais

### Display LCD 3"

Cod. **DM590**



300 memories in 2 groups



Systolic pressure



Diastolic pressure



Arrhythmia detection



WHO classification



Pulse rate/minute



USB-C port for charging



Cuff leak indicator



Arm movement indicator

#### WEIGHT AND DIMENSIONS



8 cm



15 cm



4,6 cm



155 g (without batteries)

### Display LCD 4"

Cod. **DM591**



300 memories in 2 groups



Systolic pressure



Diastolic pressure



Arrhythmia detection



WHO classification



Pulse rate/minute



USB-C port for charging



Cuff leak indicator



Arm movement indicator

#### WEIGHT AND DIMENSIONS



8 cm



15 cm



4,6 cm



213 g (without batteries)

#### Technical features

Product codes	DM590	DM591
<b>SPECIFICATIONS</b>		
Display dimension	6,6 x 4,3 cm	8,3 x 5,3 cm
Power source	3 AAA batteries Or external power supply with USB-C cable (optional)	
Measurement method	Oscillometric	
Pressure measurement range	0-300 mmHg	
Pulse measurement range	30 to 180 Beats/Minute	
Measurement accuracy	+/- 5%	
Pressurization	Automatic	
Cuff dimensions	22 - 36cm - circumference	

#### Optional accessories



Cod. **DR262**  
Anatomic obese cuff  
**22x42 cm**



Cod. **DR261**  
Anatomic children cuff  
**16x24 cm**

Cod. **DR264**  
Power adapter with USB-C cable (not shown)

#### Spare parts




Cod. **DR260**  
Anatomic adults cuff  
**22x36 cm**

- EN** Automatic blood pressure monitors
- F** Tensiomètres automatiques digitales
- ES** Tensiómetros digitales automáticos
- P** Esfigmomanômetros automáticos digitais

## Display LCD 4,8" - Backlight

Cod. **DM592S** Standard


Cod. **DM592P** Italian speaking



WEIGHT AND DIMENSIONS			
W:	D:	H:	Kg
10,8 cm	15 cm	6,5 cm	319 g (without batteries)

## Display LCD 2" - Backlight - Wrist type

Cod. **DM595**



WEIGHT AND DIMENSIONS			
D:	W:	H:	Kg
8,4 cm	6,2 cm	2,4 cm	67 g (without batteries)

### Technical features

Product codes	DM592 DM592P	DM595
<b>SPECIFICATIONS</b>		
Display dimension	9,4 x 9,1 cm	3,2 x 4 cm
Power source	3 AAA batteries Or external power supply with USB-C cable (optional)	2 AAA batteries 1,5 V
Measurement method	Oscillometric	
Pressure measurement range	0-300 mmHg	
Pulse measurement range	30 to 180 Beats/Minute	
Measurement accuracy	+/- 5%	
Pressurization	Oscillometric	

### Optional accessories only for DM592S/P

 Cod. <b>DR262</b> Anatomic obese cuff <b>22x42 cm</b>	 Cod. <b>DR261</b> Anatomic children cuff <b>16x24 cm</b>	Cod. <b>DR264</b> Power adapter with USB-C cable (not shown)
 Cod. <b>DR260</b> Anatomic adults cuff <b>22x36 cm</b>	 Cod. <b>DR263</b> Wrist cuff for <b>DM595</b>	

- EN** One-hand aneroid sphygmomanometers
- F** Tensiomètres anéroïdes mano-poire
- ES** Tensiómetros aneroides palmares
- P** Esfigmomanômetros aneróides palmares

**Rotating head for ambidextrous**

**Cod. DM343**

2 tubes

Button release valve



Light alloy gauge

**Cod. DM348**



Bag included



Light alloy gauge

Technical features

Product codes	DM343		DM348		
<b>SPECIFICATIONS</b>					
Manometer	Ø 67 mm				
Dial	Ø 57 mm				
Scale	0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units				
Deflation time	From 260 mmHg to 15 mmHg - 10 seconds				
Floating zero	The needle is not fixed on zero but it can oscillate				
Cuff	Nylon velcro cuff with metal ring				
Bulb	PVC				
Air regulation	Button valve		Screw valve		
<b>WEIGHT AND DIMENSION</b>					
	↔ W:	↗ D:	↕ H:	⚖ Kg	📦
<b>DM343</b>	18 cm	11 cm	6 cm	606 g	24 pcs
<b>DM348</b>				510 g	

- EN** One-hand aneroid sphygmomanometers
- F** Tensiomètres anéroïdes mano-poire
- ES** Tensiómetros aneroides palmares
- P** Esfigmomanômetros aneróides palmares

## Big gauge

Cod. **DM345**

Light alloy gauge



Cod. **DM346**

Light alloy gauge

With stethoscope



Bag included



### Technical features

Product codes	DM345	DM346			
<b>SPECIFICATIONS</b>					
Manometer	Ø 65 mm				
Dial	Ø 60 mm				
Scale	0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units				
Deflation time	From 260 mmHg to 15 mmHg - 10 seconds				
Floating zero	The needle is not fixed on zero but it can oscillate				
Cuff	Nylon velcro cuff with metal ring				
Bulb	PVC				
Air regulation	Screw valve				
<b>WEIGHT AND DIMENSION</b>					
	W:	D:	H:	Kg	
<b>DM345</b>	18 cm	11 cm	6 cm	391 g	24 pcs
<b>DM346</b>				469 g	

- EN** One-hand aneroid sphygmomanometers
- F** Tensiomètres anéroïdes mano-poire
- ES** Tensiómetros aneroides palmares
- P** Esfigmomanômetros aneróides palmares

### Shockproof gauge

Cod. **DM347**



Bag included

### 3 cuffs kit

Cod. **DM342**



Technical features

Product codes	DM347		DM342		
<b>SPECIFICATIONS</b>					
Manometer	Ø 65 mm		Ø 60 mm		
Dial	Ø 57 mm				
Scale	0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units				
Deflation time	from 260mmHg to 15 mmHg - 10 seconds				
Floating zero	The needle is not fixed on zero but it can oscillate				
Cuff	Nylon velcro cuff with metal ring				
Bulb	PVC				
Air regulation	Screw valve				
<b>WEIGHT AND DIMENSION</b>					
	↔ W:	↗ D:	↕ H:	⚖ Kg	📦 pcs
<b>DM347</b>	18 cm	11 cm	6 cm	350 g	24
<b>DM342</b>	25,5 cm	20 cm	8 cm	986 g	20

- EN** Aneroid sphygmomanometer
- F** Tensiomètre anéroïde
- ES** Tensiómetro aneroide
- P** Esfigmomanômetro aneróide

### Standard gauge

Cod. **DM330**

Light-alloy Bluee painted gauge



Series **DM350**

Matched colour cuff and bag

Light-alloy black painted gauge



Cod. **DM333**

Light-alloy Bluee painted gauge



Bag included

With stethoscope

Series **DM353**

Matched colour cuff, stethoscope and bag

Light-alloy black painted gauge



Bag included

With stethoscope

### Technical features

Product codes	DM330	DM333	DM350*	DM353*		
<b>SPECIFICHE TECNICHE</b>						
Manometer		Ø 50 mm				
Dial		Ø 45 mm				
Scale		0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units				
Deflation time		from 260mmHg to 15 mmHg - 10 seconds				
Floating zero		the needle is not fixed on zero but it can oscillate				
Cuff		Nylon velcro cuff with metal ring				
Bulb		PVC				
Air regulation		Screw valve				
<b>WEIGHT AND DIMENSION</b>						
	Colours	↔ W:	↗ D:	↕ H:	Kg	pcs
<b>DM330</b>	-	16 cm	11 cm	5 cm	397 g	24
<b>DM333</b>	-	18 cm	D: 11 cm	6 cm	474 g	24
<b>DM350A</b>	Bluee					
<b>DM350F</b>	Green	23 cm	14 cm	6 cm	448 g	50
<b>DM350R</b>	Red					
<b>DM353A</b>	Bluee					
<b>DM353F</b>	Green	23 cm	14 cm	6 cm	520 g	50
<b>DM353R</b>	Red					

- EN** Aneroid sphygmomanometer
- F** Tensiomètre anéroïde
- ES** Tensiómetro aneroide
- P** Esfigmomanômetro aneróide

### Desk and wall type

Cod. **DM360**

Plastic case for cuff



### Stand type

Cod. **DM365**

Plastic case for cuff



#### Technical features

Product codes	DM360	DM365
<b>SPECIFICATIONS</b>		
Manometer	17 x 17 cm	
Dial	14,5 x 14,5 cm	
Scale	0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units	
Deflation time	From 260mmHg to 15 mmHg - 10 seconds	
Floating zero	The needle is not fixed on zero but it can oscillate	
Cuff	Nylon velcro cuff with metal ring	
Bulb	PVC	
Air regulation	Screw valve	
<b>WEIGHT AND DIMENSION</b>		
	725 g	1850 g

### Cuffs for aneroid sphygmomanometers

Velcro-fastening	Description	Without bladder	With single inner tube bladder	With 2 inner tube bladder
<b>Without D-ring</b>				
	<b>Thigh type</b> W: 80x21 cm - Ø 42-57 cm <b>Obese people</b> W: 60x18 cm - Ø 32-47 cm	DR126	DR1438	DR125
	<b>Adult</b> W: 51x14 cm - Ø 26-36 cm	DR120B	DR1433	DR1423
	<b>Adult</b> W: 50x14 cm - Ø 26-38 cm	-	-	DR1426
	<b>Teenager</b> W: 48x10 cm - Ø 24-32 cm	DR119	DR1432	DR1422
	<b>Children</b> W: 38x6,5 cm - Ø 13-26 cm	DR118	DR1431	DR1421
	<b>Newborn</b> W: 22x4,5 cm - Ø 7-13 cm	DR117	DR1430	DR1420
<b>With D-ring</b>				
	<b>Adult</b> W: 48,3x14 cm - Ø 26-36 cm	DR121B	DR1434	DR1424
	<b>Adult</b> W: 48,3x14 cm - Ø 26-36 cm	DR122	DR1437	DR1427

### PVC bladders



Cod. DR1414 **Obese**  
2 tubes 30-15 cm

Cod. DR1413 **Adult**  
2 tubes 22-12 cm

Cod. DR1400 **Adult**  
1 tube 22-12 cm

LATEX  
FREE

### Cuffs for digital sphygmomanometers



Cod. DR115  
25,8-13 cm

### Pvc bulbs



Cod. DR302 **Blue colour.** Bulb with valve and air release tap

Cod. DR301 **Blue colour.** Bulb with rear valve

Cod. DR341  
Bulb with rear valve for DM348 - DM343

Cod. DR343 **Black colour.** Bulb with valve and air release tap

Cod. DR182  
Plastic conic joint

Cod. DR1394  
Pouch with zip

LATEX  
FREE

### Joint and pouch

### Valves, taps and tubes



Cod. DR380  
Air release tap

Cod. DR450  
Rear valve for bulb

Cod. DR432B  
PVC tube 4x8mmx50 cm  
Cod. DR432N  
Latex free rubber tube 4x8mm x 1 mt

Cod. DR435  
Spiral rubber tube 120 cm

### Manometers and lens



Cod. DR515 Ø 45 mm  
Cod. DR516 Ø 57 mm  
Cod. DR517 Ø 60 mm  
Lens

Cod. DR232  
Blue manometer

Cod. DR253  
Black manometer

### Aluminium flat head

Series **DM130**



Aluminium binaural headset. PVC tube Ø 5 mm, 60 cm length.

#### Technical features

Product codes	Colours
<b>DM130G</b>	Grey
<b>DM130N</b>	Black
<b>DM130B</b>	Blue
<b>DM130L</b>	Lilac
<b>DM130R</b>	Red
<b>DM130S</b>	Pink
<b>DM130V</b>	Green
SPECIFICATIONS	
Head	ø 4,5 cm x 1 cm H
	100 pcs

### Anodized zinc anatomic head

Series **DM545**



With accessories



Copper binaural headset with spring inside the tube. PVC coloured tube Ø 5 mm, 60 cm length. Soft ear tips. Nonchill rim.

#### Technical features

Product codes	Colours
<b>DM545N</b>	Black
<b>DM545B</b>	Blue
<b>DM545R</b>	Red
SPECIFICATIONS	
Head Ø	4,6 cm
	25 pcs

### Double head, anodized aluminium, rotating - Adult

Series **DM500**



Aluminium binaural headset. PVC tube Ø 5 mm, 60 cm length.

#### Technical features

Product codes	Colours
<b>DM500G</b>	Grey
<b>DM500N</b>	Black
<b>DM500B</b>	Blue
<b>DM500R</b>	Red
SPECIFICATIONS	
Big head	ø 4,5 x 2 H cm
Small head	ø 3,1 x 2 H cm
	100 pcs

- EN Stainless steel stethoscopes
- F Stéthoscopes en acier inox
- ES Estetoscopios acero inoxidable
- P Estetoscópio em aço inoxidável

## Pediatric - Double rotating head

Series **DM540**



With accessories



### Technical features

Product codes	Colours
<b>DM540N</b>	Black
<b>DM540B</b>	Blue
<b>DM540R</b>	Red
SPECIFICATIONS	
Big head	ø 4 x 2 H cm
Small head	ø 2,6 x 2 H cm
	25 pcs

Binaural headset with spring inside the tube. PVC coloured tube Ø 5 mm, 60 cm length. Nonchill rim on both sides. Soft ear tips.

## Adult - Double rotating head

Cod. **DM530B**



With accessories



### Technical features

Colour	Blue
SPECIFICATIONS	
Big head	ø 4,6 x 3,3 H cm
Small head	ø 3,6 x 3,3 H cm
	25 pcs

Binaural headset with spring inside the tube. PVC coloured tube Ø 5 mm, 60 cm length. Nonchill rim on both sides. Soft ear tips.

## Cardiological - Double rotating head

Cod. **DM535B**



With accessories



### Technical features

Colour	Blue
SPECIFICATIONS	
Big head	ø 4,7 x 2,3 H cm
Small head	ø 3,6 x 2,3 H cm
	25 pcs

Binaural headset with spring inside the tube. Nonchill rim on both sides. Soft ear tips.

EN Stethoscopes  
 F Stéthoscopes  
 ES Estetoscopios  
 P Estetoscópios

## Rappaport - Zinc double head

Cod. **DM561B**



With accessories



### Technical features

Colour ■ Blue

#### SPECIFICATIONS

Big head  $\varnothing$  4,5 x 3,6 H cm

Small head  $\varnothing$  3,1 x 3,6 H cm

 25 pcs

Double tube. Rotating heads. With accessories: 3 bells in different sizes, 2 soft ear tips, 2 rigid ear tips, 2 membranes.

## Spare parts for stethoscopes

### Ear tips



Cod. **DR350 (single)**  
 PVC Black mushroom-shaped ear tips



Cod. **DR351 (single)**  
 PVC White rigid ear tips




Cod. **DR352 (single)**  
 PVC Black rigid ear tips



Cod. **DR355 (single)**  
 PVC Black soft ear tips



Cod. **DR391**  
 Kit for Rappaport type



Cod. **DR110**  
 Binaural headset with ear tips (only for DM130x - DM500x)



Cod. **DR241**  
 Spare membrane  $\varnothing$  45 mm

### Binaural headset and membrane

### Heads



Cod. **DR426**  
 Head for Rappaport type stethoscopes



Cod. **DR420**  
 Flat stethoscope head



Cod. **DR422**  
 Head for double-head

### Y-tubes for stethoscopes




Cod. **DR434B** Blue  
 Cod. **DR434G** Grey  
 Cod. **DR434L** Lilac  
 Cod. **DR434N** Black  
 Cod. **DR434S** Pink  
 Cod. **DR434R** Red  
 Cod. **DR434V** Green



### **Perfect Aneroid**

Cod. **DME361** Without stethoscope - Cod. ERKA® - 201.20482

Cod. **DME363** With stethoscope - Cod. ERKA® - 205.00982



### **Kobold**

Cod. **DME365B** Blue - Cod. ERKA® - 225.20493

Cod. **DME365N** Black - Cod. ERKA® - 223.20493

Cod. **DME365R** Red - Cod. ERKA® - 224.20493



- EN** Electronic sequential compression therapy system
- F** Pressothérapie électronique
- ES** Presoterapia secuencial electrónica
- P** Pressoterapia eletrônica


*Advance*

**4 Outlets**

**Cod. LTM560** ADVANCE - Compressor 4-outlet tube with electronic adjustment



4 outlets



Operating programmes

For lymphatic drainage, oedema, cellulite treatment, it relieves pain and swelling and alleviates legs and arms fatigue. 2 programmes for inflating and deflating arms and legs sections. Pressure adjustable with the touch screen display.

**To make the kit, order the compressor LTM560 and the accessories separately.**

Spare parts



**Cod. LTM570**  
4-outlets tube  
for sleeve or boot



**Cod. LTM572**  
4-outlets tube  
for abdominal band



**Cod. LTR590**  
Colored top for  
4-outlets tube

Optional accessories



**Cod. LTM571**  
4-outlets double tube  
for boot or sleeve




**Cod. LTM568**  
Boot extension 10 cm  
(only for LTM566-L,  
LTM566-3XL)

Technical features

TECHNICAL SPECIFICATION	
Power supply	220V / 50Hz
Pressure	20-250 mmHg
Air output	Adjustable
Cycle time	10-20-30 minutes
Feeding cable	1,9 m
Outlets	4

WEIGHT AND DIMENSION			
W:	D:	H:	Kg
26 cm	17 cm	13 cm	2,6 kg

# Compression therapy accessories *Advance*



Adjustable velcro closure

**Cod. LTM563-S**

4 section sleeve with tubes- size S/M

**Cod. LTM563-L**

4 section sleeve with tubes- size L/XL

### Technical features

Product codes	LTM563-S	LTM563-L
REFERENCES		
Material	TPU	
DIMENSION		
W:	70 cm	90 cm
D:	25 cm	25 cm
Circumference	50 cm	50 cm



Velcro and zip closure

**Cod. LTM566-S**

4 section boot with tubes - size S/M

**Cod. LTM566-L**

4 section boot with tubes- size L/XL

**Cod. LTM566-XXL**

4 section boot with tubes - size XXL

**Cod. LTM566-3XL**

4 section boot with tubes - size XXXL

**Cod. LTM568**

Boot extension 10 cm (only for LTM566-L, LTM566-3XL)

### Technical features

Product codes	LTM566-S	LTM566-L	LTM566-XXL	LTM566-3XL	LTM568
REFERENCES					
Material	TPU				
DIMENSION					
W:	90 cm	110 cm	90 cm	110 cm	100 cm
D:	30 cm	30 cm	40 cm	36 cm	100 cm
Circumference	60 cm	60 cm	80 cm	72 cm	60 cm



**Cod. LTM569-S**

4 section abdominal band with tubes, size S/M

**Cod. LTM569-L**

4 section abdominal band with tubes, size L/XL



Adjustable velcro closure

### Technical features

Product codes	LTM569-S	LTM569-L
REFERENCES		
Material	TPU	
DIMENSION		
W:	120 cm	145 cm
D:	40 cm	40 cm
Circumference	90÷110 cm	115÷135 cm

- EN** IONOSTIM professional electrotherapy
- F** Électrothérapie professionnelle IONOSTIM
- ES** Electroterapia profesional IONOSTIM
- P** Eletroterapia professional IONOSTIM

**Diadinamic current - TENS - Faradic - Impulsive - Galvanic**

**Cod. LTE320** Italian, English and French incorporated software **40 pre-set programmes**



ACCESSORIES INCLUDED

- 2 Elastic bands **80x600 mm**
- 2 Elastic bands **80x1000 mm**
- 4 Electrodes **50x50 mm**
- 4 Electrodes **80x120 mm**
- 4 Sponge casings **75x60 mm**
- 4 Sponge casings **110x140 mm**
- 4 Cables (**2 red, 2 black**)
- 1 Power cable

Ionostim produces therapeutic current for painful muscular inflammations, joints, periphery nerves. The device operates on the base of selected parameters or memorized programs.

Technical features

REFERENCES	
Directive	93/42/CEE (D.Lgs. 46/97)
Quality Ass. standard	UNI EN ISO 9001 (2000) UNI CEI EN 13485 (2002)
Safety standards	EN60601-1, EN60601-2-10 /10 EN60601-1-2
TECHNICAL SPECIFICATION	
Feeding	230V - / 50 Hz
Power consumption	22VA
Internal fuse	T 500mA
Impulsive current max	60 mA
Continuous current max	20 mA
Output voltage	100 Vdc
Number of conduits	2
Treatment time	from 1 to 60 min
Output param. indicator	Alphanumeric display
Output indicator	Visual
Electric safety class	II BF
Protection level	IP20
IONOSTIM FUNCTION	
Faradic current (Rectangular, Triangular, Exponential)	
Galvanic association	yes
Polarity	Positive / Negative
Impulse duration	1µsec
Frequency	1, 2, 5, 10, 20, 50, 100, 200 Hz
Action time	from 3 to 60 sec

Break time	from 0 to 60 sec		
Impulsive current (Rectangular, Triangular, Exponential)			
Galvanic association	no		
Polarity	Positive / Negative		
Impulse duration	1, 2, 5, 10, 20, 50, 100, 200 ms		
Break time	from 1 to 10 sec		
Diadinamic current			
Galvanic association	yes		
Polarity	Positive / Negative		
MF / MFS	Frequency 50 Hz		
Action/Break time	1 sec		
DF / DFS	Frequency 100 Hz		
Action/Break time	1 sec		
CP	Frequency 50 Hz for 1 sec 100 Hz for 1 sec		
LP	Frequency 50 Hz for 5 sec 100 Hz for 7 sec		
T.E.N.S current			
Galvanic association	no		
Polarity	Positive / Negative		
Impulse duration	100, 150, 200, 250, 300 µsec		
Frequency	1, 2, 5, 10, 100, 200, 500 Hz		
Action time	from 1 to 10 sec		
Break time	from 0 to 10 sec		
Galvanic current			
Polarity	Positive / Negative		
WEIGHT AND DIMENSION			
W:	D:	H:	Kg:
27 cm	22 cm	11 cm	1,4 kg

- EN** UNISONIC professional electrotherapy
- F** Électrothérapie professionnelle UNISONIC
- ES** Electroterapia profesional UNISONIC
- P** Eletroterapia profesional UNISONIC

## Multifrequency ultrasound therapy 1/3 MHz

Cod. **LTE330** Italian, English, and French incorporated software **15 pre-set programmes**



### ACCESSORIES INCLUDED

- 1 Handle
- 1 Handle support
- 1 Power cable

For therapy in clinics and home. Suitable for locomotor system pathologies. The Unisonic device is electronically controlled by a microprocessor and offers memorized programmes. The transducing handle can be used only with this device.

### Technical features

REFERENCES		Protec. level transducer	
Directive	93/42/CEE (D.Lgs. 46/97)	IP67	
Quality Ass. standard	UNI EN ISO 9001(2000) UNI CEI EN 13485 (2002)	Intensity	2W/cm <sup>2</sup>
Safety standards	EN60601-1 EN60601-1-2	Beam type	collimated
TECHNICAL SPECIFICATION		Era (size of transd.)	5 cm <sup>2</sup>
Feeding	230V - / 50 Hz	Max power (transducer)	10W
Power consumption	40VA	Bnr	5
Internal fuse	T 2.5 A (TR5)	<b>Multifrequency transducing handle 1/3 MHz</b>	
Output frequency	from 1 to 3,0MHz	<b>Immersion treatment (IP67)</b>	
Modulation	25-50-75-100%	<b>Wave form</b>	
Wave form	Continuous or modulated		Continuous    Modulated    Modulated    Modulated
Modulation frequency	2 impulses/sec	Modulation	100%    75%    50%    25%
Treatment time	da 1 a 30 min	Repetition period (sec)	500    500    500    500
Output param. indicator	Alphanumeric display	Impulse duration	500    375    250    125
Output indicator	Visual	Efficiency	1,00    0,75    0,50    0,25
Electric safety class	II BF	<b>WEIGHT AND DIMENSION</b>	
Protection level	IP20	↔ W:	↗ D:
		↕ H:	Ⓚ Kg
		27 cm	22 cm    11 cm    1,4 kg

- EN** IONODERM professional electrotherapy
- F** Électrothérapie professionnelle IONODERM
- ES** Electroterapia profesional IONODERM
- P** Eletroterapia professional IONODERM

## Galvanic ionophoresis

Cod. **LTE340** Italian, English and French incorporated software **6 pre-set programmes**



### ACCESSORIES INCLUDED

- 2 Elastic bands **80x600 mm**
- 2 Elastic bands **80x1000 mm**
- 4 Electrodes **50x50 mm**
- 4 Electrodes **80x120 mm**
- 4 Sponge casings **75x60 mm**
- 4 Sponge casings **110x140 mm**
- 4 Cables (**2 red, 2 black**)
- 1 Power cable

Ionoderm produces therapeutic currents. It is suitable for galvanization and ionophoresis. The two types of the continuous current allow to use this current for galvanization, therapeutic ionophoresis and the hyperhidrosis treatment. The device operates on the base of selected parameters or memorized programmes.

### Technical features

REFERENCES	
Directive	93/42/CEE (D.Lgs. 46/97)
Quality Ass. standard	UNI EN ISO 9001(2000) UNI CEI EN 13485 (2002)
Safety standards	EN60601-1 EN60601-2-10/A1 EN60601-1-2

TECHNICAL SPECIFICATION			
Feeding	230V - / 50 Hz		
Power consumption	22VA		
Internal fuse	T 500mA		
Corrente uscita max	20mA (per channel)		
Output voltage	50 Vdc		
Wave form galv. Mf	square wave 10Khz		
Number of conduits	2		
Treatment time	from 1 to 60 min		
Output param. indicator	Alphanumeric display		
Output indicator	Visual		
Electric safety class	II BF		
Protection level	IP20		
Currents			
Continuous, square wave fixed frequency			
WEIGHT AND DIMENSION			
W:	D:	H:	Kg
27 cm	22 cm	11 cm	1,4 kg



- EN** LASERPLUS professional electrotherapy
- F** Électrothérapie professionnelle LASERPLUS
- ES** Electroterapia profesional LASERPLUS
- P** Eletroterapia profissional LASERPLUS

**With 30W monodioidic handle**

**Cod. LTE350** Italian, English and French incorporated software **31 pre-set programmes**



**ACCESSORIES INCLUDED**

- 1 Monodioidic handle 30W
- 1 Handle support
- 2 Protective glasses
- 1 Power cable

Laser Plus is a control device for dioid transducers of the monochromatic laser light wave length  $\lambda = 905 \text{ nm}$  (NIR). The device offers memorized programmes or various parameters can be selected. The device is equipped with security control system (it has to be activated) that automatically deactivates the radiation in case of lack or mistaken positioning of the handle.

**Technical features**

REFERENCES	
Directive	93/42/CEE (D.Lgs. 46/97)
Quality Ass. standard	UNI EN ISO 9001(2000) UNI CEI EN 13485 (2002)
Safety standards	EN60601-1 EN60601- 2-10 EN60601-1-2
TECHNICAL SPECIFICATION	
Feeding	230V - / 50 Hz
Power consumption	22VA
Internal fuse	T 500mA
Wave length	905 nm
Max power	Depending on the transd.handle
Output frequency	from 1 to 10000Hz
Impulse duration	100 ns
Number of conduits	1
Treatment time	from 1 to 60 min (free program)
Output param. indicator	Alphanumeric display
Output indicator	Visual sul Handle
Laser class	3B
Electric safety class	II BF
Protection level	IP20
Specification included handle	
Peak power	Monodioidic 1x30w
Band divergence	104 mrad x 593 mrad
Dnro: Ocular Risk Nominal Distance	91,7 cm

Specification optional handle			
Feeding	Tridioidic 3x12W		
Power consumption	104 mrad x 593 mrad		
Dnro: Ocular risk nominal distance	101 cm		
WEIGHT AND DIMENSION			
W:	D:	H:	Kg
27 cm	22 cm	11 cm	1,3 kg



- EN** MAGNETOFIX professional electrotherapy
- F** Électrothérapie professionnelle MAGNETOFIX
- ES** Electroterapia profesional MAGNETOFIX
- P** Eletroterapia professional MAGNETOFIX

## Magnetotherapy

**Cod. LTE360** **MAGNETOFIX 30** Italian, English and French incorporated software **Max 30 Gauss**

**Cod. LTE370** **MAGNETOFIX 80** Italian, English and French incorporated software **Max 80 Gauss 30 pre-set programmes**



### ACCESSORIES INCLUDED

- 2 Elastic bands **80x600 mm**
- 1 Elastic band **80x1000 mm**
- 2 Plates
- 1 Power cable

Low-frequency magnetotherapy devices produce an impulsive magnetic field. The rapid change of magnetic field determine the stimulating currents in the patient. A monitoring circuit check the current and assure its accuracy. The device includes a visual and acoustic magnetic field detector. The transducers included are comfortable and equipped with elastic bands.

### Technical features


MAGNETOFIX		
Product codes	LTE360	LTE370
<b>REFERENCES</b>		
Directive	93/42/CEE (D.Lgs. 46/97)	
Quality Ass. standard	UNI EN ISO 9001(2000) UNI CEI EN 13485 (2002)	
Safety standards	EN60601-1 EN60601-1-2	
<b>TECHNICAL SPECIFICATION</b>		
	LTE360	LTE370
Feeding	230V - / 50 Hz	
Power consumption	22VA	
Internal fuse	T 500mA	

Intensity field	max 30 Gauss (3Mt) max 80 Gauss (8Mt)
Frequency	2 => 100 Hz
Number of transd.	2
Transducers type	Flat
Treatment time	from 1 to 60 min or undetermined
Output param. indicator	alphanumeric display
Output indicator	Visual
Electric safety class	II BF
Protection level	IP20


### WEIGHT AND DIMENSION

W:	D:	H:	Kg
27 cm	22 cm	11 cm	1,3 kg

## Spare parts for IONOSTIM, IONODERM and MAGNETOFIX



Cod. **LTR320**  
5x5 cm - Hole 4 mm



Cod. **LTR330**  
8x12 cm - Hole 4 mm



Cod. **LTR775**  
7,5x6 cm  
Cod. **LTR785**  
11x14 cm



Cod. **LTR560** 3x40 cm  
Cod. **LTR562** 3x80 cm  
Cod. **LTR563** 3x100 cm  
Elastic tissue band



Cod. **LTR565** 8x40 cm  
Cod. **LTR567** 8x80 cm  
Cod. **LTR568** 8x100 cm  
Elastic tissue band



Cod. **LTR718**  
Plate for Magnetofix  
(LTE360 and LTE370)


## Spare parts for LASERPLUS



Cod. **LTR735**  
Protective glasses  
for laser



Cod. **LTR730**  
Monodiode handle  
1x30W



Cod. **LTR737**  
Light for laser handle



Cod. **LTR732**  
Tridiode handle

### TECHNICAL SPECIFICATION

Feeding	Tridiode 3x12W
Power consumption	104 mrad x 593 mrad
Dnro: Ocular risk nominal distance	101 cm

## Conductive silicone electrodes

### Female jack



Cod. **LTR320**  
5x5 cm  
Jack 4 mm



Cod. **LTR325**  
6x8,5 cm  
Jack 4 mm



Cod. **LTR330**  
8x12 cm  
Jack 4 mm

### Bundle - Ø 2 mm



Cod. **LTR786**  
1m x 5 cm



Cod. **LTR787**  
1m x 10 cm

### Male jack



Cod. **LTR335**  
5x5 cm  
Jack 0,2 cm



Cod. **LTR336**  
5x10 cm  
Jack 0,2 cm



Cod. **LTR337**  
6x8,5 cm  
Jack 0,2 cm



Cod. **LTR338**  
8x12 cm  
Jack 0,2 cm

Cod. **LTR331**  
5x5 cm  
Jack 4 mm

Cod. **LTR332**  
5x10 cm  
Jack 4 mm

Cod. **LTR333**  
6x8,5 cm  
Jack 4 mm

Cod. **LTR334**  
8x12 cm  
Jack 4 mm

### Imitation buckskin



Cod. **LTR760**  
6x6 cm - Compatible electrode  
5x5 cm (LTR320, LTR331 and  
LTR335)



Cod. **LTR765**  
7x9 cm - Compatible electrode  
6x8,5 cm (LTR325, LTR333  
and LTR337)



Cod. **LTR766**  
6x10,5 cm - Compatible  
electrode 5x10 cm (LTR332  
and LTR336)



Cod. **LTR770**  
10,5x13,5 cm - Compatible  
electrode 8x12 cm (LTR330,  
LTR334 and LTR338)

LATEX  
FREE

### Sponge casings in spontex



Cod. **LTR775**  
7,5x6 cm - Compatible  
electrode 5x5 cm (LTR320,  
LTR331 and LTR335)



Cod. **LTR780**  
8,5x10 cm - Compatible  
electrode 6x8,5 cm (LTR325,  
LTR333 and LTR337)



Cod. **LTR783**  
7,5x10,5 cm - Compatible  
electrode 5x10 cm (LTR332  
and LTR336)




Cod. **LTR785**  
11x14 cm - Compatible  
electrode 8x12 cm (LTR330,  
LTR334 and LTR338)


LATEX  
FREE

## Spare parts for professional electrotherapies


### **Skin casing with conductive silicone electrodes with clip**



Cod. **LTR790**  
3,5x4,5 cm




Cod. **LTR791**  
6x4,5 cm



Cod. **LTR792**  
6x8 cm



Cod. **LTR793**  
8x12 cm



Cod. **LTR794**  
12x16 cm

### **Single patient self adhesive reusable pregelled electrodes with tissue support and clip**



Cod. **LTR3404**  
3,5x4,5 cm - Auto-adhesive, pregelled



Cod. **LTR3414**  
4,5x8 cm - Auto-adhesive, pregelled



Cod. **LTR3415**  
4,6x4,7 cm - Auto-adhesive, pregelled



Cod. **LTR3416**  
5,3x9,6 cm - Auto-adhesive, pregelled

### **Bands to stop the electrodes and cables**



Cod. **LTR550**  
Cod. **LTR555**  
Rubber banda - 1 hole



Cod. **LTR556**  
Cod. **LTR557**  
Rubber banda - 2 holes



Cod. **LTR195**  
No-trauma button for rubber band



Cod. **LTR560** 3x40 cm  
Cod. **LTR562** 3x80 cm  
Cod. **LTR563** 3x100 cm  
Elastic tissue band



Cod. **LTR565** 8x40 cm  
Cod. **LTR567** 8x80 cm  
Cod. **LTR568** 8x100 cm  
Elastic tissue band



Cod. **LTR221** Red  
Cod. **LTR220** Black  
Cable with 4mm male pin



Cod. **LTR222** Red  
Cable for ELESTIM 2

### **Electrode adapters, cables, and electrotherapy outlet dividers**



Cod. **LTR344R** Red  
Cod. **LTR344N** Black  
Male connection clip adaptor - 4mm




Cod. **LTR345R** Red  
Cod. **LTR345N** Black  
Female connection clip adaptor with hole - 4mm



Cod. **LTR346R** Red  
Cod. **LTR346N** Black  
Female connection clip adaptor with hole - 2mm



Cod. **LTR347R** Red  
Cod. **LTR347N** Black  
Outlet divider from male clip to 2 female clips



Cod. **LTR348R** Red  
Cod. **LTR348N** Black  
Outlet divider from 2mm female pin to 2 2mm male pins



Cod. **LTR349R** Red  
Cod. **LTR349N** Black  
Outlet divider from 4mm male pin to 2 female pins

- EN** Ultrasound and ECG gel
- F** Gel pour ultrasons et ECG
- ES** Gel para ultrasonidos y ECG
- P** Gel para ultra-sons e ECG



**Cod. DRV1800**

*E.C.G. and TENS gel (no ultrasound) 260 gr*



**Cod. DRV1805**

*Ultrasound gel 260 gr*



**Cod. DRV1806**

*Ultrasound gel 1 kg*



**Cod. DRV1807**

*Ultrasound gel - 5 kg + dispenser*



**Cod. DRV1808**

*Ultrasound gel - 5 kg + dispenser for 4 pcs*

**x4**

It is hydrosoluble, it doesn't irritate, it doesn't damage the electrodes nor the probes.

#### Technical features

Product codes	DRV1800	DRV1805	DRV1806	DRV1807	DRV1808
<b>WEIGHT AND DIMENSION</b>					
	260g		1000g	5000g + 260g dispenser	
	50 pcs		10 pcs	1 pcs	4 pcs

- EN** Surgical suction unit
- F** Aspirateurs chirurgicaux
- ES** Aspiradores de secreciones
- P** Aspiradores de secreções

**Portable**



**CE**  
0123

**ACCESSORIES INCLUDED**

- 1 Jar with lid and anti-overflow float
- 1 tube connector
- 1 silicone sterilized tube
- 1 antibacterial filter
- 1 sterile Suction probe
- 1 feeding cable

Suitable for home and hospital use.

Spare parts



Cod. **LRA372**  
1000cc complete jar



Cod. **LRA204\***  
Spare antibacterial filter  
*\*Shape may change depending on availability*



Cod. **LRA120**  
Ø6/10mm



Cod. **LRA110**  
**CH14 - without control**  
Cod. **LRA112**  
**CH14 - with control**  
Cod. **LRA116**  
**CH16 - without control**  
Suction catheter



Cod. **LRA100**  
Fingertip sterile valve for suction regulation

**Technical features**

Product codes	LTA260	LTA270
<b>REFERENCES</b>		
Class. EN ISO 10079-1	high vacuum low flow	high vacuum high flow
<b>TECHNICAL SPECIFICATION</b>		
Power supply	230V / 50 Hz	
Motor	Piston pump	
Power consumption	184 VA	110 VA

Use	continuous	
Max. suction	16 l/min	40 l/min
Max. suction	-0,75 bar	-0,80 bar

<b>WEIGHT AND DIMENSION</b>			
W:	D:	H:	Kg
36 cm	19 cm	21 cm	2,5 kg <b>LTA260</b> 3,6 kg <b>LTA270</b>

- EN** Battery suction units
- F** Aspirateur chirurgique à batterie
- ES** Aspirador de secreciones con batería
- P** Aspirador de secreções com bateria

## Aspimed 1.9

**Cod. LTA420** Rechargeable battery and power supply



CE  
0051

### ACCESSORIES INCLUDED

- 1 1000cc autoclavable polycarbonate tank with antioverflow valve
- 1 1000cc disposable jar
- 2 99% hydrophobic antibacterial filters
- 1 disposable sterile cannula
- 1 sterile manual flow regulator, disposable
- 1 silicone tubes set (they can be sterilized)
- 1 multi voltage charger
- 1 12V cable
- 1 shoulder carrying bag.

Suitable for emergency use.

Spare parts



**Cod. LRA310**  
1000cc autoclavable complete jar (LTA420)



**Cod. LRA315**  
Disposable jar to be put inside autoclavable jar LRA310 (jar not included)




**Cod. LRA372**  
1000cc complete jar (LTA280)



**Cod. LRA202\***  
Spare antibacterial filter \*Shape may change depending on availability



**Cod. LRA122**  
Ext Ø 8/14 mm 1,3m silicone tube



**Cod. LRA110**  
**CH14 - without control**  
**Cod. LRA112**  
**CH14 - with control**  
**Cod. LRA116**  
**CH16 - without control**  
Suction catheter



**Cod. LRA100**  
Fingertip sterile valve for suction regulation

### Technical features

REFERENCES	
Class. EN ISO 10079-1	high vacuum - high flow
TECHNICAL SPECIFICATION	
Rated output	12V DC
Max vacuum adjustable	0 ÷ -0,85 bar
Max aspiration flow	30 l/min
Noise level	61 dBA
Continuous use	45 min.operating time
Rechargeable battery	12V 4Ah
Multivoltage power supply	100÷240V - 50/60 Hz / 14Vdc 4,3A
Capacity	1 lt / autoclavable jar
WEIGHT AND DIMENSION	
W:	D:
H:	Kg
38 cm	13,5 cm
26 cm	4,6 kg

## Aspimed 2.5

**Cod. LTA280** Double power supply (230/50Hz - 12V DC)



CE  
0123

### ACCESSORIES INCLUDED

- 1 1000cc Jar with lid with anti-overflow float
- 1 tube connector
- 1 silicone sterilized tube
- 1 car-plug cable
- 1 antibacterial filter,
- 1 disposable sterile suction probe
- 1 power cables

### Technical features

REFERENCES	
Class. EN ISO 10079-1	high vacuum - low flow
TECHNICAL SPECIFICATION	
Power supply (double)	230V/50Hz - 12V DC with rechargeable internal battery 12V
Motor	piston pump
Power consumption	50 VA
Battery indicator	LED
Use	continuous
Max. suction	-0,75 bar
Capacity	1 lt / autoclavable jar
WEIGHT AND DIMENSION	
W:	D:
H:	Kg
36 cm	19 cm
21 cm	4,9 kg

- EN** Suction unit
- F** Aspirateur chirurgique
- ES** Aspirador de secreciones
- P** Aspirador de secreções

**11jar**

**Cod. LTA410**

15 l-min

**Aspimed 1.8**



ACCESSORIES INCLUDED

- 1 1000cc autoclavable polycarbonate tank with antioverflow valve
- 1 1000cc disposable jar
- 2 99% hydrophobic antibacterial filters
- 1 disposable sterile cannula
- 1 sterile manual flow regulator, disposable,
- 1 silicone tubes set (they can be sterilized)
- 1 power cable

Spare parts



**Cod. LRA310**  
1000cc autoclavable complete jar



**Cod. LRA315**  
Disposable jar to be put inside autoclavable jar LRA310 (jar not included)



**Cod. LRA202\***  
Spare antibacterial filter  
*\* shape may change depending on availability*



**Cod. LRA122**  
Ø ext. 8/14 mm 1,3m silicone tube



**Cod. LRA110**  
**CH14 - Without control** **Cod. LRA112**  
**CH14 - With control**  
**Cod. LRA116**  
**CH16 - Without control**  
Suction catheter



**Cod. LRA100**  
Fingertip sterile valve for suction regulation

Technical features

REFERENCES	
Class. EN ISO 10079-1	low flow - high vacuum
TECHNICAL SPECIFICATION	
Capacity	1000cc jar
Power supply	230V - 50Hz
Absorption power max	max 150 VA
Max vacuum adjustable	0 ÷ -0,85 bar (0 ÷ -85 kPa)
Max aspiration flow	15 l/min

Power cable	circa 2 m
250V T 1,6A	250V T 1,6A
Noise level	54 dBA

WEIGHT AND DIMENSION			
W:	D:	H:	Kg
19,6 cm	35,7 cm	18,5 cm	2,5 kg

- EN** Trolley suction unit
- F** Aspirateur chirurgique mobile
- ES** Aspirador de secreciones con carro
- P** Aspirador de secreções móvil

## 2 l jars

Cod. **LTA450**

60 l-min

## Aspimed 4.1



### ACCESSORIES INCLUDED

- 2 autoclavable polycarbonate tanks with anti-overflow valve
- 2 polycarbonate connections
- 1 silicone tubes set
- 2 pcs antibacterial filters
- 1 sterile and disposable suction catheter
- 1 power cable

### Spare parts



Cod. **LRA311**  
2000cc complete jar

Cod. **LRA209\***  
Spare antibacterial filter  
*\* shape may change depending on availability*

Cod. **LRA100**  
Fingertip sterile valve for suction regulation

Cod. **LRA110**  
**CH14 - Without control**  
Cod. **LRA112**  
**CH14 - With control**  
Cod. **LRA116**  
**CH16 - Without control**  
Suction catheter

Cod. **LRA122**  
Ø ext 8/14 mm  
1,3m silicone tube

### Accessories



Cod. **LRA401**  
Pedal for Aspimed 4.1, 4.2

### Technical features

REFERENCES		Use	
Class. EN ISO 10079-1	high vacuum - high flow		Continuous
TECHNICAL SPECIFICATION		Power cable	About 2 m
Capacity	2 jars 2000cc	Fuse	250V T 2,5A
Power supply	230V / 50-60Hz	Noise level	54 dBA
Absorption power	300 VA	WEIGHT AND DIMENSION	
Maximum vacuum	0 ÷ 0,90 bar (0 ÷ -90 kPa)	W:	D:
Max aspiration flow	60 l/min	H:	kg
		47 cm	58 cm
			56÷73 cm
			15 kg

- EN** Autoclavable resuscitation kits
- F** Valises de réanimation autoclavables
- ES** Kits resucitadores autoclavables
- P** Kits de reanimação autoclaváveis

**With case - Silicone resuscitator**

**Cod. RA141**

**Adult**

*Contents:*

- 1 autoclavable silicone resuscitation bag with valve
- 1 silicone resuscitation face mask n°5
- 1 reservoir 2700ml
- 2 Guedel cannulas n°4/5
- 1 oxygen tube
- 1 case for transport



**Cod. RA142**

**Children**

*Contents:*

- 1 autoclavable silicone resuscitation bag with valve
- 1 silicone resuscitation face mask n°3
- 1 reservoir 2700ml
- 2 Guedel cannulas n°1/2
- 1 oxygen tube
- 1 case for transport

Technical features

Product codes	RA141	RA142
<b>DIMENSION</b>		
W:	34,8 cm	32 cm
D:	15,3 cm	13,7 cm
H:	13,9 cm	11 cm
Capacity	1800 ml	550 ml

- EN** Resuscitation bags without mask
- F** Insufflateurs sans masque
- ES** Resucitador sin mascarilla
- P** Balões de reanimação sem máscara



### Disposable PVC

**Cod. RA411**

Adult  
Valve 60 cm H<sub>2</sub>O



### Autoclavable silicone 121°C

**Cod. RA401**

Adult  
Valve 60 cm H<sub>2</sub>O



**Cod. RA403**

Children  
Valve 40 cm H<sub>2</sub>O



Technical features

Product codes	RA411	RA401	RA403
<b>SPECIFICATION</b>			
Capacity	1800 ml	1800 ml	550 ml
Material	Disposable PVC	Autoclavable silicone 121°C	

- EN** Oxygen reservoir
- F** Réservoir d'oxygène
- ES** Resevório de oxígeno
- P** Reservatório de oxigênio

### PVC with valve - Disposable

**Cod. RA523**

For infant  
resuscitation bags  
With valve



**Cod. RA520**

For adult  
and pediatric  
resuscitation bags  
With valve



Technical features

Product codes	RA520	RA523
<b>SPECIFICATION</b>		
Capacity	2700 ml	900 ml

- EN** Resuscitation face masks for resuscitation bags
- F** Masques de réanimation pour insufflateurs
- ES** Mascarillas para reanimación para resucitadores
- P** Máscaras de reanimação para balões de reanimação

**121° C Autoclavable silicone resuscitation face masks**



Technical features

Product codes	RA433	RA434	RA435
DIMENSION			
Size	3	4	5

**Disposable pvc resuscitation face masks air cushion**



Technical features

Product codes	RA440	RA441	RA442	RA443	RA444	RA445
DIMENSION						
Size	0*	1*	2*	3*	4*	5*

\* Colours do not refer to the size of the mask

- EN** Mouth opener
- F** Ouvre-bouche
- ES** Abreboca
- P** Abre-boca

- EN** Disposable pocket mask
- F** Masque de poche usage unique
- ES** Mascarilla desechable pocket
- P** Máscara descartável formato de bolso

**MAUNDER type**



**For mouth to mouth resuscitation**



- EN** Oxygen therapy masks
- F** Masques pour oxygénothérapie
- ES** Mascarillas para oxigenoterapia
- P** Máscaras para oxigenoterapia

**Cod. OS310**

Adult

**Cod. OS315**

Pediatric

With anticrush tube and 6 valves.



Technical features

DIMENSION		
Product codes	N°	
<b>OS310</b>	1 Pc	50 Pcs
<b>OS315</b>		100 Pcs

### Medium concentration

**Cod. OS320**

Adult

**Cod. OS325**

Pediatric



With anticrush tube.

Technical features

DIMENSION		
Product codes	N°	
<b>OS320</b>	1 Pc	100 Pcs
<b>OS325</b>		

### High concentration with oxygen reservoir

**Cod. OS317**

Adult

**Cod. OS318**

Pediatric



Anticrush tube.

Technical features

DIMENSION		
Product codes	N°	
<b>OS317</b>	1 Pc	80 Pcs
<b>OS318</b>		

- EN** Oxygen therapy accessories
- F** Accessoires pour oxygénothérapie
- ES** Accesorios para oxigenoterapia
- P** Acessórios para oxigenoterapia

**Cod. OS250**

Scrubber for oxygen with tube

**Cod. OS251**

Scrubber complete with glasses for oxygen



**Cod. OS400**

PVC glasses with tube 150 cm

Technical features

DIMENSION			
Product code	W:	N°	
<b>OS400</b>	150 cm	1 Pc	50 Pcs

**Cod. OS401**

Adult

**Cod. OS402**

Pediatric



Nose cannula. Complete with anticrush tube 200 cm.

Technical features

DIMENSION			
Product codes	W:	N°	
<b>OS401</b>	200 cm	1 Pc	200 Pcs
<b>OS402</b>			

**Cod. OS801**

2 meter connection tube with female/female connections.

Technical features

DIMENSION			
Product code	W:	N°	
<b>OS801</b>	200 cm	1 Pc	200 Pcs

- EN** First aid collars
- F** Colliers cervicaux d'urgence
- ES** Collares cervicales de emergencia
- P** Colares cervicais de emergência

**1 pc - X-Ray Translucent, compatible TAC and RMN**



Lateral



Available colours

Polyethylene frame. Internal washable coating in EVA. Hole for tracheotomy. Removable chin support. Adjustable velcro fastener.

Technical features

Product codes	EM420	EM421	EM422	EM423	EM424	EM425
Colours	Pink	Light Blue	Violet	Blue	Orange	Green
<b>SPECIFICATION</b>						
Type	Infant	Pediatric	Stout	Standard	Medium	Tall
<b>DIMENSION</b>						
L*:	48 cm	71,5 cm	56 cm	62 cm	67 cm	67 cm
H:	9,5 cm	10 cm	15 cm	12 cm	14,5 cm	16,5 cm

\*W = Circumference

**2 pcs - X-Ray Translucent, compatible TAC and RMN**



Polyethylene frame. Internal washable coating in EVA. Hole for tracheotomy. Removable chin support. Adjustable velcro fastener.

Technical features

Product codes	EM430	EM431	EM432	EM433	EM434	EM435
Colours	Pink	Light Blue	Violet	Blue	Orange	Green
<b>SPECIFICATION</b>						
Type	Infant	Pediatric	Stout	Standard	Medium	Tall
<b>DIMENSION</b>						
L*:	48 cm	71,5 cm	56 cm	62 cm	67 cm	67 cm
H1**:	9,5 cm	10 cm	12,5 cm	12 cm	14,5 cm	16,5 cm
H2***:	12,5 cm	12 cm	13,5 cm	14,5 cm	15,5 cm	17,5 cm


\*W = Circumference, \*\*H1 = height xxx, \*\*\*H2 = total height

- EN** PVC splints
- F** Atelles en PVC
- ES** Férulas de PVC
- P** Ataduras em PVC


## Air compress - X-ray translucent

**Cod. EM244**

6 splints kit



### ACCESSORIES INCLUDED



Carrying bag



Pump

- EN** Vacuum mattress
- F** Matelas à dépression
- ES** Colchón de vacío
- P** Colchão à vácuo

## Thermoplastic polyurethane

**Cod. EM216**

Adult



### Technical features

#### WEIGHT AND DIMENSION

W:	D:	H:		
212 cm	75 cm	7 cm	160 Kg	5 Kg

### ACCESSORIES INCLUDED



Carrying bag




Pump

- EN** Stretchers
- F** Brancards
- ES** Camillas
- P** Padiolas

## Scoop type - Adjustable - With belts

Cod. **EM101**



Opening/closure system at the ends of the stretcher. It can be adjusted and blocked to different lengths.

### Technical features

WEIGHT AND DIMENSION					
	W:	D:	H:		
Open	214 cm	42 cm	7 cm	160 Kg	8 Kg
Closed	167 cm				

## Basket type - Dividable

Cod. **EM151**



Equipped with adjustable footrest, 4 quick-release safety belts, non-absorbent mattress. Block system during transportation by helicopter.

### Technical features


WEIGHT AND DIMENSION					
	W:	D:	H:		
	219 cm	62,5 cm	18 cm	272 Kg	16,2 Kg

- EN** Antitrauma stretcher
- F** Plan dur
- ES** Tabla de emergencia
- P** Prancha de emergência

**High density PE**

Cod. **EM250**

*X-ray translucent, Floating, Waterproof*




Technical features

WEIGHT AND DIMENSION				
W:	D:	H:		
184 cm	44,5 cm	6,5 cm	150 Kg	7,8 Kg

- EN** Belt for antitrauma stretcher
- F** Ceinture araignée pour plan dur
- ES** Correa araña para tabla de emergencia
- P** Cinto para prancha de emergência

**Polyester - Velcro fastening, belt 5 cm h**

Cod. **EM541**



- EN** Universal head immobilizer
- F** Immobilisateur universel de la tête
- ES** Inmovilizador universal cabeza
- P** Imobilizador universal de cabeça

- EN** CPR board
- F** Planche RCP
- ES** Tabla RCP
- P** Prancha CPR

Cod. **EM581**



For antitrauma stretcher. Expanded, dipped in PVC Foam. 2 head blocks with holes for the ears, 2 front and chin locks.

Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
42 cm	26 cm	18 cm	0,7 Kg

**High density polyethylene**

Cod. **EM351**



*Mould to recline head*

Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
64 cm	43 cm	8 cm	1,6 Kg

- EN** Spinal immobilizer
- F** Corset d'immobilisation vertébrale
- ES** Inmovilizador de columna
- P** Imobilizador de coluna

**Vinyl coated nylon - Adult**

**Cod. EM201**



Carrying bag

Technical features

WEIGHT AND DIMENSION				
W:	D:	H:		
82 cm	80 cm	-	-	2,5 Kg

- EN** Cloth stretcher
- F** Alèse portoir souple
- ES** Tela de rescate
- P** Padiola em nylon

**Waterproof and washable nylon**

**Cod. EM186**



Carrying bag 60 x 23 cm

Technical features

WEIGHT AND DIMENSION				
W:	D:	H:		
200 cm	75 cm	-	100 Kg	3 Kg

- EN** Safety belts
- F** Sangles
- ES** Correas de seguridad
- P** Cintos de segurança

**Polyester**

**Cod. EM521**

Set 3 belts for stretcher



Belt loop connection, quick pressure buckle.

**Cod. EM528**

Set 3 belts for stretcher



Ring connections, car type buckle.

**Cod. EM526**

Set 3 belts for anti trauma stretcher



Snap-hook connection, quick pressure buckle.

Technical features

WEIGHT AND DIMENSION		
Product codes	W:	H:
<b>EM526, EM521, EM528</b>	180 cm	5 cm

- EN** Folding stretchers
- F** Brancards de catastrophe pliants
- ES** Camillas plegables
- P** Padiolas dobráveis

## Anodized aluminium - Canvas fabric - With belts

Cod. **EM111**

4 feet



Folded

Cod. **EM113**

2 feet, 2 castors



Technical features

Product codes	EM111			EM113		
WEIGHT AND DIMENSION						
Product codes	W:	D:	H:			
<b>EM111</b> Open	182 cm	52 cm	5 cm	160 Kg	3 Kg	
<b>EM111</b> Closed	93 cm	52 cm	6 cm			
<b>EM113</b> Open	185 cm	52 cm	23 cm	160 Kg	5 Kg	
<b>EM113</b> Closed	93 cm	52 cm	10 cm			

## Foldable in 4 - With belts

Cod. **EM131**

4 feet



Folded

## Folding in length - With belts

Cod. **EM121**

With 4 feet



Folded

Technical features

Product codes	EM121			EM131		
WEIGHT AND DIMENSION						
Product codes	W:	D:	H:			
<b>EM121</b> Open	221 cm	53 cm	15 cm	160 Kg	5,5 Kg	
<b>EM121</b> Closed	110 cm	13 cm	18 cm			
<b>EM131</b> Open	221 cm	53 cm	15 cm	160 Kg	5,5 Kg	
<b>EM131</b> Closed	110 cm	18 cm	11 cm			

- EN** Trauma Bag emergency bag
- F** Sac premiers secours Trauma Bag
- ES** Bolsa de emergencia Trauma Bag
- P** Mala de emergência Trauma Bag

**Cod. EM810**



Double lateral pocket. Front pocket with mesh divider. Mesh lodgements, closed with velcro or elastic bands. Zip opening. With safety anti-sliding feet.


**Cod. EM820**



With 2 mesh pockets

Velcro adjustable internal lodgements. 2 mesh pockets. Reflective tape and safety anti-sliding feet.

Technical features



- EN** Trauma Bag emergency bag
- F** Sac premiers secours Trauma Bag
- ES** Bolsa de emergencia Trauma Bag
- P** Mala de emergência Trauma Bag

**Cod. EM830**




Double lateral pocket. Front pocket with mesh divider. Zip opening. With safety anti-sliding feet.

**Cod. EM840**



Internal lodgements for modules. Velcro fixable dividers. 2 lateral pockets. Front pocket with 3 lodgements. 2 internal mesh pockets with zip fastening. Reflective tapes and safety anti-sliding feet.

Technical features



- EN** Emergency rucksacks
- F** Sacs à dos premiers secours
- ES** Mochilas de emergencia
- P** Mochilas de emergência

## 2 sections

Cod. **EM850**



Upper part with lodgements. The length of the internal lodgement can be increased. Zip fastening lateral pockets. Reflective pads. Safety anti-sliding feet.

## Single zip opening

Cod. **EM860**

2 lateral pockets - Zip fastening

Cod. **EM870**

2 lateral and 2 front pockets with zip fastening



Velcro adjustable dividers. Padded straps and back. Reflective tapes and safety anti-sliding feet.

## Technical features

DIMENSION IN CM		
EM850	EM860	EM870

- EN** Modules for emergency bags and rucksacks
- F** Pochettes pour sacs e sacs à dos premiers secours
- ES** Bolsitas para bolsas y mochilas de emergencia
- P** Bolsinhas para malas e mochilas de emergência

**Cod. EM891**

With velcro



**Cod. EM892**

Without velcro



Coloured modules

Technical features

DIMENSION			
Product codes	↔ W:	↗ D:	↕ H:
<b>EM891</b>	14 cm	15,5 cm	7,5 mm
<b>EM892</b>			

- EN** Scissors
- F** Ciseaux
- ES** Tijeras
- P** Tesouras

**Cod. PS452**

Stainless steel  
AISI 420



Polyester holder

Technical features

WEIGHT



0,56 Kg

Used to cut belts and clothes, break windows. With wall bracket.

- EN** Tourniquets
- F** Garrots
- ES** Torniquetes
- P** Laços hemostáticos



**Cod. ST422B** Blue

**Cod. ST422R** Red

25 mm high



Quick release and regulation button. ABS hook and elastic loop in Terylene. NO LATEX FREE.

Technical features

WEIGHT AND DIMENSION			
↔ W:	↗ D:	⚖ Kg	№
43,5 cm	2,5 cm	33 g	1 pz

- EN** Polyethylene rescue blanket
- F** Couverture isothermique en polyéthylène
- ES** Manta térmica plata-oro en polietileno
- P** Lençol isotérmico em polietileno

**Cod. PS783**



Gold side to protect from heat. Silver side to protect from cold.

Technical features

DIMENSION	
↔ W:	↗ D:
210 cm	160 cm

- EN** Infusion bag holder
- F** Manchette à pression
- ES** Manguito de infusión
- P** Manguito para infusão

**Cod. EM600**



Suitable for 500 ml infusion

Technical features

DIMENSION	
⚖ Ltr	Capacity
500 ml	

- EN** Home and car first aid kit
- F** Trousse premiers secours pour la maison ou la voiture
- ES** Botiquines primero auxilio para casa y para coche
- P** Maleta primeiros-socorros para a casa e para o carro

**Shockproof polypropilene**

**Cod. PS185** TRIX Empty

**Cod. PS180** TRIX Full

- 2 Sterile gauze pads cm.18x40;
- 1 Pair of scissors;
- 1 Plastic tweezers;
- 1 Sterile bandage TNT cm. 40x60;
- 1 Mouth-to-mouth wind resuscitator;
- 1 Pack of 10 adhesive plasters;
- 1 Tissue pack 10 pcs;
- 3 Alcohol wipes;
- 1 Elastic bandage 4x10 cm;
- 1 Adhesive dressing cm 10x6;
- 1 Adhesive plaster roll m 5x1,25 cm;
- 1 Pair of sterile gloves.



The case colour may change according to availability.

Technical features

DIMENSION				
Product codes				
<b>PS180</b>	W: 23,5 cm	D: 19 cm	H: 4,3 cm	0,3 kg
<b>PS185</b>				0,15 kg

**Wall support included - Made in ABS**



**Cod. PS191** MINISAN Empty

**Cod. PS190** MINISAN Full

- 1 Pair of gloves;
- 2 Sterile gauze pads cm 18x40;
- 1 Pack of cotton;
- 1 Adhesive plaster roll m 5x1,25 cm;
- 1 Gauze bandage cm 5;
- 1 Sterile compressive bandage mm 80x100;
- 5 Antiseptic wipes;
- 1 Plastic tweezers;
- 1 Pair of scissors;
- 1 Pack of 10 adhesive plasters;
- 1 Adhesive dressing cm 10x6.



**Cod. PS197** MEDISAN Empty

**Cod. PS195** MEDISAN Full

- 1 Sterile bandage TNT cm 40x60;
- 4 Sterile gauze pads cm 18x40;
- 1 Cotton wool pack gr. 5;
- 1 Adhesive plaster roll m 1x2 cm;
- 2 Gauze bandages cm 5;
- 1 Gauze bandage cm 7;
- 1 Sterile compressive bandage mm 80x100;
- 1 Plastic tweezers;
- 1 Pack of 10 adhesive plasters;
- 1 Triangular bandage TNT cm 96x96x136;
- 12 Safety pins;
- 1 Sterile compressive bandage mm 100x 120;
- 3 Adhesive dressings cm 10x6;
- 1 Pair of scissors cm 10 guidance leaflet 5 languages;
- 1 Haemostatic lacet;
- 1 Pair of gloves;
- 1 PIC 3 Pack;
- 8 Assorted wipes.

Technical features

WEIGHT AND DIMENSION				
Product codes				
<b>PS190</b>	W: 18,5 cm	D: 14,4 cm	H: 7,8 cm	0,59 kg
<b>PS191</b>				0,45 kg
<b>PS195</b>	D: 23,5 cm	D: 20 cm	H: 8,7 cm	1,10 kg
<b>PS197</b>				0,75 kg

- EN** First aid kit
- F** Trousse premiers secours
- ES** Botiquines primero auxilio
- P** Maleta primeiros-socorros

### Ministerial Decree 388 OF 15.07/03 - Attachment 2 BASIC Form

**Cod. PS193** MIZAR Full

- 1 Copy of Min Decree 388 of 15.07.03;
- 2 Pairs of sterile gloves;
- 1 Antiseptic solution ml.125 IODOPOVIDONE - 10% PMC iodine;
- 1 Bag of sterile physiological solution 250ml CE;
- 1 Pack of sterile gauze cm 18x40;
- 3 Packs of sterile gauze cm 10x10;
- 1 Sterile tweezers;
- 1 Pack of cotton wool;
- 1 PLASTOSAN 10 assorted dressings;
- 1 Adhesive plaster roll 5m x 2,5cm;
- 1 Gauze bandage m 4x10 cm;
- 1 Pair of bandage cutting scissors;
- 1 Tourniquet;
- 1 ICE PACK disposable;
- 1 Sanitary bag 250x350 mm.



- EN** Shockproof polypropilene case MEDIC 1 - up to 2 people
- F** Trousse en polypropylène antichoc MEDIC 1 - jusqu'à 2 personnes
- ES** Maletín de polipropileno anti-choque MEDIC 1 - hasta 2 personas
- P** Maleta de polipropileno anti-choque MEDIC 1 - até 2 pessoas

### Ministerial Decree 388 OF 15.07/03 - Attachment 2 BASIC Form



**Cod. PS506** MEDIC 1 Empty

**Cod. PS500** MEDIC 1 Full

- 1 Copy of Min Decree 388 of 15.07.03;
- 2 Pair of sterile gloves;
- 1 Jodopovidone Disinfectant solution at 10% 125 ml;
- 1 Saline solution 250 ml CE;
- 1 Sterile gauze 18x40 cm sachets;
- 3 Sterile gauze 10x10 cm sachets;
- 1 Sterile tweezers;
- 1 Pack of cotton;
- 1 PLASTOSAN 10 assorted dressings;
- 1 Adhesive plaster roll m 5x2,5 cm;
- 1 Gauze bandage cm 10x3,5 m;
- 1 Pair of scissors 10 cm FORO78;
- 1 Tourniquet;
- 1 Instant ICE pack;
- 1 Sanitary bag 250x350 mm.

#### Technical features

WEIGHT AND DIMENSION			
Product codes			
<b>PS500</b>	W: 25 cm	D: 19 cm	H: 9 cm
<b>PS506</b>			1,4 kg

- EN** Cabinet in RC 1/P - up to 2 people
- F** Armoire en RC 1/P - jusqu'à 2 personnes
- ES** Armario en RC 1/P - hasta 2 personas
- P** Armário em RC1/P - até 2 pessoas

### Ministerial Decree 388 OF 15.07/03 - Attachment 2 BASIC Form

2 compartments,  
1 removable shelf

Snap closure



Cod. **PS111** 1/P Empty

Cod. **PS510** 1/P Full

- 1 Copy of Min Decree 388 of 15.07.03;
- 2 Pair of sterile gloves;
- 1 Jodopovidone Disinfectant solution at 10% 125 ml;
- 1 Saline solution 250 ml CE;
- 1 Sterile gauze 18x40 cm sachets;
- 3 Sterile gauze 10x10 cm sachets;
- 1 Pack of cotton;
- 1 PLASTOSAN 10 assorted dressings;
- 1 Adhesive plaster roll m 5 x 2,5 cm;
- 1 Gauze bandage 10 cm x 3,5 m;
- 1 LISTER pair of scissors 14,5 cm DIN58279;
- 1 Tourniquet;
- 1 Instant ICE pack;
- 1 Sanitary bag 250x350 mm.

Technical features

#### WEIGHT AND DIMENSION

Product codes

**PS111**  
**PS510**

L: 22 cm

P: 14 cm

H: 37 cm

-  
2,1 kg

- EN** Metal cabinet 102/M - more than 3 people
- F** Armoire en métal 102/M - plus de 3 personnes
- ES** Botiquín armario de metal 102/M - más de 3 personas
- P** Armário em metal 102/M - mais de 3 pessoas

### Ministerial Decree 388 OF 15.07/03 - Attachment 2 BASIC Form

3 compartments,  
2 shelves

Lock with  
key



Cod. **PS235** 102/M Empty

Cod. **PS521** 102/M Full

- 1 Copy of Min Decree 388 of 15.07.03;
- 5 Pair of sterile gloves;
- 1 Safety mask with eye protection visor;
- 3 Saline solution 500 ml CE;
- 2 Jodopovidone Disinfectant solution at 10% 500 ml;
- 10 Sterile gauze 10x10 cm sachets;
- 2 Sterile gauze 18x40 cm sachets;
- 2 Sterile bandage cm 40x60 DIN13152BR;
- 2 Sterile tweezers;
- 1 Pack of cotton;
- 1 Pack of net elastic bandage;
- 2 Plastosan 10 assorted dressings;
- 2 Adhesive plaster roll m 5x2,5 cm;
- 1 LISTER pair of scissors 14,5 cm DIN58279;
- 3 Tourniquet;
- 2 Instant ICE pack;
- 2 Sanitary bag;
- 1 Clinical digital thermometer CE;
- 1 Personal Sphygmomanometer with stethoscope;
- 1 Multilingual first aid booklet.

Technical features

#### WEIGHT AND DIMENSION

Product codes

**PS235**  
**PS521**

W: 30 cm

D: 14 cm

H: 46 cm

-  
7,5 kg

- EN** ABS case MEDIC 2 - more than 3 people
- F** Trousse en ABS MEDIC 2 - plus de 3 personnes
- ES** Maletín de ABS MEDIC 2 - más de 3 personas
- P** Maleta em ABS MEDIC 2 - mais de 3 pessoas

### Ministerial Decree 388 OF 15.07/03 - Attachment 2 BASIC Form



Cod. **PS507** MEDIC 2 Empty

Cod. **PS504** MEDIC 2 Full

- 1 Copy of Min Decree 388 of 15.07.03;
- 5 Pair of sterile gloves;
- 1 Safety mask with eye protection visor;
- 3 Saline solution 500 ml CE;
- 2 Jodopovidone Disinfectant solution at 10% 500 ml pmc;
- 10 Sterile gauze 10x10 cm sachets;
- 2 Sterile gauze 18x40 cm sachets;
- 2 Sterile bandage cm 40x60 DIN13152BR;
- 2 Sterile tweezers;
- 1 Pack of cotton;
- 1 Pack of net elastic bandage;
- 2 Plastosan 10 assorted dressings;
- 2 Adhesive plaster roll m 5 x 2,5 cm;
- 1 LISTER pair of scissors 14,5 cm DIN58279;
- 3 Tourniquet;
- 2 Instant ICE pack;
- 2 Sanitary bag;
- 1 Clinical digital thermometer CE;
- 1 Personal Sphygmomanometer with stethoscope;
- 1 Multilingual first aid booklet.

#### Caratteristiche tecniche

DIMENSIONE E PESO				
Codice prodotto	↔	↗	↕	Ⓚ
<b>PS504</b>	L: 39,5 cm	P: 27 cm	H: 13,5 cm	6,2 kg
<b>PS507</b>				

- EN** ABS case MULTIRED - more than 3 people
- F** Trousse en ABS MULTIRED - plus de 3 personnes
- ES** Maletín de ABS MULTIRED - más de 3 personas
- P** Maleta em ABS MULTIRED - mais de 3 pessoas

### Ministerial Decree 388 OF 15.07/03 - Attachment 2 BASIC Form

Cod. **PS509** MULTIRED Empty

Cod. **PS508** MULTIRED Full



- 1 Copy of Min Decree 388 of 15.07.03;
- 5 Pairs of sterile gloves;
- 1 Safety mask with eye protection visor;
- 3 Saline solutions 500 ml CE;
- 2 Jodopovidone Disinfectant solutions at 10% 500 ml;
- 10 Sterile gauze 10x10 cm sachets;
- 2 Sterile gauze 18x40 cm sachets;
- 2 Sterile bandages cm 40x60 DIN13152BR;
- 1 Pack of cotton;
- 2 Sterile tweezers;
- 1 Pack of net elastic bandage;
- 2 Adhesive plaster roll m 5 x 2,5 cm;
- 2 Plastosan 20 assorted dressings;
- 1 LISTER pair of scissors 14,5 cm DIN;
- 3 Tourniquets;
- 2 Instant ICE packs;
- 2 Sanitary bag;
- 1 Clinical digital thermometer CE;
- 1 Personal Sphygmomanometer with stethoscope;
- 2 Gauze bandage m 4x10 cm;
- 1 Case containing:
  - 3 liquid soap, 3 disinfectant wipes, 2 ammonia wipes;
  - 1 Isothermic blanket Gold/Silver 160x210 cm
  - 1 Triangular TNT bandage 136x96x96 cm
  - 1 PINOCCHIO mouth opener + VENTO resuscitator code APR100K;
  - 2 Sunburn gel sachets 3,5 g;
  - 2 Elastic bandage m 4x6 cm;
  - 1 Sterile swab bandage mm 80x100 DIN 13151.

- EN** Refill packs
- F** Paquets refill
- ES** Paquetes con contenido para botiquines
- P** Pacotes de refil

## Ministerial Decree 388



**Cod. PS530** Sphygmomanometer with stethoscope

**Cod. PS531** without Sphygmomanometer

**Cod. PS532** Sphygmomanometer with stethoscope

**Cod. PS533** without Sphygmomanometer

**Cod. PS534** BASIC ATTACHMENT 2

**Cod. PS535** INCREASED BASIC ATTACHMENT 2

### BASIC ATTACHMENT 1

- 1 Copy of Min Decree 388 of 15.07.03;
- 5 Pair of sterile gloves;
- 1 Safety mask with eye protection visor;
- 3 Saline solution 500 ml CE;
- 2 Jodopovidone Disinfectant solution at 10% 500 ml;
- 10 Sterile gauze 10x10 cm sachets;
- 2 Sterile gauze 18x40 cm sachets;
- 2 Sterile bandage cm 40x60 DIN13152BR;
- 2 Sterile tweezers;
- 1 Pack of net elastic bandage;
- 1 Pack of cotton;
- 2 Plastosan 10 assorted dressings;
- 2 Adhesive plaster m 5 x 2,5 cm;
- 1 LISTER pair of scissors 14,5 cm DIN58279;
- 3 Tourniquet;
- 2 Instant ICE pack;
- 2 Sanitary bag;
- 1 Clinical digital thermometer CE;
- 1 Gauze bandage m3,5x10 cm.

### INCREASED BASIC ATTACHMENT 1

- 1 Copy of Min Decree 388 of 15.07.03;
- 5 Pair of sterile gloves;
- 1 Safety mask with eye protection visor;
- 3 Saline solution 500 ml CE;
- 2 Jodopovidone Disinfectant solution at 10% 500 ml;
- 10 Sterile gauze 10x10 sachets;
- 2 Sterile gauze 18x40 cm sachets;
- 2 Sterile bandage cm 40x60 DIN13152BR;
- 1 Pack of cotton;
- 2 Sterile tweezers;
- 1 Pack of net elastic bandage;
- 2 Adhesive plaster roll m5 x 2,5 cm;
- 2 Plastosan 20 assorted dressings;
- 1 LISTER pair of scisors 14,5 cm DIN58279;
- 3 Tourniquet;
- 2 Instant ICE pack;
- 2 Sanitary bag;
- 1 Clinical digital thermometer;
- 4 Gauze bandage cm 10x3,5 m;
- 1 Pack containing:
  - 3 liquid soap
  - 3 disinfectant wipes
  - 2 amonium wipes
- 1 Isothermic blanket Gold/Silver 160x210 cm;
- 1 Triangular TNT bandage 136x96x96 cm;
- 2 Burn gel sachet gr 3,5 g;
- 2 Elastic bandage 4 x 6;
- 1 Compressive bandage cm 8x10 DIN13151;
- 1 Hand disinfectant gel 100ml.

- 1 Copy of Min Decree 388 of 15.07.03;
- 2 Pair of sterile gloves;
- 1 Jodopovidone Disinfectant solution at 10% 125 ml;
- 1 Saline solution 250 ml CE;
- 1 Sterile gauze 18x40 cm sachets;
- 3 Sterile gauze 10x10 cm sachets;
- 1 Sterile tweezers;
- 1 Pack of cotton;
- 1 Plastosan 10 assorted dressings;
- 1 Adhesive plaster roll m 5 x 2,5 cm;
- 1 Gauze bandage 10 cm x 3,5 m;
- 1 pair of scissors 10 cm;
- 1 Tourniquet;
- 1 Instant ICE pack;
- 1 Sanitary bag;
- 1 Multilingual first aid booklet.

- EN** Disposable sterile surgical blades - Carbon steel
- F** Lames de bistouri stériles usage unique - Acier carbon
- ES** Hojas de bisturí estériles desechables - Acero carbono
- P** Lâminas de bisturi esterilizadas descartáveis - Aço carbono

### Handle n° 3



### Handle n° 4



#### Technical features

SPECIFICATION								
Stainless steel composition	Carbon	Chromium	Silicon	Manganese	Nickel	Phosphorous	Sulphurus	Copper
	<b>0,97</b>	<b>0,05</b>	<b>0,23</b>	<b>0,22</b>	<b>0,03</b>	<b>0,007</b>	<b>0,008</b>	<b>0,11</b>
Blade resistance	Not inferior to 750HV (according to Vicker's text)							
Sterilization	Gamma rays. Minimum dose: 25kGy (2,5M RADS)							
Blades	Two aluminium 0,08mm thick films welded together with a paper foil inside. <b>Box of 100 blades</b> with polythene film							

- EN** Phil container pouches
- F** Pochette porte ampoules
- ES** Estuches para ampollas
- P** Estojos para ampolas

Cod. **BS050R**



#### Technical features

SPECIFICATION	
Capacity	42 phials
DIMENSION	
↔ W:	16 cm
↕ H:	19,5 cm

- EN Tourniquets
- F Garrots
- ES Torniquetes
- P Laços hemostáticos

Cod. **ST421**

Latex - Non sterile



Cod. **ST422R**

Tourniquet - Red



Cod. **ST422B**

Tourniquet - Blue

Quick to use. Band 2,5 cm high. Quick release and adjustment button. ABS hooking and Terylene string. NO LATEX FREE.

Technical features

Product codes	ST421	ST422R	ST422B
WEIGHT AND DIMENSION			
↔ W:	37 cm	40 cm	
↕ H:	-	2,5 cm	
Diametro Ø	1 cm	-	
Ⓚ	-	30 g	

- EN Disposable sterile scalpels - Carbon steel
- F Bistouris stériles usage unique - Acier carbon
- ES Bisturí estériles desechables - Acero carbono
- P Bisturi esterilizados descartáveis - Aço carbono



Technical features

Product codes	SRS120/10	SRS120/11	SRS120/12	SRS120/15	SRS120/18	SRS120/20	SRS120/21	SRS120/22	SRS120/23	SRS120/24
Blade	N° 10	N° 11	N° 12	N° 15	N° 18	N° 20	N° 21	N° 22	N° 23	N° 24
SPECIFICATION										
Scalpels	Two aluminium 0,08 mm thick films welded together with a paper foil inside. Each blade is protected by a low density polythene cap. <b>Box of 10 scalpels</b> with polythene film									

- EN Oscillating one hand saw for plaster
- F Scie à plâtre oscillante
- ES Sierra oscilante para vendajes y enyesados
- P Serra para gesso oscilatória

Cod. **RP100**



Accessories included



Cod. **RP105**  
Blade for plaster Ø 6,5 cm

Key for blades disassembling

Cod. **RP106**  
Blade for synthetic plaster Ø 6,5 cm

Oscillation adjustment. Power: alternating 230V 50-60Hz/250W. 5 m power cable. Blade oscillation 1200-2100 (1/min). Weight 1,1 kg.

- EN** Medical bed sheets roll and paper towels
- F** Rouleau lit et serviettes en papier
- ES** Rollo de sábana desechable y toallas de papel
- P** Lençol hospitalar e toalhas de papel

### In pure 2-ply embossed cellulose

Cod. **RT370**



Technical features

DIMENSION		
W:		68 mt
H:		60 cm
N°		6 pz

### Ecological

Cod. **RT371**



Technical features

DIMENSION		
W:		55 mt
H:		60 cm
N°		6 pz

### V folded

Cod. **RT150V**



Technical features

DIMENSION		
W:	H:	N°
22 cm	22 cm	210 pcs

### Pure cellulose double - Roll - Each 34 cm tearing paper

Cod. **RT211**

Maxi roll



Cod. **RT210**

Mini roll



Technical features

Product codes	RT210	RT211
DIMENSION		
W:	72 m	320 m
H:	20 cm	22 cm
Ø Roll	13 cm	20 cm
Ø Inside roll	4,5 cm	7,2 cm

- EN** Adhesive bandage
- F** Bandage adhésif
- ES** Banda adhesiva
- P** Bandagem adesiva

### Hypoallergenic breathable TNT



Technical features

Product codes	PL351	PL353	PL355
<b>DIMENSION</b>			
W:	10 m	10 m	10 m
H:	5 cm	10 cm	20 cm
N°	1 pcs	1 pcs	1 pcs

- EN** Sterile disposable vaginal specula
- F** Spéculum vaginal à usage unique stérile
- ES** Espéculo vaginal desechable estéril
- P** Espéculo vaginal descartável estéril



Adjustable opening. Non-toxic, transparent plastic material. Single sterile package. Box 120 pcs.

Technical features

Product codes	AC460 yellow	AC461 red	AC462 white
<b>DIMENSION</b>			
W:	8,5 cm	9 cm	10 cm
H:	2 cm	2,8 cm	3,6 cm

- EN** Sterile containers and tubes
- F** Pots et tubes stériles
- ES** Contenedores y tubos estériles
- P** Recipientes e provetas estéreis

### Polypropylene



**Cod. ST284**  
**10 ml graduated urine tube**  
 With paper label, individually wrapped with retail box



**Cod. ST283**  
**60 ml faeces container**  
 With frosted label, screw cap, spoon, individually wrapped with retail box



**Cod. ST282**  
**120 ml urine container**  
 With frosted label, screw cap, individually wrapped with retail box